

# ةداعإ عاطخأ فاشكتسأ لوح ةينف ةظحالم اهحالصإو UCS C-Series مداخل ليغشت

## تايوتحمل

[ةمدقمل](#)

[ةيساسألا تابلطتملا](#)

[تابلطتملا](#)

[ةمدختسملا تانوكمل](#)

[ةفلتخمللا ليغشتلا ةداعإ طورشل عقوتمللا جارخال](#)

[\(vSphere 5.0\) ليغشتلا ماظن نم ليغشتلا ةداعإ](#)

[CIMC مدختسم ةهجاو نم ةقاطلا ةرود](#)

[CIMC مدختسم ةهجاو نم ةقاطلا ليغشت فاقيا](#)

[CIMC مدختسم ةهجاو نم ةقاطلا ليغشت](#)

[\(فاقيا ديقي\) مداخللا نم يمامألا عزجالا يف دوجوملا ليغشتلا رز](#)

[\(ليغشتلا ديقي\) مداخللا نم يمامألا عزجالا يف دوجوملا ليغشتلا رز](#)

## ةمدقمل

قافخإ ليغشت نتم يلعلال يف دجوي اضيا) /var/log/messages نم جاتنا ةقيثو اذه دوزي ام دنع .ليغشتلا ةداعإ تالاح فلتخم اناثا عقوتم جاتنالال فصيا نأ C210-M2 ل (لجس (OBFL) C ةلسلسلا نم Cisco Unified Computing System (UCS) مداخل ديهمت عاطخأ فاشكتساب موقت يف تالجالا هذه دجوت .OBFL و /var/log/messages تالجالا وهو عدبلل دحاو ناكم كانه ،اهحالصإو ةنيعم ينف معد ةلاسرجارخال ةقباطم كنكمي هنا يف ةركفال لثمتت .ينفال معدل تافل م ليغشتلا ةداعإ ليغشتب ماق ام ديكأتل دنتسملا اذه يف دوجوملا جارخال عم

## ةيساسألا تابلطتملا

### تابلطتملا

ةيلاللا عيضاوملاب ةفرعم كيذل نوكت نأ Cisco ي صوت:

- VMware vSphere 5.0 جم انرب
- Cisco نم (CIMC) ةراداللا يف ةلمكتملا مكحتلا ةدحو

### ةمدختسملا تانوكمل

ةنيعم ةيدام تانوكموجمارب تارادصإ يلع دنتسملا اذه رصتقي ال

ةصاخ ةيلمعم ةئيبي يف ةدوجوملا ةزهجالا نم دنتسملا اذه يف ةدراولا تامولعمللا عاشنإ مت تناك اذا .(يضارتفا) حوسمم نيوكتب دنتسملا اذه يف ةمدختسملا ةزهجالا عيمج تادب رمايال لمحتملا ريثاتلل كمهف نم دكأتف ،ةرشابم كتكبش

## ةفلتخمللا ليغشتلا ةداعإ طورشل عقوتمللا جارخال

## ليغش التال ماظن نم ليغش التال اءءاع (vSphere 5.0)

```
5:2012 May 11 13:49:38:BMC:kernel:-:<5>LPC Reset ISR -> ResetState: 1
7:2012 May 11 13:49:38:BMC:kernel:-:<7>[peci_init_hardware]:490:peci:
  unregistered IRQ: [13]
7:2012 May 11 13:49:38:BMC:kernel:-:<7>[block_transfer_deallocate_entire_list]:
  1141:block_transfer_deallocate_entire_list
7:2012 May 11 13:49:38:BMC:kernel:-:<7>[block_transfer_deallocate_entire_list]:
  1185:block_transfer_deallocate_entire_list : Dumped: 0x0002 files.
5:2012 May 11 13:49:38:BMC:BIOSReader:391: BIOSReader.c:555:File Close :
  /var/nuova/BIOS/BiosTech_1.txt
5:2012 May 11 13:49:38:BMC:BIOSReader:391: BIOSReader.c:555:File Close :
  /var/nuova/BIOS/BiosTech_4.txt
5:2012 May 11 13:49:38:BMC:kernel:-:<5>[block_transfer_fetch_host_request_for_app]:
  2125:block_transfer_fetch_host_request_for_app : BT_FILE_CLOSE :
  HostBTDescr = 126 : FName = BiosTech_1.txt
5:2012 May 11 13:49:38:BMC:kernel:-:<5>[block_transfer_fetch_host_request_for_app]:
  2125:block_transfer_fetch_host_request_for_app : BT_FILE_CLOSE :
  HostBTDescr = 125 : FName = BiosTech_4.txt
5:2012 May 11 13:49:38:BMC:kernel:-:<5>LPC Reset ISR -> ResetState: 0
7:2012 May 11 13:49:38:BMC:kernel:-:<7>[peci_init_hardware]:472:peci:
  registered IRQ: [13]
5:2012 May 11 13:49:38:BMC:kernel:-:<5>[lpc_reset_handler_Port80_Capture_setup]:
  630:BIOS_POST_CMPLT De-asserted --> BIOS is running
7:2012 May 11 13:49:38:BMC:kernel:-:<7>[block_transfer_deallocate_entire_list]:
  1141:block_transfer_deallocate_entire_list
7:2012 May 11 13:49:38:BMC:kernel:-:<7>[block_transfer_deallocate_entire_list]:
  1185:block_transfer_deallocate_entire_list : Dumped: 0x0000 files.
6:2012 May 11 13:49:38:BMC:avct_server:-: rvas_wait_for_changes failed
4:2012 May 11 13:49:38:BMC:avct_server:-: No Video Source Detected!
5:2012 May 11 13:49:39:BMC:bioscom:-: lv_mode_dimm_support.c:126:
  [lpc_reset_seen]LPC Reset Count is Different [0x28:0x29]
  Asserted LPC Reset Seen
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1388:audit from:kcs
  Fn:0x4 Cmd:0x28 Resp:0x0
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1415:audit data&colon; 0x9 0x80
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1388:audit from:kcs
  Fn:0x4 Cmd:0x28 Resp:0x0
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1415:audit data&colon; 0xa 0x80
5:2012 May 11 13:49:39:BMC:bioscom:-: lv_mode_dimm_support.c:197:
  [transition_function]Starting Transition to
  [High Voltage Mode] from [Unknown Mode]
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1388:audit from:kcs
  Fn:0x4 Cmd:0x28 Resp:0x0
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1415:audit data&colon; 0x9 0x80
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1388:audit from:kcs
  Fn:0x4 Cmd:0x28 Resp:0x0
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1415:audit data&colon; 0xa 0x80
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1388:audit from:kcs
  Fn:0x4 Cmd:0x26 Resp:0x0
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1415:audit data&colon;
  0x9 0x36 0x92 0x92 0x89 0x9f 0x9f 0xa8
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1388:audit from:kcs
  Fn:0x4 Cmd:0x26 Resp:0x0
5:2012 May 11 13:49:39:BMC:IPMI:585: Bridge.c:1415:audit data&colon;
  0xa 0x36 0x92 0x92 0x89 0x9f 0x9f 0xa8
5:2012 May 11 13:49:39:BMC:bioscom:-: lv_mode_dimm_support.c:217:
  [transition_function]Transition to [High Voltage Mode] Success
5:2012 May 11 13:49:39:BMC:IPMI:591: VirtualSEL.c:224:SEL Evt[04 00]<
  04 00 02 F3 18 AD 4F 20 00 04 25 53 08 00 FF FF >
5:2012 May 11 13:49:39:BMC:BIOSReader:391: BIOSReader.c:227:File Open :
  BiosTech_3.txt
```

```

5:2012 May 11 13:49:39:BMC:kernel:--<5>[block_transfer_fetch_host_request_for_app]:
2063:block_transfer_fetch_host_request_for_app: BT_OPEN:
HostDescriptor = 131 : Filename = BiosTech_3.txt
7:2012 May 11 13:49:39:BMC:kernel:--<7>[mailbox_isr]:276:
Mailbox[0] Bit Change w/NULL Handler (01 - 10)!
7:2012 May 11 13:49:39:BMC:kernel:--<7>[mailbox_isr]:276:
Mailbox[0] Bit Change w/NULL Handler (01 - 20)!
7:2012 May 11 13:49:39:BMC:kernel:--<7>[mailbox_isr]:276:
Mailbox[0] Bit Change w/NULL Handler (01 - 40)!
5:2012 May 11 13:49:39:BMC:kernel:--<5>LPC Reset ISR -> ResetState: 1
7:2012 May 11 13:49:39:BMC:kernel:--<7>[peci_init_hardware]:490:peci:
unregistered IRQ: [13]
7:2012 May 11 13:49:39:BMC:kernel:--<7>[block_transfer_deallocate_entire_list]:
1141:block_transfer_deallocate_entire_list
7:2012 May 11 13:49:39:BMC:kernel:--<7>[block_transfer_deallocate_entire_list]:
1185:block_transfer_deallocate_entire_list : Dumped: 0x0001 files.
5:2012 May 11 13:49:39:BMC:kernel:--<5>LPC Reset ISR -> ResetState: 0
7:2012 May 11 13:49:39:BMC:kernel:--<7>[peci_init_hardware]:472:peci:
registered IRQ: [13]

```

### تاطحالم

ةقئقحل هذه مادختس كنكمي .ليغشتل ماظن ديهمت ال "do\_power" جارخا عبطي ال -  
ةرسب ليغشتل ماظن ال هديهمت مت دق مداخل ناك اذا ام ديحتل  
[لعل دهجل عرضو] تالاقتنال طقف ليغشتل ماظن ديهمت عبطي -

## مدختسم ةهجاو نم ةقاطل ةرود CIMC

```

5:2012 May 11 13:50:22:BMC:IPMI:585: Bridge.c:1388:audit from:kcs
Fn:0x0 Cmd:0x2 Resp:0x0
5:2012 May 11 13:50:22:BMC:IPMI:585: Bridge.c:1415:audit data:colon; 0x2
7:2012 May 11 13:50:22:BMC:kernel:--<7>[do_power_off]:188:do_power_off
5:2012 May 11 13:50:22:BMC:kernel:--<5>[do_power_off]:190:Power Driver:
Power Off Logic @ 181790792
6:2012 May 11 13:50:22:BMC:kernel:--<6>[press_button]:105:Power Driver:
Press Power Button @ 181790793
5:2012 May 11 13:50:22:BMC:AUDIT:-- Server power state modify (op:power-cycle)
5:2012 May 11 13:50:26:BMC:kernel:--<5>LPC Reset ISR -> ResetState: 1
7:2012 May 11 13:50:26:BMC:kernel:--<7>[peci_init_hardware]:490:peci:
unregistered IRQ: [13]
7:2012 May 11 13:50:26:BMC:kernel:--<7>[block_transfer_deallocate_entire_list]:
1141:block_transfer_deallocate_entire_list
7:2012 May 11 13:50:26:BMC:kernel:--<7>[block_transfer_deallocate_entire_list]:
1185:block_transfer_deallocate_entire_list : Dumped: 0x0001 files.
7:2012 May 11 13:50:26:BMC:kernel:--<7>USB FS: VDD Power WAKEUP- Power Good = OFF
7:2012 May 11 13:50:26:BMC:kernel:--<7>kbd_complete: -108, 0/8
7:2012 May 11 13:50:26:BMC:kernel:--<7>mouse_complete: -108, 0/6
7:2012 May 11 13:50:26:BMC:kernel:--<7>USB HS: VDD Power WAKEUP- Power Good = OFF
7:2012 May 11 13:50:26:BMC:kernel:--<7>bulk_out_complete: -108, 0/31, LUN[0][2]
7:2012 May 11 13:50:26:BMC:kernel:--<7>handle_exception: Handling
MSD_STATE_DISCONNECT for interface[0]
7:2012 May 11 13:50:26:BMC:kernel:--<7>do_set_interface(): reset_interface
7:2012 May 11 13:50:26:BMC:kernel:--<7>handle_exception:
Handling MSD_STATE_DISCONNECT for interface[1]
5:2012 May 11 13:50:26:BMC:kernel:--<5>[block_transfer_fetch_host_request_for_app]:
2125:block_transfer_fetch_host_request_for_app : BT_FILE_CLOSE :
HostBTDescr = 132 : FName = BiosTech_4.txt
6:2012 May 11 13:50:26:BMC:kernel:--<6>kbdmouse_write:
kbd write aborted for device reset.
6:2012 May 11 13:50:26:BMC:kernel:--<6>kbdmouse_write:
mouse write aborted for device reset.

```

6:2012 May 11 13:50:26:BMC:avct\_server:-: rvas\_wait\_for\_changes failed

5:2012 May 11 13:50:26:BMC:BIOSReader:391:

BIOSReader.c:555:File Close : /var/nuova/BIOS/BiosTech\_4.txt

## CIMC مداخلتسم ةهجاو نم ةقاطال لئغشت فاقئ

5:2012 May 11 13:58:57:BMC:IPMI:585: Bridge.c:1388:audit from:kcs

Fn:0x0 Cmd:0x2 Resp:0x0

7:2012 May 11 13:58:57:BMC:kernel:-:<7>[do\_power\_off]:188:do\_power\_off

5:2012 May 11 13:58:57:BMC:kernel:-:<5>[do\_power\_off]:190:Power Driver:

Power Off Logic @ 182297296

6:2012 May 11 13:58:57:BMC:kernel:-:<6>[press\_button]:105:Power Driver:

Press Power Button @ 182297296

5:2012 May 11 13:58:57:BMC:IPMI:585: Bridge.c:1415:audit data&colon; 0x0

5:2012 May 11 13:58:57:BMC:AUDIT:-: Server power state modify (op:power-off)

5:2012 May 11 13:59:01:BMC:kernel:-:<5>LPC Reset ISR -> ResetState: 1

7:2012 May 11 13:59:01:BMC:kernel:-:<7>[peci\_init\_hardware]:490:peci:

unregistered IRQ: [13]

7:2012 May 11 13:59:01:BMC:kernel:-:<7>[block\_transfer\_deallocate\_entire\_list]:

1141:block\_transfer\_deallocate\_entire\_list

7:2012 May 11 13:59:01:BMC:kernel:-:<7>[block\_transfer\_deallocate\_entire\_list]:

1185:block\_transfer\_deallocate\_entire\_list : Dumped: 0x0002 files.

7:2012 May 11 13:59:01:BMC:kernel:-:<7>USB FS: VDD Power WAKEUP- Power Good = OFF

7:2012 May 11 13:59:01:BMC:kernel:-:<7>USB HS: VDD Power WAKEUP- Power Good = OFF

7:2012 May 11 13:59:01:BMC:kernel:-:<7>bulk\_out\_complete: -108, 0/31, LUN[0][2]

7:2012 May 11 13:59:01:BMC:kernel:-:<7>handle\_exception: Handling

MSD\_STATE\_DISCONNECT for interface[0]

7:2012 May 11 13:59:01:BMC:kernel:-:<7>do\_set\_interface(): reset\_interface

7:2012 May 11 13:59:01:BMC:kernel:-:<7>handle\_exception: Handling

MSD\_STATE\_DISCONNECT for interface[1]

5:2012 May 11 13:59:01:BMC:kernel:-:<5>[block\_transfer\_fetch\_host\_request\_for\_app]:

2125:block\_transfer\_fetch\_host\_request\_for\_app : BT\_FILE\_CLOSE :

HostBTDescr = 143 : FName = BiosTech\_3.txt

5:2012 May 11 13:59:01:BMC:kernel:-:<5>[block\_transfer\_fetch\_host\_request\_for\_app]:

2125:block\_transfer\_fetch\_host\_request\_for\_app : BT\_FILE\_CLOSE :

HostBTDescr = 142 : FName = BiosTech\_2.txt

6:2012 May 11 13:59:01:BMC:avct\_server:-: rvas\_wait\_for\_changes failed

5:2012 May 11 13:59:01:BMC:BIOSReader:391: BIOSReader.c:555:File Close :

/var/nuova/BIOS/BiosTech\_3.txt

5:2012 May 11 13:59:01:BMC:BIOSReader:391: BIOSReader.c:555:File Close :

/var/nuova/BIOS/BiosTech\_2.txt

## CIMC مداخلتسم ةهجاو نم ةقاطال لئغشت

5:2012 May 11 13:59:13:BMC:IPMI:585: Bridge.c:1388:audit from:

kcs Fn:0x0 Cmd:0x2 Resp:0x0

5:2012 May 11 13:59:13:BMC:IPMI:585: Bridge.c:1415:audit data&colon; 0x1

7:2012 May 11 13:59:13:BMC:kernel:-:<7>[do\_power\_on]:226:do\_power\_on

5:2012 May 11 13:59:13:BMC:kernel:-:<5>[do\_power\_on]:231:Power Driver:

Power On Logic Pulse for 250ms @ 182313079

6:2012 May 11 13:59:13:BMC:kernel:-:<6>[press\_button]:105:Power Driver:

Press Power Button @ 182313079

5:2012 May 11 13:59:13:BMC:AUDIT:-: Server power state modify (op:power-on)

6:2012 May 11 13:59:13:BMC:kernel:-:<6>[release\_button]:115:Power Driver:

Release Power Button @ 182313330

7:2012 May 11 13:59:13:BMC:kernel:-:<7>USB FS: VDD Power WAKEUP-

Power Good = ON

6:2012 May 11 13:59:13:BMC:kernel:-:<6>se\_pilot2\_udc\_usb\_turnon:

Passed USB1.1 register test (0)

7:2012 May 11 13:59:13:BMC:kernel:-:<7>USB HS: VDD Power WAKEUP-

Power Good = ON

```
6:2012 May 11 13:59:13:BMC:kernel:--:<6>se_pilot2_udc_usb_turnon:
    Passed USB2.0 register test (11)
5:2012 May 11 13:59:13:BMC:kernel:--:<5>LPC Reset ISR -> ResetState: 0
7:2012 May 11 13:59:13:BMC:kernel:--:<7>[peci_init_hardware]:472:peci:
    registered IRQ: [13]
5:2012 May 11 13:59:13:BMC:kernel:--:<5>[lpc_reset_handler_Port80_Capture_setup]:
    630:BIOS_POST_CMPLT De-asserted --> BIOS is running
7:2012 May 11 13:59:13:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
    1141:block_transfer_deallocate_entire_list
7:2012 May 11 13:59:13:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
    1185:block_transfer_deallocate_entire_list : Dumped: 0x0000 files.
5:2012 May 11 13:59:13:BMC:IPMI:587: Pilot2SrvPower.c:394:
    Blade Power Changed To: [ ON ]
5:2012 May 11 13:59:13:BMC:kernel:--:<5>[do_power_on]:
    251:Power Driver: Power On Logic Done @ 182313832
5:2012 May 11 13:59:13:BMC:IPMI:590: Pilot2SrvPower.c:
    188:Pilot2SrvPowerOn
5:2012 May 11 13:59:14:BMC:IPMI:591: VirtualSEL.c:224:
    SEL Evt[25 00]< 25 00 02 32 1B AD 4F 20 00 04 25 52 08 01 FF FF >
5:2012 May 11 13:59:14:BMC:IPMI:591: VirtualSEL.c:224:
    SEL Evt[26 00]< 26 00 02 32 1B AD 4F 20 00 04 25 53 08 00 FF FF >
5:2012 May 11 13:59:14:BMC:IPMI:591: VirtualSEL.c:224:
    SEL Evt[27 00]< 27 00 02 32 1B AD 4F 20 00 04 08 62 0B 00 FF FF >
5:2012 May 11 13:59:14:BMC:kernel:--:<5>[block_transfer_fetch_host_request_for_app]:
    2063:block_transfer_fetch_host_request_for_app: BT_OPEN:
    HostDescriptor = 148 : Filename = BiosTech_1.txt
5:2012 May 11 13:59:14:BMC:BIOSReader:391: BIOSReader.c:227:
    File Open : BiosTech_1.txt
7:2012 May 11 13:59:14:BMC:kernel:--:<7>[mailbox_isr]:276:
    Mailbox[0] Bit Change w/NULL Handler (01 - 10)!
7:2012 May 11 13:59:14:BMC:kernel:--:<7>[mailbox_isr]:276:
    Mailbox[0] Bit Change w/NULL Handler (01 - 20)!
7:2012 May 11 13:59:14:BMC:kernel:--:<7>[mailbox_isr]:276:
    Mailbox[0] Bit Change w/NULL Handler (01 - 40)!
5:2012 May 11 13:59:14:BMC:kernel:--:<5>LPC Reset ISR -> ResetState: 1
7:2012 May 11 13:59:14:BMC:kernel:--:<7>[peci_init_hardware]:490:peci:
    unregistered IRQ: [13]
7:2012 May 11 13:59:14:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
    1141:block_transfer_deallocate_entire_list
7:2012 May 11 13:59:14:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
    1185:block_transfer_deallocate_entire_list : Dumped: 0x0001 files.
6:2012 May 11 13:59:14:BMC:avct_server:--: Clear RVAS regs
5:2012 May 11 13:59:14:BMC:kernel:--:<5>LPC Reset ISR -> ResetState: 0
```

## فريقي إلهي (مداخل) نم يمام أله عزجل ي ف دوجوم ليه غش تال زر

```
6:2012 May 11 14:01:51:BMC:storage:--: SLOT-5:
    Time established as 05/11/12 14:01:27; (75 seconds since power on)
6:2012 May 11 14:01:51:BMC:avct_server:--:
    rvas_wait_for_changes failed
5:2012 May 11 14:01:51:BMC:kernel:--:<5>LPC Reset ISR -> ResetState: 1
7:2012 May 11 14:01:51:BMC:kernel:--:<7>[peci_init_hardware]:490:peci:
    unregistered IRQ: [13]
7:2012 May 11 14:01:51:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
    1141:block_transfer_deallocate_entire_list
7:2012 May 11 14:01:51:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
    1185:block_transfer_deallocate_entire_list : Dumped: 0x0002 files.
7:2012 May 11 14:01:51:BMC:kernel:--:<7>USB FS: VDD Power WAKEUP- Power Good = OFF
7:2012 May 11 14:01:51:BMC:kernel:--:<7>USB HS: VDD Power WAKEUP- Power Good = OFF
7:2012 May 11 14:01:51:BMC:kernel:--:<7>bulk_out_complete: -108, 0/31, LUN[0][0]
7:2012 May 11 14:01:51:BMC:kernel:--:<7>handle_exception: Handling
    MSD_STATE_DISCONNECT for interface[0]
```

```
7:2012 May 11 14:01:51:BMC:kernel:--:<7>do_set_interface(): reset_interface
7:2012 May 11 14:01:51:BMC:kernel:--:<7>handle_exception: Handling
MSD_STATE_DISCONNECT for interface[1]
5:2012 May 11 14:01:51:BMC:BIOSReader:391: BIOSReader.c:555:File Close :
/var/nuova/BIOS/BiosTech_3.txt
5:2012 May 11 14:01:51:BMC:BIOSReader:391: BIOSReader.c:555:File Close :
/var/nuova/BIOS/BiosTech_2.txt
5:2012 May 11 14:01:51:BMC:kernel:--:<5>[block_transfer_fetch_host_request_for_app]:
2125:block_transfer_fetch_host_request_for_app : BT_FILE_CLOSE :
HostBTDescr = 150 : FName = BiosTech_3.txt
5:2012 May 11 14:01:51:BMC:kernel:--:<5>[block_transfer_fetch_host_request_for_app]:
2125:block_transfer_fetch_host_request_for_app : BT_FILE_CLOSE :
HostBTDescr = 149 : FName = BiosTech_2.txt
5:2012 May 11 14:01:51:BMC:IPMI:593: Pilot2SrvPower.c:394:
Blade Power Changed To: [ OFF ]
5:2012 May 11 14:01:51:BMC:IPMI:591: VirtualSEL.c:224:SEL Evt[33 00]<
33 00 02 CF 1B AD 4F 20 00 04 25 52 08 00 FF FF >
6:2012 May 11 14:01:51:BMC:IPMI:583: mcddI2CDrv.c:860:PI2CPerformOP:
ioctl to driver failed to read Bus[f4].Dev[5e]! ErrorStatus[32]
6:2012 May 11 14:01:52:BMC:IPMI:583: mcddI2CDrv.c:860:PI2CPerformOP:
ioctl to driver failed to read Bus[f4].Dev[5e]! ErrorStatus[32]
4:2012 May 11 14:01:52:BMC:avct_server:--: No Video Source Detected!
6:2012 May 11 14:01:52:BMC:avct_server:--: Video Source Detected!
5:2012 May 11 14:01:52:BMC:IPMI:591: VirtualSEL.c:224:
SEL Evt[34 00]< 34 00 02 D0 1B AD 4F 20 00 04 25 53 08 01 FF FF >
5:2012 May 11 14:01:52:BMC:bioscom:--: lv_mode_dimm_support.c:126:
[lpc_reset_seen]LPC Reset Count is Different [0x30:0x31]
Asserted LPC Reset Seen
```

## رر (لرغش لال درق) مداخل نل مرمأال عزجال فر دوجوم لال لرغش لال رر

```
5:2012 May 11 14:01:58:BMC:IPMI:591: VirtualSEL.c:224:
SEL Evt[35 00]< 35 00 02 D6 1B AD 4F 20 00 04 08 62 0B 00 FF FF >
7:2012 May 11 14:01:58:BMC:kernel:--:<7>USB FS: VDD Power WAKEUP-
Power Good = ON
6:2012 May 11 14:01:58:BMC:kernel:--:<6>se_pilot2_udc_usb_turnon:
Passed USB1.1 register test (0)
7:2012 May 11 14:01:58:BMC:kernel:--:<7>USB HS: VDD Power WAKEUP-
Power Good = ON
6:2012 May 11 14:01:58:BMC:kernel:--:<6>se_pilot2_udc_usb_turnon:
Passed USB2.0 register test (11)
5:2012 May 11 14:01:58:BMC:kernel:--:<5>LPC Reset ISR -> ResetState: 0
7:2012 May 11 14:01:58:BMC:kernel:--:<7>[peci_init_hardware]:472:peci:
registered IRQ: [13]
5:2012 May 11 14:01:58:BMC:kernel:--:<5>[lpc_reset_handler_Port80_Capture_setup]:
630:BIOS_POST_CMPLT De-asserted --> BIOS is running
7:2012 May 11 14:01:58:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
1141:block_transfer_deallocate_entire_list
7:2012 May 11 14:01:58:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
1185:block_transfer_deallocate_entire_list : Dumped: 0x0000 files.
5:2012 May 11 14:01:59:BMC:IPMI:587: Pilot2SrvPower.c:394:
Blade Power Changed To: [ ON ]
5:2012 May 11 14:01:59:BMC:kernel:--:<5>[block_transfer_fetch_host_request_for_app]:
2063:block_transfer_fetch_host_request_for_app: BT_OPEN:
HostDescriptor = 155 : Filename = BiosTech_1.txt
5:2012 May 11 14:01:59:BMC:BIOSReader:391: BIOSReader.c:227:File Open :
BiosTech_1.txt
5:2012 May 11 14:01:59:BMC:kernel:--:<5>LPC Reset ISR -> ResetState: 1
7:2012 May 11 14:01:59:BMC:kernel:--:<7>[peci_init_hardware]:490:peci:
unregistered IRQ: [13]
7:2012 May 11 14:01:59:BMC:kernel:--:<7>[block_transfer_deallocate_entire_list]:
1141:block_transfer_deallocate_entire_list
```

7:2012 May 11 14:01:59:BMC:kernel:-:<7>[block\_transfer\_deallocate\_entire\_list]:  
1185:block\_transfer\_deallocate\_entire\_list : Dumped: 0x0001 files.

5:2012 May 11 14:01:59:BMC:kernel:-:<5>[block\_transfer\_fetch\_host\_request\_for\_app]:  
2125:block\_transfer\_fetch\_host\_request\_for\_app : BT\_FILE\_CLOSE :  
HostBTDescr = 155 : FName = BiosTech\_1.txt

5:2012 May 11 14:01:59:BMC:BIOSReader:391: BIOSReader.c:555:File Close :  
/var/nuova/BIOS/BiosTech\_1.txt

5:2012 May 11 14:01:59:BMC:kernel:-:<5>LPC Reset ISR -> ResetState: 0

7:2012 May 11 14:01:59:BMC:kernel:-:<7>[peci\_init\_hardware]:472:peci:  
registered IRQ: [13]

5:2012 May 11 14:01:59:BMC:kernel:-:<5>[lpc\_reset\_handler\_Port80\_Capture\_setup]:  
630:BIOS\_POST\_CMPLT De-asserted --> BIOS is running

7:2012 May 11 14:01:59:BMC:kernel:-:<7>[block\_transfer\_deallocate\_entire\_list]:  
1141:block\_transfer\_deallocate\_entire\_list

7:2012 May 11 14:01:59:BMC:kernel:-:<7>[block\_transfer\_deallocate\_entire\_list]:  
1185:block\_transfer\_deallocate\_entire\_list : Dumped: 0x0000 files.

6:2012 May 11 14:01:59:BMC:avct\_server:-: Clear RVAS regs

5:2012 May 11 14:01:59:BMC:IPMI:591: VirtualSEL.c:224:SEL Evt[36 00]<  
36 00 02 D7 1B AD 4F 20 00 04 25 52 08 01 FF FF >

6:2012 May 11 14:02:00:BMC:avct\_server:-: Set TSTMUL reg to 0x00100000

5:2012 May 11 14:02:00:BMC:IPMI:591: VirtualSEL.c:224:SEL Evt[37 00]<  
37 00 02 D8 1B AD 4F 20 00 04 25 53 08 00 FF FF >

6:2012 May 11 14:02:00:BMC:avct\_server:-: Detected VGA Text Mode: 80 x 25 chars

6:2012 May 11 14:02:00:BMC:avct\_server:-: Current Graphics Core Settings are:

6:2012 May 11 14:02:00:BMC:avct\_server:-: 720 x 400, 4 bits per pixel, 640 pitch,  
in VGA mode

6:2012 May 11 14:02:00:BMC:avct\_server:-: Video Signal detected: 720 x 400,  
color depth is: 4 bits

6:2012 May 11 14:02:00:BMC:avct\_server:-: VGA Text mode

6:2012 May 11 14:02:00:BMC:avct\_server:-: Change Detected before TFE start

5:2012 May 11 14:02:00:BMC:bioscom:-: lv\_mode\_dimm\_support.c:126:  
[lpc\_reset\_seen]LPC Reset Count is Different [0x31:0x32]  
Asserted LPC Reset Seen

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسم ل اذ ه Cisco ت مچرت  
م ل اء ان ا ع مچ ي ف ن م دخت س م ل م عد و ت م م م دقت ل ة يرش ب ل و  
امك ة ق ي ق د ن و ك ت ن ل ة ل آل ة مچرت ل ض ف ا ن ا ة ظ ح ال م ي ج ر ي . ة ص ا خ ل م ه ت غ ل ب  
Cisco ي ل خ ت . ف ر ت م م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ال ا ة مچرت ل ا ع م ل ا ح ل ا و ه  
ى ل ا م اء ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco  
Systems (ر ف و ت م ط ب ا ر ل ا) ي ل ص ا ل ا ي ز ي ل ج ن ا ل ا دن ت س م ل ا