

# Catalyst Center J Webex شذح تامالعل نلوكك

## تالوتحمل

[قمدقمل](#)

[قلساسأل تابلطمل](#)

[تابلطمل](#)

[قمدختسمل تانوكمل](#)

[نلوكك](#)

[Webex توبورءاشن](#)

[Webex قفرعءاشن](#)

[شذحلابل مالعلءاشن](#)

[قحصلل نمققوكتل](#)

## قمدقمل

قرف ىل اهلاسرال Cisco Catalyst Center شذح تامالعل نلوكك قلفك دننلسمل اذف فصفى Webex.

## قلساسأل تابلطمل

### تابلطمل

لوح قلساسأل قفرع:

- Cisco نلوكك تامالعل
- Webex لمع قرف

### قمدختسمل تانوكمل

- Cisco Catalyst Center 2.3.5.x
- Webex لمع قرف

قصاخ قلمعم قئب قف قذوومل قزهلأل نم دننلسمل اذف قف قذراول تاملولعملءاشن مل تناك اذل. (قضرارلفا) حوسمم نلوكك دننلسمل اذف قف قمدختسمل قزهلأل قلمج تاذب رمل قلال ملنل رللالل كمهف نم ذكأف، لقغشلال دلق ككككش.

## نلوكك

### Webex توبورءاشن

1. دقذ Webex Bot ءاشنل نلوكك [Webex](#) قحصف لخدأ.
2. Webex Teams باسح ماذختساب لوخدلال لقجست.

3. عزم فصول لخلق افصول فضا أو،ةنوقياً دحو،توب مدختسم مسا،توب مسا فضا. Bot فاضاً راىخ لىل ع رقنلاب Bot ءاشناب مق .تاقىبطلال

## New Bot

### Bot name\*

Name of your bot as it will appear in Webex.

Catalyst Center Notification

### Bot username\*

The username users will use to add your bot to a space. Cannot be changed later.


CatalystCenterTest

@webex.bot

🟢 CatalystCenterTest@webex.bot is available

### Icon\*

Upload your own or select from our defaults. Must be exactly 512x512px in JPEG or PNG format.



### App Hub Description\*

What does your app do, how does it benefit users, how do users get started? Does your app require a non-Webex account? If your app is not free or has additional features for paid users, please note that and link to pricing information. 1024 character limit.



Catalyst Center Bot used for Event Notifications.

Supported markdown

1451 characters remaining

By creating this app, you accept the [Terms of Service](#) and [Privacy Statement](#).

Cancel

Add Bot

4. تبلىل مدختسم المساو دىهمتلا لىل لوصولاً زمر ميق خسنا.

## Congratulations! 🎉

Catalyst Center Notification is one step closer to becoming a reality.

### Catalyst Center Notification

👉 **Next Step:** Use your Bot Access Token to set up your webhook and finish building your bot.

#### Bot access token

Non-expiring (good for 100 years) access token for your bot. Save this token to set up your webhook.

MDU3NmZhZTctYTA0YS00NjM2LTljYzQtYWUzMjVIZjU3NDlmMjEzYz.

Copy Token

💡 **Tip:** Save this token!  
It won't be shown again (but you can regenerate a new one if needed).

#### Bot username\*

The username users will use to add your bot to a space. Cannot be changed later.

CatalystCenterTest@webex.bot

#### Icon\*


Upload your own or select from our defaults. Must be exactly 512x512px in JPEG or PNG format.




Edit

## Webex ة فرغ ءاشنإ

1. رايخ رقن هعبت يي ذل ا '+' رز رقن ب Webex Room ءاشنإ يي فرم ت سا ، Webex Teams يي ف ة. فاسم ءاشنإ



صاخشأ ةفاضا لوقح يف توبلا مدختسم مسا ةفاضا باعوبتم ، ةحاسم لل مسا ةفاضا باعوبتم .  
ةحاسم ل ءاشنإل ةعباتم لاب مق . ينورتكللال ديربلا وأ مسالا بسح .



يروضلا نم ، ثدحلا تامال ءال Catalyst زكرم يف Webex قرف ةحاسم مادختسا لجأ نم .

يلائم URL [ناونع](#) لخدأ. اهؤاشنإ مت يتي لآحاسم ل Webex ةفرغ فرعم ةميق ىلع لوصح لآ ةبولطم لآ ةميق لآ ىلع لوصح لآ.

4. Webex ةحاسمب ةصاخ لآ ةيليصفت لآ تامولعمل لآ ىلع لوصح لآ ليغشت لآ راخ قوف رقنا . اهؤاشنإ مت يتي لآ.

The screenshot displays the 'List Rooms' API endpoint documentation on the 'webex for Developers' website. The page is divided into three main sections: a left sidebar with navigation links, a central content area, and a right-hand interactive panel.

- Left Sidebar:** Contains a list of navigation items such as 'Organizations', 'Partner Management', 'People', 'Recording Report', 'Recordings', 'Report Templates', 'Reports', 'Reports: Detailed Call History', 'Resource Group Memberships', 'Resource Groups', 'Roles', 'Room Tabs', and 'Rooms'. The 'List Rooms' endpoint is highlighted with a blue box.
- Central Content Area:** Titled 'List Rooms', it provides a description of the endpoint, including notes on room titles, result sets, and known limitations. Below the text, it shows the endpoint URL: `GET /v1/rooms`. It also lists query parameters: `teamId` (string), `type` (string), `orgPublicSpaces` (boolean), and `from` (string).
- Right-Hand Panel:** Features a 'Try it' button, a search bar, and a 'Header' section with an authorization toggle and a Bearer token field. Below this is a 'Query Parameters' section with input fields for `teamId`, `type`, `orgPublicSpaces`, `from`, `to`, `sortBy`, and `max`. A 'Run' button is located at the bottom right of this panel.

5. ةم لتسم لآ ةباجتس لآ نم اهؤاشنإ مت يتي لآ Webex ةحاسم فرعم ةميق خسنا .

200 / OK

```
{
  "items": [
    {
      "id": "Y21zY29zcGFyazovL3VzL1JPT00vZDNLZWU4NjAt",
      "title": "Catalyst Cente Notifications",
      "type": "group",
      "isLocked": false,
      "lastActivity": "2024-07-16T18:32:59.622Z",
      "creatorId": "Y21zY29zcGFyazovL3VzL1BFT1BMRS82N",
      "created": "2024-07-16T18:32:59.622Z",
      "ownerId": "Y21zY29zcGFyazovL3VzL09SR0FOSVpBVE1",
      "isPublic": false,
      "isReadOnly": false
    },
  ],
}
```

## ثدحللاب مالعإ عاشنإ

1. ديدج مالعإ عاشنإ و Notifications > Event Notifications > Developer Toolkit > ةصنم ىلإ لقتنا، Catalyst زكرم يف
2. كارتشال ل ةلباقم ل شادحلأاو عقاوم ل ددح، (شادحلأاو عقوم ل ديدحت) 1 ةوطخل ل ةبسنلاب ديدج ل مالعإ يف
3. Webex رايخ ددح، (تاونق ددح) 2 ةوطخل يف

### Step 2 - Select Channels

Choose the notification channels

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>EMAIL</b> Send an Email notification Supported Events (1/1)	<b>PAGERDUTY</b> POST Cisco DNA Center Event Notifications to Pagerduty Supported Events (1/1)	<b>REST</b> Send the data via HTTP push API Supported Events (1/1)	<b>SYSLOG</b> Send data to a Syslog server Supported Events (1/1)	<b>WEBEX</b> POST Cisco DNA Center Event Notifications to WEBEX Supported Events (1/1)

4. ديدج ل لثم عاشنإ ىلإ لقتنا، (WebEx تادادعإ) 3 ةوطخل اءانثأ.

5. زمرة ميق قصل ال Webex. ة فرغ فرع ل قح يف Webex ة حاسم فرع م قصل ال. ل. ث م سا فضا أ. Webex ل يئاق لت ال لوصول زمر ل قح يف يئاق لت ال لوصول

## Step 3 - WEBEX Settings

Configure the WEBEX channel settings for this notification

### SERVICE CONFIGURATION

Select Existing Instance  Create New Instance

Instance Name\*

Webex Notification

Webex URL\*

https://webexapis.com/v1/messages

Webex Room Id\*

Y2IzY29zcGFyazovL3VzL1JPT00vZDNIZWU4NjAtNDNhMS0xMWVmLWJIZjEtNGRi  
OTU1ZTUzZjE2

Webex Bot Access Token\*

MDU3NmZhZTctYTA0YS00NjM2LTlj [HIDE](#)

6. كمالع إىل إ فصول او ام سا فضا أ، (فصول او م سال) 4 ة و ط خ ال يف.

# Step 4 - Name and Description

Provide a name and short description for your notification

Name\*

**Webex Test**

Name can have alphanumerics, underscore and hyphen

Description\*

**Webex Teams Notification test.**

Description can have alphanumerics, underscore and hyphen

7. ماعالالامكتسالءاهنإقوفرقنا.



## Summary

Review your notification and make any changes. If you are satisfied, select "Finish" to complete this workflow

### ▼ Name and Description [Edit](#)

Name Webex Test  
Description Webex Teams Notification test.

### ▼ Site and Events [Edit](#)

Sites (0)  
Events (1) Switch Unreachable

### ▼ WEBEX Settings [Edit](#)

Webex URL https://webexapis.com/v1/messages  
Webex Room Id Y2lzY29zcGFyYzovL3VzL1JPT00vZDNIZWU4NjAtNDNhMS0xMWVmLWJlZjEtNGRlOTU1ZTUzZjE2  
Webex Bot Access Token .....

Back

Finish

## تحصيل نم ققحتلا

لقتنا Catalyst زكرم ىلع ، Webex قرف ةطساوب اهقلت متي تاراطخإلا تناك اذا ام رابتخال  
يذلا ثدحلل نع ثحبا ، Developer Toolkit > Event Notifications > Event Catalog ، ةصنم ىلإ  
مسالا قوف رقناو مالعإلا ءارج تقوي ف هي ف تكرتشا .

☰ Cisco DNA Center Platform / Developer Toolkit 🔍 ⓘ 🔄 📌

APIs Integration Flows Event Notifications

Notifications Event Catalog

🔍 switch unre ✕

Event ID ▾	Name	Type	Category	Severity
NETWORK-NON-FABRIC_WIRED-1-200	Switch Unreachable	NETWORK	ALERT	1

رشنلا راىخ ةطساوب عبتملا Try-it Now راىخلا قوف رقنلاب عباتملا مق

# Switch Unreachable



Event Details

Notifications

Try-It Now

## GENERAL INFORMATION

### Details

```
1 {
2   "Type": "$eventSource$",
3   "Assurance Issue Details": "This network device $nwDeviceName$ i
4   "Assurance Issue Priority": "$priority$",
5   "Device": "$eventUniqueId$",
6   "Assurance Issue Name": "Network Device $managementIpAddr$ Is Un
7   "Assurance Issue Category": "$category$",
8   "Assurance Issue Status": "$status$"
```

Cancel

Publish

معالج الإلإ رشنل Catalyst Center راطنل

## Notification



### Event Name

Switch Unreachable

### Event Id

NETWORK-NON-FABRIC\_WIRED-1-200

### Result

Notification	Channel	Status	Message
Webex Test	WEBEX	<span>●</span> PUBLISHED	

Webex Teams ؤحاسم ؤومجم لعل معال إلال رشنل مئل

New messages



Catalyst Center Notification 1:20 p.m.

### Cisco DNA Center Notification

**Source DNA:** 192.168.31.11  
**Center IP:**  
**Severity:** 1  
**Category:** ALERT  
**Timestamp:** 2024-07-16 19:20:00  
**Issue Name:** Network Device 172.19.255.2 Is Unreachable From Controller  
**Issue Description:** This network device Border1.Pod2.com is unreachable from controller. The device role is BORDER:DEFAULT:MAP-SERVER  
**Issue Status:** resolved

[Cisco DNA Center Issue Details](#)

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسم ل ا اذ ه Cisco ت مچرت  
م ل ا ل ا ا ن ا ع مچ ي ف ن ي م د خ ت س م ل ل م ع د ي و ت ح م م ي د ق ت ل ة ي ر ش ب ل و  
ا م ك ة ق ي ق د ن و ك ت ن ل ة ل ا ة مچرت ل ض ف ا ن ا ة ظ ح ا ل م ي ج ر ي . ة ص ا خ ل ا م ه ت غ ل ب  
Cisco ي ل خ ت . ف ر ت ح م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا ع م ل ا ح ل ا و ه  
ي ل ا م ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco  
Systems ( ر ف و ت م ط ب ا ر ل ا ) ي ل ص ا ل ا ي ز ي ل ج ن ا ل ا دن ت س م ل ا