

ل دوق فم ل لوؤسم ل رورم ةم لك طبض ةداع CVP OAMP

تاوت حمل

[ةمدقم ل](#)

[ةيساس أال تابلط ل](#)

[تابلط ل](#)

[ةمدخت س ل تانوك ل](#)

[ةلكش ل](#)

[لحل](#)

[ةحصل ل نم ققحت ل](#)

[اهال ص او اطاخ أال فاشكت س](#)

ةمدقم ل

ي ف دوق فم ل CVP OAMP لوؤسم رورم ةم لك طبض ةداع ل تاوطخ ل دنت س ل اذه فص ي
ب ةي ب UCCE.

ةيساس أال تابلط ل

تابلط ل

ةي ل ال عيضاوم ل ب ةفرعم ك ي دل نوك ت نأ ب Cisco ي صوت:

- Unified Contact Center Enterprise (UCCE)
- (CVP) ل ي عم ل ب ةصاخ ل توصل ل ةبواب

ةمدخت س ل تانوك ل

12.6 رادص ل، CVP و UCCE ل دنت س ل اذه ي ةدراول تامول عم ل دنت س ت

ةصاخ ةي لمعم ةي ب ي ةدوجوم ل ةزهج أال نم دنت س ل اذه ي ةدراول تامول عم ل اشن إ م ت
ت ناك اذ (يضا رت ف). حوس مم نيوك ت ب دنت س ل اذه ي ةمدخت س ل ةزهج أال عي م ج ت أ ب
رمأ ي ل لمحت حمل ريث أ ل ل كم هف نم دك أ ت ف، لي غ ش ت ل دي ق ك ت ك ب ش

ةلكش ل


ل لوؤسم مدخت س م: OAMP ق ي ب ط ل ةدوق فم ل رورم ةم لك

لحل


لي غ ش ت ل مدخت س ل باسح لوؤسم رورم ةم لك طبض ةداع ل تاوطخ ل هذه مادخت س ل كنكم ي
CVP تا ي لمعم مكحت ةدحوب اضيأ ةفور عم ل (OAMP) هادام او هت نا ي ص و هت راد او CVP.

بإسح مَادخِتسَاب لَوخِذَلَا لِجِست كِنِكَمِي، يِرْخَالَا مَدخِتسَمَلَا رورم تَامَلِك عِيْمَج طَبْضِ ةَدَاعِلَا
أَهْرِيغْتِ وَأَ يِرْخَالَا مَدخِتسَمَلَا رورم تَامَلِك عِيْمَج طَبْضِ ةَدَاعِلَا، CVP OAMP ةَهْجَاوِ يَلَا لَوؤَسَمَلَا

تَامَدخِلَا نَم Cisco CVP OPSConsoleServer فَاقِي وَأَو CVP OAMP مَدخِب لَاصِتَالَا بَ مَق 1. ةَوطِخِلَا



CVP مَدخِبِ ةَصَاخِلَا `cmd` نَم ، Cisco CVP OPSConsingleServer ةَمَدخِ فَاقِي دَرَجَمَب 2. ةَوطِخِلَا
OAMP، `%CVP_HOME%\bin\mgr-init.bat -install` يَصْنَلَا جَمَانرَبَلَا لِغِشْتَبِ مَق ،
CVP لَوؤَسَم مَدخِتسَمَبِ ةَصَاخِلَا ةَدِيْدَجَلَا رورمَلَا ةَمَلِك يَه <NewPassword> ثِيْح <NewPassword>
OAMP.



رَايِعْم اذَه تَلْمَعْتَسَا يَغْبِنِي نَأَ ةَدِيْدَجَلَا كَرورم ةَمَلِك عِم <NewPassword> تَلْدَبْتَسَا

Passwords must meet all the following criteria:


- Maximum password length is eighty (80) characters.
- Minimum password length is twelve (12) characters
- The password must contain characters from at least three of the following classes:
 - Lowercase letters (abcdefghijklmnopqrstuvwxyz)
 - Uppercase letters (ABCDEFGHIJKLMNOPQRSTUVWXYZ)
 - Digits (012345689)
 - The following special characters:
 - !#\$%&()*+,-./:;<?@
 - [\]^_`
 - {}~
- No character in the password can be repeated more than three (3) times consecutively.
- Password must not repeat or reverse username.


في ىرت نأ كنكمي ،حاجنب هل يغشت دنع .ضورعلم ا"أطخال اناثتسا" لهاجت كنكمي 3 ةوطخال
حاجنب يضارتفالا تيبتل لامتك اةياهلل

```
Administrator: Command Prompt
log4j:WARN No appenders could be found for logger (org.apache.commons.configuration.ConfigurationUtils).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig for more info.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
Executing statement: SELECT COUNT(*) AS usercount FROM admin.user_data WHERE userid='Administrator'
The user, Administrator, has been successfully validated.
Executing statement: update admin.user_data set password='0ktxrKkbMRQ1Vd7fngvE6g==', salt='fuqs3qJEvwCD26naeGrqyg==', ha
sh_version=1 where userid='Administrator'
Default installation completed successfully

C:\Cisco\CVP\bin>
```

Cisco CVP OPSConsoleServer نم Services ءدب 4 ةوطخال





ةحصل ال نم ق قحتل

ةدج ال رورم ال ةملك لامعأ ديكأتل CVP OAMP ةهجاو ال ل لوخدل ليجست ربتخا

اهحال صل ءاطخال فاشكسا

ن أطح لانه نوكي سف ، حاجنب همامت مت يذلا يضارتهال لال تي بثت لال عاجراب رم ال مقوي مل اذا ناعئاش.

1. جحص لكشب تامدخال فاقبي مدع ال "تانايب ال ةدعاق يف أطح ثدح" ريشي.

```

Administrator: Command Prompt
log4j:WARN No appenders could be found for logger (org.apache.commons.configuration.ConfigurationUtils).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig for more info.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
Database error occurred
C:\Cisco\CVP\bin>_

```

Windows نم CVP OAMP، CVP OAMP مدخال نم Cisco CVP OPSConsoleServer ةمدخ فاقبي ليلع بجي دنتسمل اذه يف لخال لصف يف كرتشم وه امك، Services.

2. نامال دويق عم رورم ال ةملك عاشن مدع ال "ةحال صل ريغ رورم ال ةملك" أطح ريشي.


```
Administrator: Command Prompt
log4j:WARN No appenders could be found for logger (org.apache.commons.configuration.ConfigurationUtils).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig for more info.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
log4j:ERROR Exception occurred while construction socket, flip to the other server.
Invalid password.
C:\Cisco\CVP\bin>
```

رورم الةم لك لةجردم لري اعم ل الرص ان ع فاك ي فو تس ت ن ا ب ج ي :

Passwords must meet all the following criteria:

- Maximum password length is eighty (80) characters.
- Minimum password length is twelve (12) characters
- The password must contain characters from at least three of the following classes:
 - Lowercase letters (abcdefghijklmnopqrstuvwxyz)
 - Uppercase letters (ABCDEFGHIJKLMNOPQRSTUVWXYZ)
 - Digits (012345689)
 - The following special characters:
 - !#\$%&()*+,-./:;<?@
 - [\]^_`
 - { } ~
- No character in the password can be repeated more than three (3) times consecutively.
- Password must not repeat or reverse username.

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسم ل ا اذ ه Cisco ت مچرت
م ل ا ل ا ا ن ا ع مچ ي ف ن ي م د خ ت س م ل ل م ع د ي و ت ح م م ي د ق ت ل ة ي ر ش ب ل و
ا م ك ة ق ي ق د ن و ك ت ن ل ة ل ا ة مچرت ل ض ف ا ن ا ة ظ ح ا ل م ي ج ر ي . ة ص ا خ ل ا م ه ت غ ل ب
Cisco ي ل خ ت . ف ر ت ح م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا ع م ل ا ح ل ا و ه
ي ل ا م ا ة ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco
Systems (ر ف و ت م ط ب ا ر ل ا) ي ل ص ا ل ا ي ز ي ل ج ن ا ل ا دن ت س م ل ا