

# TAC تاجرخم عمجل عيرسلا يعجرملا ليلدل Nexus تالوحم نم ةبولطملا

## تايوتحمل

[ةمدقملا](#)

[Nexus 3000](#)

[Nexus 5000/6000](#)

[Nexus 7000](#)

[Nexus 9000](#)

## ةمدقملا

دعب/ءانثأ Nexus تالوحم نم اهعيجت متي يتلا رماوألل ةماعلا ةعومحمل دنتسمل اذه درسي TAC تالاحل رادصل

ةجردم يه امك امامت لوحملا بةصاخلا (CLI) رماوألل رطس ةهجاو ىل رماوألل ةمئاق قصل نكمي هذهو. ةلباقملا تازيملا ذيفنت متي مل اذا أطخ ةنيعم رماوألل جرت دق. تاريغت يآ ءارجل نود لكاشم ةيآ ببست نلو ةعقوتم ءجيتن

ةينفلا ةدعاسملا زكرم ءلحاب يقابتسا لكشب ينف ضرع قافراب تمق دق تنك اذا هاندأ ةمئاقلا لهجت كنكمي ف

## Nexus 3000

ةجردم يه امك امامت لوحملا بةصاخلا (CLI) رماوألل رطس ةهجاو ىل رماوألل ةمئاق قصل نكمي فيضمل مساب ايئاقلت \$(SWITCHNAME) لادبتسا متيس. تاريغت يآ ءارجل نود

```
echo 'show clock' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; show clock >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show inventory' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; Show inventory >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show version' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; Show version >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show module' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; Show module >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show run' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; show run >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show logging log' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; Show logging log >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show log nvram' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; Show log nvram >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show accounting log' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; Show accounting
log >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show cdp nei' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; Show cdp nei >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show lldp nei' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; show lldp nei >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
echo 'show copp status' >> bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt ; Show copp status >>
bootflash:$(SWITCHNAME)_cmds_for_tac_case.txt
```

```
echo 'show policy-map interface control-plane' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
; show policy-map interface control-plane >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show hardware rate-limiter' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
hardware rate-limiter >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show system reset-reason' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show system
reset-reason >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show span summary' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show span summary >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show vpc' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show vpc >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show int status' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show int status >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show port-channel summary' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show port-
channel summary >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip int bri vrf all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip int
bri vrf all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show cores' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show cores >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show diagnostic result mod all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
diagnostic result mod all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip route vrf all summary' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip
route vrf all summary >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show mac address-table count' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show mac
address-table count >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show vlan summary' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show vlan summary >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show module internal exceptionlog' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
module internal exceptionlog >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show processes cpu history' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
processes cpu history >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show processes memory sort' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
processes memory sort >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show interface counters errors' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
interface counters errors >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show fex' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show fex >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show license usage' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show license usage
>> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip eigrp neighbor vrf all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip
eigrp neighbor vrf all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip ospf neighbor vrf all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip
ospf neighbor vrf all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip bgp vpnv4 vrf all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip bgp
vpnv4 vrf all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'dir logflash:' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; dir logflash: >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
```

**!zip the file**

```
gzip ${SWITCHNAME}_cmds_for_tac_case.txt
```

## Nexus 5000/6000

```
echo 'show clock' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show clock >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show inventory' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show inventory >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show version' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show version >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show module' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show module >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show run' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show run >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
```

```
echo 'show logging log' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show logging log >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show log nvram' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show log nvram >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show accounting log' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show accounting
log >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show cdp nei' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show cdp nei >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show lldp nei' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show lldp nei >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show copp status' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show copp status >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show policy-map interface control-plane' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
; show policy-map interface control-plane >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show hardware rate-limiter' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
hardware rate-limiter >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show system reset-reason' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show system
reset-reason >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show span summary' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show span summary >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show vpc' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show vpc >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show int status' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show int status >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show port-channel summary' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show port-
channel summary >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip int bri vrf all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip int
bri vrf all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show cores' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show cores >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show diagnostic result mod all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
diagnostic result mod all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip route vrf all summary' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip
route vrf all summary >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show mac address-table count' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show mac
address-table count >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show vlan summary' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show vlan summary >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show module internal exceptionlog' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
module internal exceptionlog >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show processes cpu history' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
processes cpu history >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show processes memory sort' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
processes memory sort >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show interface counters errors' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show
interface counters errors >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show fex' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show fex >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show license usage' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; Show license usage
>> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip eigrp neighbor vrf all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip
eigrp neighbor vrf all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip ospf neighbor vrf all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip
ospf neighbor vrf all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'show ip bgp vpnv4 vrf all' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; show ip bgp
vpnv4 vrf all >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
echo 'dir logflash:' >> bootflash:${SWITCHNAME}_cmds_for_tac_case.txt ; dir logflash: >>
bootflash:${SWITCHNAME}_cmds_for_tac_case.txt
```

**!zip the file**

```
gzip ${SWITCHNAME}_cmds_for_tac_case.txt
```

## Nexus 7000

## ي.نعم ل VDC و Admin VDC نم تاجرخم ل هذه عمج!

```
echo 'show clock' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show clock >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show inventory' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show inventory >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show version' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show version >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show module' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show module >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show run' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show run >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show logging log' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show logging log >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show log nvram' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show log nvram >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show accounting log' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show accounting
log >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show cdp nei' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show cdp nei >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show lldp nei' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show lldp nei >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show copp status' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show copp status >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show policy-map interface control-plane' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
; show policy-map interface control-plane >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show hardware rate-limiter' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show
hardware rate-limiter >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show system reset-reason' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show system
reset-reason >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show span summary' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show span summary >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show vpc' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show vpc >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show int status' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show int status >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show port-channel summary' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show port-
channel summary >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show ip int bri vrf all' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show ip int
bri vrf all >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show cores' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show cores >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show diagnostic result mod all' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show
diagnostic result mod all >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show ip route vrf all summary' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show ip
route vrf all summary >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show mac address-table count' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show mac
address-table count >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show vlan summary' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show vlan summary >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show module internal exceptionlog' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show
module internal exceptionlog >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show processes cpu history' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show
processes cpu history >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show processes memory sort' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show
processes memory sort >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show interface counters errors' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show
interface counters errors >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show fex' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show fex >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show license usage' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show license usage
>> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
```

```
echo 'show ip eigrp neighbor vrf all' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show ip
eigrp neighbor vrf all >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show ip ospf neighbor vrf all' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show ip
ospf neighbor vrf all >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show ip bgp vpnv4 vrf all' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show ip bgp
vpnv4 vrf all >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'dir logflash:' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; dir logflash: >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show vdc' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show vdc >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
```

### **!zip the file**

```
gzip ${(SWITCHNAME)}_cmds_for_tac_case.txt
```

## **Nexus 9000**

```
echo 'show clock' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show clock >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show inventory' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show inventory >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show version' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show version >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show module' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show module >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show run' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show run >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show logging log' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show logging log >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show log nvram' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show log nvram >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show accounting log' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show accounting
log >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show cdp nei' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show cdp nei >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show lldp nei' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show lldp nei >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show copp status' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show copp status >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show policy-map interface control-plane' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
; show policy-map interface control-plane >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show hardware rate-limiter' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show
hardware rate-limiter >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show system reset-reason' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; Show system
reset-reason >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show span summary' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show span summary >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show vpc' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show vpc >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show int status' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show int status >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show port-channel summary' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show port-
channel summary >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show ip int bri vrf all' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show ip int
bri vrf all >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show cores' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show cores >>
bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show diagnostic result mod all' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show
diagnostic result mod all >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show ip route vrf all summary' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show ip
route vrf all summary >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt
echo 'show mac address-table count' >> bootflash:${(SWITCHNAME)}_cmds_for_tac_case.txt ; show mac
```

```
address-table count >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show vlan summary' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show vlan summary >>
bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show module internal exceptionlog' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show
module internal exceptionlog >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show processes cpu history' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show
processes cpu history >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show processes memory sort' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show
processes memory sort >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show interface counters errors' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show
interface counters errors >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show fex' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show fex >>
bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show license usage' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; Show license usage
>> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show ip eigrp neighbor vrf all' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show ip
eigrp neighbor vrf all >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show ip ospf neighbor vrf all' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show ip
ospf neighbor vrf all >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'show ip bgp vpnv4 vrf all' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; show ip bgp
vpnv4 vrf all >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
echo 'dir logflash:' >> bootflash:${SWITCHNAME)_cmds_for_tac_case.txt ; dir logflash: >>
bootflash:${SWITCHNAME)_cmds_for_tac_case.txt
```

**!zip the file**

```
gzip ${SWITCHNAME)_cmds_for_tac_case.txt
```

ةمچرتل هذه لوج

ةللأل تاي نقتل نم ةومچم مادختساب دن تسمل اذہ Cisco تچرت  
ملاعلاء انءمچي فني مدختسمل معدى وتحم مي دقتل ةيرشبلاو  
امك ةقيقد نوك تنل ةللأل ةمچرت لصف أن ةظحال مچري. ةصاخل مهتغب  
Cisco يلخت. فرتحم مچرت مامدقي يتل ةيفارتحال ةمچرتل عم لالحل وه  
ىل إأمئاد ةوچرلاب ي صؤت وتامچرتل هذه ةقد نع اهتيلوئسم Cisco  
Systems (رفوتم طبارل) ي لصلأل يزي لچن إل دن تسمل