

# مدختسمللا ةهجاو نم تالچسلا ليزنتب مق CMD و CES ESA ب ةصاخلا (GUI) ةيموسرلا

## تايوتحمللا

[ةمدقملا](#)

[ةيساسألا تابلطتملا](#)

[ةيموسرلا مدختسمللا ةهجاو نم تالچسلا ليزنت](#)

[CMD نم تالچسلا ليزنت](#)

[ةلص تاذا تامولعم](#)

## ةمدقملا

ةرابعل (GUI) ةيموسرلا مدختسمللا ةهجاو نم تالچسلا ليزنتب ةيفيك دننتسمللا اذح ضوي  
(CMD) رمأوالا رطس ربع (CES) ةنمألا ينورتكللالا ديربلا ةباحس

## ةيساسألا تابلطتملا

ءارظنلا ةعومجم لوؤسم وأ لوؤسم نذاب مدختسمللا باسح

## ةيموسرلا مدختسمللا ةهجاو نم تالچسلا ليزنت

1. ينورتكللالا ديربلا نامأ زاھج ليثمل (GUI) ةيموسرلا مدختسمللا ةهجاو ىلإ لوخدلا لچس .  
تاكارتشالا لچس > ماظنلا ةرادا ىلإ لقتناو (ESA) CES
2. (ماظنلا ةرادا لچس تاكارتشا : لاثم) ضرعتسمللا يف دوجوملا URL ناو نع ظحال
3. هل ليزنتب يف بغيرت لچس ىلع روثعلاو لچسلا تاداعل دومع ةعجارم ىلإ جاتحت ، كلذ دعب .  
mail\_log مدختسمللا ، لاثلما لىبس ىلع

Configured Log Subscriptions					
Add Log Subscription...					
Log Settings	Type ▲	Rollover Interval	Size	All <input type="checkbox"/> Rollover	Delete
amp	AMP Engine Logs	None	192K	<input type="checkbox"/>	
amparchive	AMP Archive	None	64K	<input type="checkbox"/>	
antispam	Anti-Spam Logs	None	10.1M	<input type="checkbox"/>	
antivirus	Anti-Virus Logs	None	3.1M	<input type="checkbox"/>	
asarchive	Anti-Spam Archive	None	64K	<input type="checkbox"/>	
authentication	Authentication Logs	None	42.5M	<input type="checkbox"/>	
avarchive	Anti-Virus Archive	None	64K	<input type="checkbox"/>	
bounces	Bounce Logs	None	192K	<input type="checkbox"/>	
cli_logs	CLI Audit Logs	None	35.6M	<input type="checkbox"/>	
config_history	Configuration History Logs	None	18.4M	<input type="checkbox"/>	
csn_logs	CSN Logs	None	Not computed	<input type="checkbox"/>	
ctr_logs	CTR Logs	None	Not computed	<input type="checkbox"/>	
dlp	DLP Engine Logs	None	192K	<input type="checkbox"/>	
eaas	Advanced Phishing Protection Logs	None	128K	<input type="checkbox"/>	
encryption	Encryption Logs	None	192K	<input type="checkbox"/>	
error_logs	IronPort Text Mail Logs	None	192K	<input type="checkbox"/>	
euq_logs	Spam Quarantine Logs	None	192K	<input type="checkbox"/>	
euqgui_logs	Spam Quarantine GUI Logs	None	192K	<input type="checkbox"/>	
ftpd_logs	FTP Server Logs	None	192K	<input type="checkbox"/>	
gmarchive	Graymail Archive	None	64K	<input type="checkbox"/>	
graymail	Graymail Engine Logs	None	2.7M	<input type="checkbox"/>	
gui_logs	HTTP Logs	None	10.9M	<input type="checkbox"/>	
ipr_client	IP Reputation Logs	None	448K	<input type="checkbox"/>	
mail_logs	IronPort Text Mail Logs	None	14.7M	<input type="checkbox"/>	

4. تاليدعتلاب مقو ةيناثلا ةوطخلال نم URL ناوئع يذخ:

أ. /log\_subscriptions/ ةلازا.

لادبتسإ م تي شيح، URL ناوئع ةياهن ىلإ /log\_list?log\_type=<logName> قإحلإ ب. لجسلا تادادعإ تحت حضوم وه امب <logName>

دومع.

ب صاخلا (FQDN) لمالكلاب لهؤملا لاجملا مساب dhXXXX-esa1.iphmx.com لدبتسا ج. ESA.

ةمئاق [مإظنلا ةرادا لجس تاكارتشا](#) حبصت، انل لاثمك mail\_log مادختسال: [ةظحالم](#) [مإظنلا ةرادا لجسب](#).

5. ةلثامم ةحفص ىلإ لوصوللا كنكمي. لوخدلا لجسو لدعمل URL ناوئع ىلإ لقتنا، اريخأ. هظفحو هليزنتو فلم قوف رقنلا ذئدنع كنكمي شيح ةروصلال يف حضوم وه املا.

## Log Subscriptions: IronPort Text Mail Logs

IronPort Text Mail Logs			
File Name	Date	Size	All Delete
mail.current	23 Jul 21:12 (GMT -04:00)	188.8K	N/A
mail.@20200531T003609.s	20 Jul 18:00 (GMT -04:00)	9.1M	<input type="checkbox"/>
mail.@20200530T214546.s	31 May 00:35 (GMT -04:00)	304K	<input type="checkbox"/>
mail.@20200529T092702.s	30 May 21:45 (GMT -04:00)	253.3K	<input type="checkbox"/>
mail.@20200505T141141.s	29 May 09:26 (GMT -04:00)	1.4M	<input type="checkbox"/>
mail.@20200505T141050.s	05 May 14:11 (GMT -04:00)	2.4K	<input type="checkbox"/>
mail.@20200428T045153.s	05 May 14:10 (GMT -04:00)	332.6K	<input type="checkbox"/>
mail.@20200308T035509.c	27 Apr 16:28 (GMT -04:00)	0B	<input type="checkbox"/>
mail.@20200308T015502.c	27 Apr 02:35 (GMT -04:00)	0B	<input type="checkbox"/>
mail.@20200408T182454.c	26 Apr 18:00 (GMT -04:00)	35.3M	<input type="checkbox"/>

< Back

Delete

## CMD نم تالچس ل ليزنت

ب ل ط تاو ط خ ي ل ع ل و ص ح ل ل CES ESA ب ص ا خ ل ا (CLI) ر م ا و ا ل ا ر ط س ة ه ج ا و ل و ص و د و ج و ن م د ك ا ت [Customer CLI Access](#) ة ل ا ق م ل ا ي ل ا ع ج ر ا ، (CLI) ر م ا و ا ل ا ر ط س ة ه ج ا و ل و ص و

تالچس ل ل ت ب ح س ل ل SSH in order to ل و ص و ي ق ل ت ي ن ا (PSCP) PuTTY SCP (PSCP) ه م ا د خ ت س ا ب ي ص و ي

1. ليزنت ل [PSCP Download PuTTY](#)
2. ا ح و ت ف م ل ي ك و ل ا ك ر ت ا و ، ESA ي ل ع ه ن ي ك م ت م ت ي ي ذ ل ل ل ي ك و ل ا ن ي و ك ت ح ت ف ا .

```
f15-ssh.ap.iphmx.com - PuTTY
Using username "dh-user".
Pre-authentication banner message from server:
| THIS SYSTEM IS RESTRICTED TO AUTHORIZED USERS FOR AUTHORIZED
| USE ONLY. UNAUTHORIZED ACCESS IS STRICTLY PROHIBITED AND MAY
| BE PUNISHABLE UNDER THE COMPUTER FRAUD AND ABUSE ACT OF 1986
| OR OTHER APPLICABLE LAWS. IF NOT AUTHORIZED TO ACCESS THIS
| SYSTEM, DISCONNECT NOW. BY CONTINUING, YOU CONSENT TO YOUR
| KEYSTROKES AND DATA CONTENT BEING MONITORED. ALL PERSONS ARE
| HEREBY NOTIFIED THAT THE USE OF THIS SYSTEM CONSTITUTES
| CONSENT TO MONITORING AND AUDITING.
End of banner message from server
Authenticating with public key "rsa-key-20211216"
```

```
127.0.0.1 - PuTTY
login as: bglesa
Keyboard-interactive authentication prompts from server:
| bglesa@esa1.hc905-75.ap.iphmx.com's password:
End of keyboard-interactive prompts from server
Last login: Wed Jan 26 05:01:43 2022 from 10.9.73.17
AsyncOS 14.0.0 for Cisco C100V build 698

Welcome to the Cisco C100V Secure Email Gateway Virtual

NOTE: This session will expire if left idle for 30 minutes. Any uncommitted
configuration changes will be lost. Commit the configuration changes as soon as
they are made.
(Machine esa1.hc905-75.ap.iphmx.com)>
```

3. عاون ل CMD لئغشت : `pscp -p port -r <user>@localhost:/mail_log/* /path/on/local/system`

1. رماوأل رطس ةهچاو لى لوصولل اق بس م هنيوكت مت يذلا وه ذفنملا.
2. ددحملا دلجملا اذه نمض ةدوجوملا تافللملا عيمج لئزنن تب موقئ هئا ينعئ /mail\_log/
3. و /mail\_logs/mail.current بتكاف ، لئزننل لى لئحاجب طقف لئحاجل فللملا ناك اذا بولطملا لئسلا.
4. رمال لاخدا لئجمب اهبلط دنع رورملا ةم لك لئخدا.

لئم رما : `pscp -p 2200 -r admin@127.0.0.1:/mail_log/ c:/users/beanand/Downloads`

```
C:\Users\beanand>pscp -P 2200 -r bglesa@127.0.0.1:/mail_logs/mail.current C:/Users/beanand/Downloads
Keyboard-interactive authentication prompts from server:
| bglesa@esa1.hc905-75.ap.iphmx.com's password:
End of keyboard-interactive prompts from server
mail.current | 16561 kB | 974.2 kB/s | ETA: 00:00:00 | 100%

C:\Users\beanand>pscp -P 2200 -r bglesa@127.0.0.1:/mail_logs/ C:/Users/beanand/Downloads
Keyboard-interactive authentication prompts from server:
| bglesa@esa1.hc905-75.ap.iphmx.com's password:
End of keyboard-interactive prompts from server
warning: remote host tried to write to a file called 'mail_logs'
when we requested a file called ''.
If this is a wildcard, consider upgrading to SSH-2 or using
the '-unsafe' option. Renaming of this file has been disallowed.
mail.@20211027T160541.c | 16562 kB | 828.1 kB/s | ETA: 00:00:00 | 100%
mail.current | 16562 kB | 2366.0 kB/s | ETA: 00:00:00 | 100%

C:\Users\beanand>
```

## قلم تاذ تامول عم

- [قئاهنلا مدختس ملأ قلدأ - Cisco نم قنورتكللالا دقربلا نامأ زاهج](#)

ةمچرتل هذه لوج

ةللأل تاي نقتل نمة ومة مادختساب دن تسمل اذة Cisco تمةرت  
ملاعلاء انء مء مء نمة دختسمل معد ىوتحم مء دقتل ةر شبل او  
امك ةق قء نوك ت نل ةللأل ةمچرت لصف أن ةظحال مء ءرء. ةصاأل مء تءل ب  
Cisco ةلخت. فرتحم مچرت مء مء دقء ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل  
ىل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل  
(رفوتم طبارل) ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل ةل