



Cisco IOS XR Commands Master List, Release 4.1

This page contains an alphabetical list of all the commands documented for the Cisco CRS Router running Cisco IOS XR Release 4.1 software. Use the **Alphabet Key** or your web browser's Find function to search for a command. To access the documentation for a particular command, click on the command name.

A

- [aaa accounting](#)
- [aaa accounting system default](#)
- [aaa accounting update](#)
- [aaa authentication](#)
- [aaa authorization](#)
- [aaa default-taskgroup](#)
- [aaa group server radius](#)
- [aaa group server tacacs+](#)
- [abort](#)
- [abort \(RPL\)](#)
- [absolute-timeout](#)
- [accept-lifetime](#)
- [accept-mode](#)
- [accept-register](#)
- [accept-tolerance](#)
- [access-class](#)
- [access-group \(IGMP\)](#)
- [access-group \(NTP\)](#)
- [access-list](#)
- [accounting \(IKE\)](#)
- [accounting \(line\)](#)
- [accounting per-prefix](#)
- [accounting per-prefix forward-only](#)
- [acl](#)
- [action \(IP SLA\)](#)
- [action \(VPLS\)](#)
- [action capabilities-conflict](#)
- [action critical-event](#)
- [action discovery-timeout](#)
- [action dying-gasp](#)
- [action high-threshold](#)
- [action remote-loopback](#)
- [action session-down](#)
- [action session-up](#)
- [action uni-directional link-fault](#)
- [action wiring-conflict](#)
- [active](#)
- [add](#)
- [additional-paths install backup](#)
- [additional-paths receive](#)
- [additional-paths selection](#)
- [additional-paths send](#)
- [address](#)
- [address \(CGN NetflowV9 logging\)](#)
- [address \(VRRP\)](#)
- [address global](#)
- [address ipv4 \(MPP\)](#)
- [address linklocal](#)
- [address secondary](#)
- [address-family](#)
- [address-family \(BGP\)](#)
- [address-family \(EIGRP\)](#)
- [address-family \(IS-IS\)](#)
- [address-family \(OSPF\)](#)
- [address-family \(OSPFv3\)](#)

address-family (multicast)
address-family (static)
address-family ipv4 (
address-family ipv4 unicast (BFD)
address-family ipv6 (CGN)
address-family multicast topology (IS-IS)
address-family next-hop dampening disable
adjacency stagger
adjacency-check disable
adjustment-threshold (MPLS-TE)
admin
admin-state
admin-weight
advertise best-external
advertisement-interval
af-group
affinity
affinity location-set
affinity location-type
affinity program
affinity self
affinity-map
ageout
aggregate
aggregate-address
aging (VPLS)
aigp
aigp send-cost-community
ais transmission
ais transmission up
ais-shut (SONET path)
ais-shut (SONET)
alarm
alert-group disable
alg ActiveFTP (
alg rtsp
alias
all-alarms
all-of-router
allocate-label
allow
allow-hint
allowas-in
application (MPLS-TE)
apply
apply-template
aps group
aps group (global)
archive-length
archive-size
area (OSPF)
area (OSPFv3)
arp
arp purge-delay
arp timeout
as-format
as-override
as-path in
as-path is-local
as-path length
as-path neighbor-is
as-path originates-from
as-path passes-through
as-path unique-length
as-path-set
atm address-registration
atm ilmi-config disable
atm ilmi-keepalive
atm ilmi-trap disable
atm maxvpi-bits 12
atm mcpt-timers
atm oam flush
attached-bit receive ignore
attached-bit send
attribute-flags
attribute-names
authenticate (NTP)
authenticate (PGP)

authentication (IKE policy)
 authentication (L2TP)
 authentication (OSPF)
 authentication (OSPFv3)
 authentication (RSVP)
 authentication keychain
 authentication-key (NTP)
 authentication-key (OSPF)
 authorization
 auto-bw (MPLS-TE)
 auto-bw collect frequency (MPLS-TE)
 auto-cost (OSPF)
 auto-cost (OSPFv3)
 auto-rp candidate-rp
 auto-rp listen disable
 auto-rp mapping-agent
 auto-summary (EIGRP)
 auto-summary (RIP)
 auto-tunnel backup (MPLS-TE)
 autocommand
 autonomous-system
 autoroute announce
 autoroute metric

B

b3-ber-prdi
 backoff
 backup disable (L2VPN)
 backup-bw
 backup-path tunnel-te
 bandwidth (QoS)
 bandwidth (RSVP)
 bandwidth (global)
 bandwidth mam (RSVP)
 bandwidth rdm (RSVP)
 bandwidth remaining
 bandwidth-percent (EIGRP)
 banner exec
 banner incoming
 banner login
 banner motd
 banner prompt-timeout
 bert e3
 bert error
 bert interval
 bert pattern
 bert t3
 bfd
 bfd (BGP)
 bfd address-family ipv4 destination
 bfd address-family ipv4 fast-detect
 bfd address-family ipv4 minimum-interval
 bfd address-family ipv4 multiplier
 bfd address-family ipv4 timers
 bfd fast-detect
 bfd minimum-interval
 bfd minimum-interval (VRRP)
 bfd multiplier
 bfd multiplier (VRRP)
 bgp as-path-loopcheck
 bgp attribute-download
 bgp auto-policy-soft-reset disable
 bgp bestpath as-path ignore
 bgp bestpath compare-routerid
 bgp bestpath cost-community ignore
 bgp bestpath med always
 bgp bestpath med confed
 bgp bestpath med missing-as-worst
 bgp client-to-client reflection disable
 bgp cluster-id
 bgp confederation identifier
 bgp confederation peers
 bgp dampening
 bgp default local-preference
 bgp enforce-first-as disable
 bgp fast-external-fallover disable
 bgp graceful-restart

bgp graceful-restart graceful-reset
 bgp graceful-restart purge-time
 bgp graceful-restart restart-time
 bgp graceful-restart stalepath-time
 bgp import-d
 bgp label-delay
 bgp log neighbor changes disable
 bgp maximum neighbor
 bgp redistribute-internal
 bgp router-id
 bgp scan-time
 bgp update-delay
 bgp write-limit
 boundary
 br (6rd)
 bridge group (VPLS)
 bridge-domain (VPLS)
 broadcast
 broadcast client
 broadcast-flag policy check
 broadcast-for-v2
 broadcastdelay
 bsr candidate-bsr
 bsr candidate-rp
 bsr-border
 buckets (history)
 buckets (statistics hourly)
 buckets (statistics interval)
 buckets archive
 buckets size
 bundle id
 bundle maximum-active links
 bundle minimum-active bandwidth
 bundle minimum-active links
 bundle port-priority
 bundle-hash
 bw-limit (MPLS-TE)

C

cablelength
 cache entries
 cache permanent
 cache timeout
 cache-sa holdtime
 cache-sa-state
 call-home
 call-home request
 call-home send
 call-home send alert-group inventory
 call-home test
 capability additional-paths receive
 capability additional-paths send
 capability opaque disable
 capability orf prefix
 capability suppress 4-byte-as
 carrier-delay
 cd
 cdp
 cdp advertise v1
 cdp holdtime
 cdp log adjacency changes
 cdp timer
 cef load-balancing fields
 cell-packing
 cfs check
 channel local
 channel remote
 cinetd rate-limit
 circuit-type
 class (policy-map)
 class-int
 class-map
 class-vc
 clear access-list ipv4
 clear access-list ipv6
 clear adjacency statistics

clear arp-cache
clear bfd counters
clear bgp
clear bgp current-mode
clear bgp dampening
clear bgp external
clear bgp flap-statistics
clear bgp nexthop performance-statistics
clear bgp nexthop registration
clear bgp peer-drops
clear bgp performance-statistics
clear bgp self-originated
clear bgp shutdown
clear bgp soft
clear cdp counters
clear cdp table
clear cef ipv4 drops
clear cef ipv4 exceptions
clear cef ipv4 interface bgp-policy-statistics
clear cef ipv4 interface rpf-statistics
clear cef ipv6 drops
clear cef ipv6 exceptions
clear cef ipv6 interface bgp-policy-statistics
clear cef ipv6 interface rpf-statistics
clear cgn nat44
clear cgn nat44 inside-vrf
clear cgn nat44 ipaddress
clear cgn nat44 port
clear cgn nat44 protocol
clear comment
clear configuration commits
clear configuration inconsistency
clear configuration inconsistency replica
clear configuration sessions
clear context
clear controller backplane ethernet clients
clear controller backplane ethernet statistics
clear controller switch
clear controller switch errdisable
clear controller switch inter-rack
clear controller t3
clear controller wanphy
clear counters
clear counters sonet
clear counters wanphy
clear crypto ca certificates
clear crypto ca crl
clear crypto ipsec sa
clear crypto ipsec sa interface
clear crypto isakmp
clear crypto isakmp call admission statistics
clear crypto isakmp errors
clear crypto session
clear dhcp ipv6 binding
clear eigrp neighbors
clear eigrp topology
clear ethernet cfm ccm-learning-database location
clear ethernet cfm interface statistics
clear ethernet cfm local meps
clear ethernet cfm peer meps
clear ethernet cfm traceroute-cache
clear ethernet oam statistics
clear ethernet sla statistics all
clear ethernet sla statistics on-demand
clear ethernet sla statistics profile
clear flow exporter
clear flow monitor
clear flow platform producer statistics location
clear host
clear igmp counters
clear igmp group
clear igmp reset
clear install boot-options
clear install label
clear install log-history oldest
clear install rollback oldest
clear interface
clear ipv6 duplicate address

clear ipv6 neighbors
clear isis process
clear isis route
clear isis statistics
clear l2tp counters control session
clear l2tp counters control tunnel
clear l2tp tunnel
clear l2vpn bridge-domain (VPLS)
clear l2vpn collaborators
clear l2vpn counters bridge mac-withdrawal
clear l2vpn counters l2tp
clear l2vpn forwarding counters
clear l2vpn forwarding mac-address-table
clear l2vpn forwarding message counters
clear l2vpn forwarding table
clear lacp counters
clear license
clear license log
clear line
clear line vty
clear logging
clear logging correlator delete
clear logging events delete
clear logging events reset
clear logging onboard
clear lpts ifib statistics
clear lpts pifib hardware statistics
clear lpts pifib statistics
clear mac-accounting (Ethernet)
clear mfib counter
clear mfib database
clear mfib hardware adjacency-counters
clear mfib hardware resource-counters
clear mfib hardware route statistics
clear mld counters
clear mld group
clear mld reset
clear mpls forwarding counters
clear mpls ldp forwarding
clear mpls ldp msg-counters neighbor
clear mpls ldp neighbor
clear mpls lmp
clear mpls oam counters
clear mpls traffic-eng auto-bw (MPLS-TE EXEC)
clear mpls traffic-eng auto-tunnel backup unused
clear mpls traffic-eng auto-tunnel mesh
clear mpls traffic-eng counters auto-tunnel backup
clear mpls traffic-eng counters auto-tunnel mesh
clear mpls traffic-eng counters global
clear mpls traffic-eng counters signaling
clear mpls traffic-eng counters soft-preemption
clear mpls traffic-eng fast-reroute log
clear mpls traffic-eng link-management statistics
clear mpls traffic-eng pce
clear msdp peer
clear msdp sa-cache
clear msdp stats
clear nsr ncd client
clear nsr ncd queue
clear ospf process
clear ospf redistribution
clear ospf routes
clear ospf statistics
clear ospf statistics interface
clear ospfv3 process
clear ospfv3 redistribution
clear ospfv3 routes
clear ospfv3 statistics
clear pim autorp
clear pim bsr
clear pim counters
clear pim topology
clear ppp sso state
clear ppp statistics
clear prefix-list ipv4
clear prefix-list ipv6
clear qos counters interface
clear raw statistics pcb

clear rip
clear rip database
clear rip interface
clear rip out-of-memory
clear rip statistics
clear route
clear rsvp authentication
clear rsvp counters all
clear rsvp counters authentication
clear rsvp counters chkpt
clear rsvp counters events
clear rsvp counters messages
clear rsvp counters oor
clear rsvp counters prefix-filtering
clear snmp counters
clear srp counters
clear ssh
clear tcp nsr client
clear tcp nsr pcb
clear tcp nsr session-set
clear tcp nsr statistics client
clear tcp nsr statistics pcb
clear tcp nsr statistics session-set
clear tcp nsr statistics summary
clear tcp pcb
clear tcp statistics
clear udp statistics
clear vrrp statistics
cli interactive syntax check
cli whitespace completion
clock read-calendar
clock set
clock source (SONET)
clock source (T3/E3)
clock summer-time
clock timezone
clock update-calendar
cluster-id
collect-bw-only (MPLS-TE)
commit
community is-empty
community matches-any
community matches-every
community-set
config-register
configuration commit auto-save
configure
conform-action
connect-source
connection timeout
contact-email-addr
context-correlation
continuity-check archive hold-time
continuity-check interval
continuity-check loss auto-traceroute
contract-id
control disable
control-plane
controller (SONET)
controller dwdm
controller e3
controller t3
controller wanphy
copy
copy access-list ipv4
copy access-list ipv6
copy prefix-list ipv4
copy prefix-list ipv6
cos (CFM)
cost (OSPF)
cost (OSPFv3)
cost-fallback (OSPF)
crc (POS)
crl optional (trustpoint)
crypto ca authenticate
crypto ca cancel-enroll
crypto ca enroll
crypto ca import

[crypto ca trustpoint](#)
[crypto ipsec profile](#)
[crypto ipsec security-association lifetime](#)
[crypto ipsec transform-set](#)
[crypto ipsec transport](#)
[crypto isakmp](#)
[crypto isakmp call admission limit](#)
[crypto isakmp client configuration group](#)
[crypto isakmp identity](#)
[crypto isakmp keepalive](#)
[crypto isakmp peer](#)
[crypto isakmp policy](#)
[crypto isakmp policy-set](#)
[crypto isakmp profile](#)
[crypto key generate dsa](#)
[crypto key generate rsa](#)
[crypto key import authentication rsa](#)
[crypto key zeroize dsa](#)
[crypto key zeroize rsa](#)
[crypto keyring](#)
[crypto logging](#)
[crypto mib ipsec flowmib history failure size](#)
[csnp-interval](#)
[customer-id](#)

D

[dampening](#)
[dampening \(BFD\)](#)
[database](#)
[database-filter all out \(OSPF\)](#)
[database-filter all out \(OSPFv3\)](#)
[databits](#)
[datasize request](#)
[dead-interval \(OSPF\)](#)
[dead-interval \(OSPFv3\)](#)
[deadtime \(server-group configuration\)](#)
[debug ethernet cfm packets](#)
[debug ethernet cfm protocol-state](#)
[default-cost \(OSPF\)](#)
[default-cost \(OSPFv3\)](#)
[default-information](#)
[default-information originate \(BGP\)](#)
[default-information originate \(IS-IS\)](#)
[default-information originate \(OSPF\)](#)
[default-information originate \(OSPFv3\)](#)
[default-information originate \(RIP\)](#)
[default-metric \(BGP\)](#)
[default-metric \(EIGRP\)](#)
[default-metric \(OSPF\)](#)
[default-metric \(OSPFv3\)](#)
[default-metric \(RIP\)](#)
[default-originate](#)
[default-peer](#)
[default-route](#)
[delay \(VRRP\)](#)
[delay clear](#)
[delay clear \(T3/E3\)](#)
[delay trigger](#)
[delay trigger \(T3/E3\)](#)
[delete](#)
[delete community](#)
[delete extcommunity rt](#)
[demand-circuit \(OSPF\)](#)
[demand-circuit \(OSPFv3\)](#)
[deny \(IPv4\)](#)
[deny \(IPv6\)](#)
[deny \(prefix-list\)](#)
[description \(AAA\)](#)
[description \(BGP\)](#)
[description \(IKE policy\)](#)
[description \(IPSec profile\)](#)
[description \(ISAKMP peer\)](#)
[description \(ISAKMP policy-set\)](#)
[description \(T3/E3\)](#)
[description \(interface\)](#)
[description \(keyring\)](#)
[description \(peer\)](#)

description (trustpoint)
 destination
 destination (DHCP IPv6)
 destination (MPLS-TE)
 destination address
 destination address (IP SLA)
 destination address ipv4
 destination in
 destination message-size-limit
 destination port
 destination preferred-msg-format
 destination transport-method
 device
 df-override (CGN)
 dhcp ipv4
 dhcp ipv6
 diagnostic load
 diagnostic monitor
 diagnostic monitor interval
 diagnostic monitor syslog
 diagnostic monitor threshold
 diagnostic ondemand action-on-failure
 diagnostic ondemand iterations
 diagnostic schedule
 diagnostic start
 diagnostic stop
 diagnostic unload
 digest (L2TP)
 dir
 direction (GMPLS)
 disable (IS-IS)
 disable (P2MP TE)
 disable (explicit-path)
 disable (multicast)
 disable-dn-bit-check
 disconnect
 disconnect-character
 discovery hello
 discovery instance-tlv disable
 discovery targeted-hello
 discovery transport-address
 distance
 distance (EIGRP)
 distance (IS-IS)
 distance (OSPF)
 distance (RIP)
 distance bgp
 distance ospf
 distance ospfv3
 distribute-list
 distribute-list prefix-list in
 distribute-list prefix-list out
 distributed speaker
 distribution count
 distribution interval
 dmz-link-bandwidth
 dns-server
 do
 domain
 domain ipv4 host
 domain ipv6 host
 domain list
 domain lookup disable
 domain name (global)
 domain name-server
 domain-id
 domain-name (DHCP IPv6 pool)
 domain-tag
 done
 dot1q native vlan
 dot1q vlan
 down-when-looped
 down-when-looped (T3/E3)
 downstream-on-demand
 dr-priority
 drop
 ds-te bc-model
 ds-te mode

ds-te te-classes
 dsc serial
 dscp
 dscp (BGP)
 dsu bandwidth
 dsu mode
 dsu remote
 duid
 dumpcore
 duplex (Management Ethernet)
 dynamic port range start

E

ebgp-multihop
 echo disable
 echo disable-vendor-extension
 echo ipv4 source
 echo latency detect
 echo revision
 echo startup validate
 edit
 efd
 embedded-rp
 enable (multicast)
 encapsulation (ATM)
 encapsulation (POS)
 encapsulation ppp
 encryption
 encryption (IKE policy)
 end
 end-class-map
 end-global
 end-policy
 end-policy-map
 end-set
 end-template
 enforce-first-as
 enforce-first-as-disable
 enrollment retry count
 enrollment retry period
 enrollment terminal
 enrollment url
 env disable
 env power-supply disable
 erase nvram-raw:
 erase nvram:
 escape-character
 ethernet cfm (global)
 ethernet cfm (interface)
 ethernet oam
 ethernet oam loopback
 ethernet oam profile
 ethernet sla
 ethernet sla on-demand operation type
 cfm-delay-measurement probe
 ethernet sla on-demand operation type cfm-loopback probe
 event manager directory user
 event manager environment
 event manager policy
 event manager refresh-time
 event manager run
 event manager scheduler suspend
 exceed-action
 exception filepath
 exception pakmem
 exception sparse
 exception sprsize
 exclude srlg (auto-tunnel backup)
 exec-timeout
 exit
 exp
 explicit-null
 explicit-path
 explicit-tracking
 export route-policy
 export route-target
 exporter

[extcommunity rt is-empty](#)
[extcommunity rt matches-any](#)
[extcommunity rt matches-every](#)
[extcommunity soo is-empty](#)
[extcommunity soo matches-any](#)
[extcommunity soo matches-every](#)
[extcommunity-set cost](#)
[extcommunity-set rt](#)
[extcommunity-set soo](#)
[external-logging \(CGN\)](#)

F

[fast-reroute](#)
[fast-reroute per-link](#)
[fast-reroute per-link \(IS-IS\)](#)
[fast-reroute per-link exclude interface](#)
[fast-reroute per-link priority-limit \(IS-IS\)](#)
[fast-reroute per-prefix \(IS-IS\)](#)
[fast-reroute per-prefix load-sharing disable \(IS-IS\)](#)
[fast-reroute per-prefix tiebreaker \(IS-IS\)](#)
[fast-reroute protect](#)
[fast-reroute timers promotion](#)
[file-size](#)
[filter](#)
[flood-reduction \(OSPF\)](#)
[flood-reduction \(OSPFv3\)](#)
[flooding disable](#)
[flooding thresholds](#)
[flooding-igp \(GMPLS\)](#)
[flow](#)
[flow \(LPTS\)](#)
[flow exporter-map](#)
[flow monitor-map](#)
[flow-control](#)
[flowcontrol hardware](#)
[follow](#)
[force](#)
[force explicit-null](#)

[format](#)
[forward-protocol udp](#)
[forwarding-adjacency](#)
[forwarding-latency](#)
[fpd auto-upgrade](#)
[frame threshold](#)
[frame window](#)
[frame-period threshold](#)
[frame-period window](#)
[frame-seconds threshold](#)
[frame-seconds window](#)
[framing \(E3\)](#)
[framing \(SONET\)](#)
[framing \(T3\)](#)
[frequency \(IP SLA\)](#)
[frequency \(logging\)](#)
[fsck](#)
[ftp client anonymous-password](#)
[ftp client passive](#)
[ftp client password](#)
[ftp client source-interface](#)
[ftp client username](#)

G

[g709 bdi-to-client-gais](#)
[g709 disable](#)
[g709 fec](#)
[g709 odu overhead tti](#)
[g709 odu report disable](#)
[g709 otu overhead tti](#)
[g709 otu report disable](#)
[g709 otu threshold](#)
[g709 tim-to-client-gais](#)
[g709 tti-processing](#)
[giaddr policy](#)
[global maximum](#)
[graceful-restart \(MPLS LDP\)](#)
[graceful-restart \(OSPFv3\)](#)

group
 group (AAA)
 group (IKE policy)

H

hash (IKE policy)
 hello-interval (EIGRP)
 hello-interval (IS-IS)
 hello-interval (L2TP)
 hello-interval (OSPF)
 hello-interval (OSPFv3)
 hello-interval (PIM)
 hello-multiplier
 hello-padding
 hello-password
 hello-password accept
 hello-password keychain
 helper-address
 hidden (L2TP)
 history
 hold-time (EIGRP)
 holdtime (MPLS LDP)
 hostname
 hostname (L2TP)
 hostname dynamic disable
 hsrp authentic
 hsrp bfd fast-detect
 hsrp bfd minimum-interval
 hsrp bfd multiplier
 hsrp delay
 hsrp ipv4
 hsrp mac-address
 hsrp preempt
 hsrp priority
 hsrp redirects
 hsrp timers
 hsrp track
 hsrp use-bia

http server
 hw-module boot override
 hw-module linecard throughput
 hw-module location
 hw-module logging onboard
 hw-module port
 hw-module power disable
 hw-module qos input police granularity location
 hw-module qos output police granularity location
 hw-module qos output shape granularity location
 hw-module reset auto
 hw-module service cgn location
 hw-module service maintenance-mode
 hw-module service offline location
 hw-module subslot cardtype
 hw-module subslot reload
 hw-module subslot shutdown

ibgp policy out enforce-modifications
 icmp ipv4 rate-limit unreachable
 icmp source
 if
 ignore lsa mospf
 ignore-connected-check
 ignore-lsp-errors
 igp auto-config disable
 igp sync delay
 igp sync delay on-proc-restart
 import route-policy
 import route-target
 in
 inband
 index exclude-address
 index exclude-srlg
 index next-address
 index persistence
 inherit taskgroup

inherit usergroup
 inside-vrf (CGN)
 install abort
 install activate
 install add
 install attach
 install auto-abort-timer stop
 install boot-options
 install commit
 install deactivate
 install label
 install remove
 install rollback to
 install verify healthcheck
 instance (OSPFv3)
 interface (BFD)
 interface (DHCP)
 interface (EIGRP)
 interface (Ethernet)
 interface (HSRP)
 interface (IS-IS)
 interface (MPLS LDP)
 interface (MPLS-TE)
 interface (MPP)
 interface (NTP)
 interface (OSPF)
 interface (OSPFv3)
 interface (PIM)
 interface (RIP)
 interface (VLAN)
 interface (VPLS)
 interface (VRRP)
 interface (bundle)
 interface (global)
 interface (multicast)
 interface (p2p)
 interface (relay profile)
 interface MgmtEth
 interface ServiceApp
 interface ServiceInfra
 interface all disable
 interface all enable
 interface atm
 interface null 0
 interface pos
 interface srp
 interface tunnel-gte
 interface tunnel-ip
 interface tunnel-ip (GRE)
 interface tunnel-ipsec
 interface tunnel-mte
 interface tunnel-te
 interface-inheritance disable
 interval
 ip-address (trustpoint)
 ipcc interface (MPLS-TE)
 ipcc routed
 ipcc routed (MPLS-TE)
 ipsla
 ipv4 access-group
 ipv4 access-list
 ipv4 access-list log-update rate
 ipv4 access-list log-update threshold
 ipv4 address (network)
 ipv4 assembler max-packets
 ipv4 assembler timeout
 ipv4 bgp policy accounting
 ipv4 bgp policy propagation
 ipv4 conflict-policy
 ipv4 directed-broadcast
 ipv4 disable
 ipv4 helper-address
 ipv4 mask-reply
 ipv4 mtu
 ipv4 prefix (6rd)
 ipv4 prefix-list
 ipv4 redirects
 ipv4 source-route

ipv4 suffix (6rd)
 ipv4 unnumbered (MPLS)
 ipv4 unnumbered (point-to-point)
 ipv4 unreachable disable
 ipv4 verify unicast source reachable-via
 ipv4 virtual address
 ipv6 access-group
 ipv6 access-list
 ipv6 access-list log-update rate
 ipv6 access-list log-update threshold
 ipv6 access-list maximum ace threshold
 ipv6 access-list maximum acl threshold
 ipv6 address
 ipv6 address link-local
 ipv6 bgp policy accounting
 ipv6 checksum
 ipv6 conflict-policy
 ipv6 enable
 ipv6 enable (XML)
 ipv6 hop-limit
 ipv6 icmp error-interval
 ipv6 mtu
 ipv6 nd dad attempts
 ipv6 nd managed-config-flag
 ipv6 nd ns-interval
 ipv6 nd other-config-flag
 ipv6 nd prefix
 ipv6 nd ra-interval
 ipv6 nd ra-lifetime
 ipv6 nd reachable-time
 ipv6 nd redirects
 ipv6 nd scavenge-timeout
 ipv6 nd suppress-ra
 ipv6 neighbor
 ipv6 prefix-list
 ipv6 unreachable disable
 ipv6 verify unicast source reachable-via
 ipv6-prefix (6rd)
 is-type

ispf
 iteration

J

join-group
 join-prune-interval

K

keepalive
 keepalive (ISAKMP profile)
 keepalive (POS)
 key (IKE)
 key (RADIUS)
 key (TACACS+)
 key (key chain)
 key chain (key chain)
 key-chain
 key-source key-chain (RSVP)
 key-string (IKE)
 key-string (keychain)
 keychain
 keychain inheritance-disable
 keychain-disable
 keyring

L

l2tp-class
 l2transport
 l2transport (ATM)
 l2transport l2protocol
 l2transport propagate
 l2transport service-policy
 l2vpn
 label accept
 label advertise

label allocate
 label-allocation-mode
 lacp fast-switchover
 lacp packet-capture
 lacp period short
 lacp system priority
 lanmode on
 lawful-intercept disable
 learning disable (VPLS)
 length
 license
 license add
 license backup
 license move
 license move slot
 license pool create
 license pool remove
 license remove
 license restore
 license save credential
 life
 life-time (RSVP)
 lifetime (IKE policy)
 limit (VPLS)
 line
 line delay clear
 line delay trigger
 link-management ti
 link-management timers bandwidth-hold
 link-management timers preemption-delay
 link-monitor
 lives
 lmp hello (GMPLS)
 lmp neighbor (MPLS O-UNI)
 lmp neighbor (MPLS-TE)
 lmp router-id (MPLS-TE)
 load
 load commit changes
 load configuration failed
 load configuration removed
 load rollback changes
 load-interval
 load-share
 load-share unequal
 local pool
 local-address (keyring)
 local-as
 local-preference
 locale country
 locale language
 location (DRP)
 location (SDR)
 lockout
 log adjacency changes (IS-IS)
 log adjacency changes (OSPF)
 log adjacency changes (OSPFv3)
 log ais
 log continuity-check errors
 log continuity-check mep changes
 log crosscheck errors
 log efd
 log graceful-restart
 log neighbor
 log nsr
 log pdu drops
 log session-protection
 log signal
 log-neighbor-changes
 log-neighbor-warnings
 log-traps
 logging
 logging (l2vpn)
 logging archive
 logging buffered
 logging console
 logging correlator apply rule
 logging correlator apply ruleset
 logging correlator buffer-size

[logging correlator rule](#)
[logging correlator ruleset](#)
[logging disable](#)
[logging events buffer-size](#)
[logging events display-location](#)
[logging events level](#)
[logging events link-status](#)
[logging events link-status \(MPLS-TE\)](#)
[logging events link-status \(interface\)](#)
[logging events lsp-status \(MPLS-TE\)](#)
[logging events sub-lsp-status state \(MPLS-TE\)](#)
[logging events threshold](#)
[logging facility](#)
[logging history](#)
[logging history size](#)
[logging hostnameprefix](#)
[logging localfilesize](#)
[logging monitor](#)
[logging source-interface](#)
[logging suppress apply rule](#)
[logging suppress deprecated](#)
[logging suppress duplicates](#)
[logging suppress rule](#)
[logging trap](#)
[login authentication](#)
[loopback \(DWDM\)](#)
[loopback \(Ethernet\)](#)
[loopback \(SONET\)](#)
[loopback \(T3/E3\)](#)
[loopback stub-network](#)
[low-memory](#)
[lpts pifib hardware police](#)
[lsp fast-flood threshold](#)
[lsp selector ipv4](#)
[lsp-gen-interval](#)
[lsp-interval](#)
[lsp-mtu](#)
[lsp-password](#)
[lsp-password accept](#)

[lsp-refresh-interval](#)
[lsr-path](#)

M

[mLDP OAM](#)
[mac \(VPLS\)](#)
[mac-accounting](#)
[mac-address \(Ethernet\)](#)
[mac-address \(Management Ethernet\)](#)
[mail-server](#)
[maintenance disable](#)
[man](#)
[management-plane](#)
[manual](#)
[map \(CGN\)](#)
[master](#)
[match \(GMPLS\)](#)
[match access-group](#)
[match atm](#)
[match cos](#)
[match destination-address](#)
[match discard-class](#)
[match dscp](#)
[match identity \(ISAKMP policy-set\)](#)
[match identity \(ISAKMP profile\)](#)
[match mpls experimental topmost](#)
[match precedence](#)
[match protocol](#)
[match qos-group](#)
[match source-address](#)
[match transform-set](#)
[match vlan](#)
[max-associations](#)
[max-lsa](#)
[max-lsp-lifetime](#)
[max-metric](#)
[maxabs \(MPLS-TE\)](#)
[maximum \(VPLS\)](#)

maximum autorp mapping-agent-cache
 maximum disable
 maximum external-sa
 maximum group-mappings autorp
 maximum groups
 maximum groups-per-interface
 maximum hops
 maximum interfaces (MPLS LDP)
 maximum interfaces (OSPF)
 maximum interfaces (OSPFv3)
 maximum path (static)
 maximum paths (IP SLA)
 maximum paths (OSPF)
 maximum paths (OSPFv3)
 maximum peer-external-sa
 maximum prefix (RIB)
 maximum redistributed-prefixes (OSPF)
 maximum redistributed-prefixes (OSPFv3)
 maximum register-states
 maximum route-interfaces
 maximum routes
 maximum-meps
 maximum-paths (BGP)
 maximum-paths (EIGRP)
 maximum-paths (IS-IS)
 maximum-paths (RIP)
 maximum-prefix (BGP)
 maximum-prefix (EIGRP)
 maximum-redistributed-prefixes (IS-IS)
 mdl
 mdt data
 mdt default
 mdt mtu
 mdt source
 med
 mep crosscheck
 mep domain
 mep-id
 mesh-group (IS-IS)
 mesh-group (peer)
 message state disable
 message-digest-key
 metric (IS-IS)
 metric maximum-hops
 metric weights
 metric-style narrow
 metric-style transition
 metric-style wide
 metric-zero-accept
 mhost default-interface
 mib-retrieval
 min-lsp-arrivaltime
 mip auto-create
 mirror
 mirror pause
 mirror resume
 mirror verify
 mkdir
 mode
 mode (Ethernet OAM)
 mofrr
 monitor
 monitor controller fabric
 monitor controller sonet
 monitor interface
 monitor processes
 monitor threads
 monitoring
 more
 mpls activate (BGP)
 mpls discovery vpn
 mpls ip-ttl-propagate
 mpls label range
 mpls ldp
 mpls ldp auto-config
 mpls ldp auto-config (OSPF)
 mpls ldp sync (IS-IS)
 mpls ldp sync (OSPF)

mpls ldp sync-igp-shortcuts
 mpls lsp-monitor
 mpls oam
 mpls static label (L2VPN)
 mpls static label (VPLS)
 mpls traffic-eng
 mpls traffic-eng (IS-IS)
 mpls traffic-eng (OSPF)
 mpls traffic-eng auto-bw apply (MPLS-TE)
 mpls traffic-eng fast-reroute promote
 mpls traffic-eng igp-intact (OSPF)
 mpls traffic-eng level
 mpls traffic-eng link-management flood
 mpls traffic-eng multicast-intact (IS-IS)
 mpls traffic-eng multicast-intact (OSPF)
 mpls traffic-eng path-protection switchover gmpms
 mpls traffic-eng path-selection ignore overload
 mpls traffic-eng pce activate-pcep
 mpls traffic-eng pce reoptimize
 mpls traffic-eng reoptimize (EXEC)
 mpls traffic-eng repotimize mesh group
 mpls traffic-eng router-id (IS-IS)
 mpls traffic-eng router-id (MPLS-TE router)
 mpls traffic-eng router-id (OSPF)
 mpls traffic-eng srlg (IS-IS)
 mrimfo
 mss (CGN)
 mtrace
 mtu
 mtu (VPLS)
 mtu-ignore (OSPF)
 mtu-ignore (OSPFv3)
 multi-area-interface
 multi-router aps
 multicast client
 multicast destination
 multicast-routing
 multihop ttl-drop-threshold
 multipath

N

national bits (E3)
 negotiation auto
 neighbor (BGP)
 neighbor (EIGRP)
 neighbor (L2VPN)
 neighbor (O-UNI)
 neighbor (OSPF)
 neighbor (OSPFv3)
 neighbor (RIP)
 neighbor (VPLS)
 neighbor database-filter all out
 neighbor maximum-prefix
 neighbor password
 neighbor password disable
 neighbor targeted
 neighbor-check-on-re
 neighbor-check-on-send enable
 neighbor-filter
 neighbor-group
 net
 network (BGP)
 network (OSPF)
 network (OSPFv3)
 network backdoor
 network connection id
 network port id
 network srlg
 next-hop in
 next-hop-self
 next-hop-self disable
 next-hop-unchanged
 nexthop route-policy
 nexthop trigger-delay
 nhop-only (auto-tunnel backup)
 nonrootcause
 notification (VPLS)
 notification linkupdown

nsf (IS-IS)
 nsf (OSPF)
 nsf (RIP)
 nsf (multicast)
 nsf disable (EIGRP)
 nsf flush-delay-time (OSPF)
 nsf interface-expires
 nsf interface-timer
 nsf interval (OSPF)
 nsf lifetime (IS-IS)
 nsf lifetime (OSPF)
 nsf lifetime (PIM)
 nsr (BGP)
 nsr (MPLS-LDP)
 nsr (OSPF)
 nsr process-failures switchover
 nssa (OSPF)
 nssa (OSPFv3)
 ntp
 ntp clear
 ntp reset drift

O

oam ais-rdi
 oam retry
 oam-pvc manage
 old-register-checksum
 oom-handling
 operation
 options
 orf
 orf prefix in
 origin is
 originator-id
 ospf name-lookup
 ospfv3 name-lookup
 out-of-band
 output interface

output nexthop
 output-delay
 overflow threshold (MPLS-TE)
 overhead (SONET path)
 overhead (SONET)

P

p2p
 packet count
 packet interval
 packet size
 packet-gap non-standard
 packet-size (OSPF)
 packet-size (OSPFv3)
 pair (SDR)
 pairing (DRP)
 parity
 pass
 passive (GMPLS)
 passive (IS-IS)
 passive (MPLS O-UNI)
 passive (OSPF)
 passive (OSPFv3)
 passive-interface (EIGRP)
 passive-interface (RIP)
 password (AAA)
 password (BGP)
 password (L2TP)
 password (pee
 password-disable
 path (SONET)
 path delay clear
 path delay trigger
 path discover
 path discover echo
 path discover path
 path discover scan
 path discover session

path-mtu (6rd)
 path-mtu (CGN)
 path-option (MPLS-TE)
 path-option (P2MP TE)
 path-selection ignore overload (MPLS-TE)
 path-selection loose-expansion affinity (MPLS-TE)
 path-selection loose-expansion metric (MPLS-TE)
 path-selection metric (MPLS-TE)
 path-selection metric (interface)
 path-type is
 pce address (MPLS-TE)
 pce deadtimer (MPLS-TE)
 pce keepalive (MPLS-TE)
 pce peer (MPLS-TE)
 pce reoptimize (MPLS-TE)
 pce request-timeout (MPLS-TE)
 pce tolerance keepalive (MPLS-TE)
 pd (prefix-delegation - DHCP IPv6 interface)
 pd (prefix-delegation - DHCP IPv6 pool)
 peer (MSDP)
 peer (NTP)
 peer ipv4 address
 performance-mgmt apply monitor
 performance-mgmt apply statistics
 performance-mgmt apply thresholds
 performance-mgmt regular-expression
 performance-mgmt resources dump local
 performance-mgmt resources memory
 performance-mgmt resources ftp-server
 performance-mgmt statistics
 performance-mgmt thresholds
 permit (IPv4)
 permit (IPv6)
 permit (prefix-list)
 phone-number
 ping (administration EXEC)
 ping (network)
 ping atm interface atm
 ping mpls ipv4
 ping mpls mldp (MP2MP)
 ping mpls mldp (P2MP)
 ping mpls traffic-eng
 ping mpls traffic-eng tunnel-mte (P2MP)
 ping mpls traffic-eng tunnel-te (P2P)
 ping pseudowire (AToM)
 placement memory
 placement program
 placement reoptimize
 pm fec report enable
 pm fec threshold
 pm optics report enable
 pm optics threshold
 pm otn report enable
 pm otn threshold
 point-to-point
 poison-reverse
 police rate
 policy (ISAKMP policy-set)
 policy-class
 policy-global
 policy-map
 pool (DHCP IPv6)
 port-down flush disable (VPLS)
 portlimit (CGN)
 pos
 ppp authentication
 ppp chap password
 ppp chap refuse
 ppp ipcp dns
 ppp ipcp neighbor-route disable
 ppp ipcp peer-address default
 ppp max-bad-auth
 ppp max-configure
 ppp max-failure
 ppp max-terminate
 ppp ms-chap hostname
 ppp ms-chap password
 ppp ms-chap refuse

ppp multilink multiclass
 ppp multilink multiclass local
 ppp multilink multiclass remote apply
 ppp pap refuse
 ppp pap sent-username password
 ppp timeout authentication
 ppp timeout retry
 pre-shared-key
 precedence
 preference
 preferred-path
 prefix-set
 prepend as-path
 priority (IS-IS)
 priority (MPLS-TE)
 priority (OSPF)
 priority (OSPFv3)
 priority (QoS)
 priority (SLA)
 proactive
 proactive revert threshold
 proactive revert window
 proactive trigger threshold
 proactive trigger window
 probe
 process
 process core
 process mandatory
 profile
 profile (EOAM)
 profile (SLA)
 profile (call home)
 profile relay
 propagate level
 protocol
 protocol (CGN)
 protocol (CGN-NAT44)
 protocol icmp reset-mtu (CGN)
 protocol shutdown

proxy-arp
 pvc (ATM)
 pvp (ATM)
 pw-class
 pw-class (L2VPN)
 pw-class encapsulation l2tpv3
 pw-class encapsulation mpls
 pwd
 pwd (config)

Q

query url
 query-interval
 query-max-response-time
 query-timeout
 queue dispatch flush-lsa
 queue dispatch incoming
 queue dispatch rate-limited-lsa
 queue dispatch spf-lsa-limit
 queue limit
 queue-limit

R

radius source-interface
 radius-server dead-criteria time
 radius-server dead-criteria tries
 radius-server deadtime
 radius-server key
 radius-server retransmit
 radius-server timeout
 random 1 out-of
 random-detect
 random-detect cos
 random-detect discard-class
 random-detect dscp
 random-detect exp

random-detect precedence
range (OSPF)
range (OSPFv3)
rapid-commit
rate-limit
rate-per-route
rcc
rcp client source-interface
rcp client username
rd
rd in
rd-set
react
react lpd
reaction monitor
reaction operation
reaction trigger
reassembly-enable (6rd)
receive version
receive-buffer-size
receive-window (L2TP)
record ipv4
record ipv6
record mpls
record-route
recurring
recursion-depth-max
redistribute (BGP)
redistribute (EIGRP)
redistribute (IS-IS)
redistribute (MPLS LDP)
redistribute (OSPF)
redistribute (OSPFv3)
redistribute (RIP)
redistribute maximum-prefix
redundancy
redundancy switchover
refresh-direction (CGN)
refresh-rate (CGN)
reissue-nonbistate
relay information check
relay information option
relay information option allow-untrusted
relay information policy
reload
reload (administration EXEC)
remark (IPv4)
remark (IPv6)
remark (prefix-list)
remote (GMPLS)
remote interface-id
remote node-id
remote-as (BGP)
remote-as (multicast)
remove-private-as
reoptimize (MPLS-TE)
reoptimize timers delay (MPLS-TE)
reparent
replace as-path
reply dscp
reply mode
report (SONET path)
report (SONET)
report sd-ber
report sf-ber disable
require-remote
resequence access-list ipv4
resequence access-list ipv6
resequence prefix-list ipv4
resequence prefix-list ipv6
reset-df-bit (6rd)
responder
resume
retain local-label
retain route-target
retransmit (L2TP)
retransmit (RADIUS)
retransmit-interval (IS-IS)

retransmit-interval (OSPF)
 retransmit-interval (OSPFv3)
 retransmit-throttle-interval
 revert
 rib-has-route
 rmdir
 robustness-count
 rollback configuration
 rollover (L3VPN)
 root
 rootcause
 route (static)
 route-has-label
 route-policy (BGP)
 route-policy (EIGRP)
 route-policy (OSPF)
 route-policy (RIP)
 route-policy (RPL)
 route-reflector-client
 route-type is
 router
 router bgp
 router eigrp
 router hsrp
 router igmp
 router isis
 router mld
 router ospf
 router ospfv3
 router pim
 router rib
 router rip
 router static
 router vrrp
 router-id (EIGRP)
 router-id (MPLS LDP)
 router-id (MPLS O-UNI)
 router-id (OSPF)
 router-id (OSPFv3)
 router-id secondary (MPLS-TE)
 rp mgmtethernet forwarding
 rp-address
 rp-static-deny
 rpf topology route-policy
 rpf-vector
 rpl editor
 rpl maximum
 rsa-pubkey
 rsakeypair
 rsvp interface
 rsvp neighbor
 rump always-replicate
 rx-los-threshold

S

sa-filter
 sam add certificate
 sam delete certificate
 sam prompt-interval
 sam verify
 sampler-map
 samples
 sap cache-timeout
 sap listen
 save configuration
 save configuration changes
 save configuration commit changes
 save configuration failed
 save configuration merge
 save configuration removed
 save rollback changes
 scan delete-factor
 scan interval
 schedule (SLA)
 schedule monitor
 schedule operation
 schedule period

scrambling disable (SONET path)
sdr
secret
security ttl
security ttl (OSPF)
self-identity
send
send (SLA)
send version
send-buffer-size
send-community-ebgp
send-extended-community-ebgp
send-lifetime
sender
serial-number (trustpoint)
server (CGN)
server (NTP)
server (RADIUS)
server (TACACS+)
server-private (RADIUS)
server-private (TACACS+)
service
service active
service cgn
service redundancy failover service-type
service redundancy revert service-type
service tcp-small-servers
service timestamps
service udp-small-servers
service-location (CGN)
service-location (interface)
service-policy (interface)
service-policy (policy map class)
service-type nat44 (CGN)
service-type nat64 (CGN)
service-type tunnel (CGN)
session (CGN)
session protection
session timeout
session-group
session-limit
session-open-mode
session-timeout
set aigp-metric
set community
set core-tree
set cos
set dampening
set default-afi
set default-safi
set default-vrf
set discard-class
set dscp
set eigrp-metric
set extcommunity cost
set extcommunity rt
set interface tunnel-ipsec
set ip-precedence
set ipsec-profile
set isis-metric
set label
set level
set local-preference
set med
set metric-type (IS-IS)
set metric-type (OSPF)
set mpls experimental
set next-hop
set origin
set ospf-metric
set path-selection
set pfs
set precedence
set qos-group
set qos-group (RPL)
set rib-metric
set rip-metric
set rip-tag

set rpf-topology
 set spf-priority
 set srp-priority
 set tag
 set traffic-index
 set transform-set
 set type
 set vpn-distinguisher
 set weight
 set-attached-bit
 set-overload-bit
 severity
 sftp
 sftp (Interactive Mode)
 sftp-password (trustpoint)
 sftp-username (trustpoint)
 sham-link
 shape
 shape average
 show
 show aaa
 show access-lists afi-all
 show access-lists ipv4
 show access-lists ipv4 standby
 show access-lists ipv6
 show access-lists ipv6 standby
 show adjacency
 show aliases
 show aps
 show aps agents
 show aps group
 show arm conflicts
 show arm database
 show arm registrations producers
 show arm router-ids
 show arm summary
 show arm vrf-summary
 show arp
 show arp traffic
 show atm cell-packing
 show atm class-link
 show atm ilmi-status
 show atm interface atm
 show atm pvc
 show atm pvp
 show atm vc-class
 show auto-rp candidate-rp
 show auto-rp mapping-agent
 show bcdl
 show bcdl consumers
 show bcdl queues
 show bcdl tables
 show bcdl trace
 show bfd
 show bfd client
 show bfd counters
 show bfd mib session
 show bfd multipath
 show bfd session
 show bfd summary
 show bgp
 show bgp advertised
 show bgp af-group
 show bgp attribute-key
 show bgp cidr-only
 show bgp community
 show bgp convergence
 show bgp dampened-paths
 show bgp flap-statistics
 show bgp inconsistent-as
 show bgp labels
 show bgp neighbor-group
 show bgp neighbors
 show bgp neighbors nsr
 show bgp nexthops
 show bgp nsr
 show bgp paths
 show bgp policy

show bgp process
show bgp regexp
show bgp route-policy
show bgp session-group
show bgp sessions
show bgp summary
show bgp summary nsr
show bgp table
show bgp truncated-communities
show bgp update-group
show bgp vrf imported-routes
show bundle
show bundle brief
show bundle replication bundle-ether
show calendar
show call-home
show call-home alert-group
show call-home mail-server status
show call-home profile
show call-home statistics
show call-home trace
show cdp
show cdp entry
show cdp interface
show cdp neighbors
show cdp traffic
show cef
show cef bgp-attribute
show cef external
show cef ipv4
show cef ipv4 adjacency
show cef ipv4 adjacency hardware
show cef ipv4 drops
show cef ipv4 exact-route
show cef ipv4 exceptions
show cef ipv4 hardware
show cef ipv4 interface
show cef ipv4 interface bgp-policy-statistics
show cef ipv4 non-recursive
show cef ipv4 resource
show cef ipv4 summary
show cef ipv4 unresolved
show cef ipv6
show cef ipv6 adjacency
show cef ipv6 adjacency hardware
show cef ipv6 drops
show cef ipv6 exact-route
show cef ipv6 exceptions
show cef ipv6 ha
show cef ipv6 interface
show cef ipv6 interface bgp-policy-statistics
show cef ipv6 interface rpf-statistics
show cef ipv6 non-recursive
show cef ipv6 resource
show cef ipv6 summary
show cef ipv6 unresolved
show cef mpls adjacency
show cef mpls adjacency hardware
show cef mpls interface
show cef mpls unresolved
show cef recursive-nexthop
show cef summary
show cef vrf
show cgn nat44 inside-translation
show cgn nat44 outside-translation
show cgn nat44 pool-utilization
show cgn nat44 statistic
show cgn tunnel v6rd statistics
show cinetd services
show clns statistics
show clock
show configuration (config)
show configuration changes
show configuration commit changes
show configuration commit list
show configuration failed (config)
show configuration failed incompatible
show configuration failed remove

show configuration failed rollback
 show configuration failed startup
 show configuration history
 show configuration inconsistency replica
 show configuration persistent
 show configuration removed
 show configuration rollback changes
 show configuration running
 show configuration running-config
 show configuration sessions
 show context
 show controller dwdm
 show controller dwdm pm
 show controllers (Ethernet)
 show controllers atm
 show controllers backplane ethernet brief
 show controllers backplane ethernet clients
 show controllers backplane ethernet detail
 show controllers backplane ethernet manageability bridge basic
 show controllers backplane ethernet manageability bridge fdb-entry
 show controllers backplane ethernet manageability bridge forwarding
 show controllers backplane ethernet manageability bridge list
 show controllers backplane ethernet manageability bridge port
 show controllers backplane ethernet manageability bridge span-tree
 show controllers backplane ethernet manageability bridge transparent
 show controllers backplane ethernet manageability interface attributes
 show controllers backplane ethernet manageability interface list
 show controllers backplane ethernet manageability interface mau-autonet-info
 show controllers backplane ethernet manageability interface mau-info
 show controllers backplane ethernet manageability interface mau-jack-type
 show controllers backplane ethernet manageability interface statistics
 show controllers backplane ethernet multicast groups
 show controllers e3
 show controllers null interface
 show controllers pos
 show controllers sonet
 show controllers srp
 show controllers switch
 show controllers switch inter-rack ports
 show controllers switch inter-rack statistics
 show controllers switch inter-rack stp
 show controllers switch inter-rack udd
 show controllers switch ports
 show controllers switch statistics
 show controllers switch stp location
 show controllers switch stp ports
 show controllers switch stp region
 show controllers switch udd location
 show controllers switch udd ports
 show controllers t3
 show controllers wanphy
 show cryp
 show crypto ca certificates
 show crypto ca crls
 show crypto ipsec interface
 show crypto ipsec profile
 show crypto ipsec sa
 show crypto ipsec summary
 show crypto ipsec transform-set
 show crypto isakmp call admission statistics
 show crypto isakmp errors
 show crypto isakmp key
 show crypto isakmp peers
 show crypto isakmp policy
 show crypto isakmp profile
 show crypto isakmp sa
 show crypto isakmp stats
 show crypto key mypubkey dsa

show crypto key mypubkey rsa
show crypto session
show default-afi-safi-vrf
show dhcp ipv4 relay profile
show dhcp ipv4 relay profile name
show dhcp ipv4 relay statistics
show dhcp ipv6
show dhcp ipv6 binding
show dhcp ipv6 database
show dhcp ipv6 interface
show dhcp ipv6 pool
show diag
show diagnostic bootup level
show diagnostic content
show diagnostic ondemand settings
show diagnostic result
show diagnostic schedule
show diagnostic status
show dll
show dsc
show efd interface
show eigrp accounting
show eigrp interfaces
show eigrp neighbors
show eigrp topology
show eigrp traffic
show environment
show epm trace boot
show ethernet cfm ccm-learning-database
show ethernet cfm configuration-errors
show ethernet cfm interfaces ais
show ethernet cfm interfaces statistics
show ethernet cfm local maintenance-points
show ethernet cfm local meps
show ethernet cfm peer meps
show ethernet cfm traceroute-cache
show ethernet oam configuration
show ethernet oam discovery
show ethernet oam interfaces
show ethernet oam statistics
show ethernet sla configuration-errors
show ethernet sla operations
show ethernet sla statistics
show event manager directory user
show event manager environment
show event manager metric hardware
show event manager metric process
show event manager policy available
show event manager policy registered
show event manager refresh-time
show event manager statistics-table
show exception
show explicit-paths
show filesystem
show flow exporter
show flow exporter-map
show flow monitor
show flow monitor-map
show flow platform producer statistics location
show fmgr fabqos
show fmgr interface
show fpd package
show history
show hosts
show hsrp
show hw-module fpd
show hw-module linecard throughput
show hw-module qos input police granularity location
show hw-module qos output police granularity location
show hw-module qos output shape granularity location
show hw-module subslot brief
show hw-module subslot config
show hw-module subslot counters
show hw-module subslot errors
show hw-module subslot plim-subblock
show hw-module subslot registers
show hw-module subslot status
show igmp groups

show igmp interface
 show igmp nsf
 show igmp ssm map
 show igmp summary
 show igmp traffic
 show im dampening
 show install
 show install active
 show install audit
 show install auto-abort-timer
 show install boot-options
 show install committed
 show install inactive
 show install log
 show install package
 show install pie-info
 show install request
 show install rollback
 show install which
 show interfaces
 show interfaces null0
 show interfaces pos
 show inventory
 show ipsla application
 show ipsla history
 show ipsla mpls discovery vpn
 show ipsla mpls lsp-monitor lpd
 show ipsla mpls lsp-monitor scan-queue
 show ipsla mpls lsp-monitor summary
 show ipsla responder statistics ports
 show ipsla statistics
 show ipsla statistics aggregated
 show ipsla statistics enhanced aggregated
 show ipv4 interface
 show ipv4 traffic
 show ipv6 interface
 show ipv6 neighbors
 show ipv6 neighbors summary
 show ipv6 traffic
 show isis
 show isis adjacency
 show isis adjacency-log
 show isis checkpoint adjacency
 show isis checkpoint interface
 show isis checkpoint lsp
 show isis database
 show isis database-log
 show isis fast-reroute
 show isis hostname
 show isis interface
 show isis lsp-log
 show isis mesh-group
 show isis mpls traffic-eng adjacency-log
 show isis mpls traffic-eng advertisements
 show isis mpls traffic-eng tunnel
 show isis neighbors
 show isis protocol
 show isis route
 show isis spf-log
 show isis statistics
 show isis topology
 show key chain
 show l2tp class
 show l2tp counters forwarding session
 show l2tp session
 show l2tp tunnel
 show l2vpn bridge-domain (VPLS)
 show l2vpn collaborators
 show l2vpn forwarding
 show l2vpn forwarding bridge-domain (VPLS)
 show l2vpn forwarding bridge-domain mac-address (VPLS)
 show l2vpn forwarding l2tp
 show l2vpn pw-class
 show l2vpn resource
 show l2vpn xconnect
 show lacp bundle
 show lacp counters

show lacp io
show lacp packet-capture
show lacp port
show lacp system-id
show led
show license
show license active
show license allocated
show license available
show license backup
show license chassis
show license evaluation
show license expired
show license features
show license file
show license log
show license pools
show license status
show license udi
show line
show local pool
show logging
show logging correlator buffer
show logging correlator info
show logging correlator rule
show logging correlator ruleset
show logging events buffer
show logging events info
show logging history
show logging onboard
show logging suppress rule
show lpts bindings
show lpts clients
show lpts flows
show lpts ifib
show lpts ifib slices
show lpts ifib statistics
show lpts ifib times
show lpts mpa groups
show lpts pifib
show lpts pifib hardware context
show lpts pifib hardware entry
show lpts pifib hardware police
show lpts pifib hardware usage
show lpts pifib statistics
show lpts port-arbitrator statistics
show lpts vrf
show mac-accounting (Ethernet)
show media
show memory
show memory compare
show memory heap
show mfib connections
show mfib counter
show mfib encap-info
show mfib hardware interface
show mfib hardware resource-counters
show mfib hardware route accept-bitmap
show mfib hardware route olist
show mfib hardware route statistics
show mfib hardware route summary
show mfib interface
show mfib mdt statistics
show mfib nsf
show mfib route
show mfib table-info
show mgmt-plane
show mhost default-interface
show mhost groups
show mirror
show mld groups
show mld interface
show mld nsf
show mld ssm map
show mld summary
show mld traffic
show mpa client
show mpa groups

show mpa ipv4
 show mpa ipv6
 show mpls forwarding
 show mpls forwarding exact-route
 show mpls interfaces
 show mpls label range
 show mpls label table
 show mpls ldp backoff
 show mpls ldp bindings
 show mpls ldp discovery
 show mpls ldp forwarding
 show mpls ldp graceful-restart
 show mpls ldp igp sync
 show mpls ldp interface
 show mpls ldp neighbor
 show mpls ldp parameters
 show mpls ldp statistics msg-counters
 show mpls ldp summary
 show mpls lmp clients
 show mpls lmp interface-id
 show mpls lsd applications
 show mpls lsd clients
 show mpls oam
 show mpls oam database
 show mpls optical-uni
 show mpls optical-uni checkpoint
 show mpls optical-uni diagnostics
 show mpls optical-uni interface
 show mpls optical-uni lmp
 show mpls optical-uni timers all
 show mpls optical-uni timers global
 show mpls optical-uni timers interfaces
 show mpls optical-uni timers nodes
 show mpls traffic-eng affinity-map
 show mpls traffic-eng auto-tunnel backup
 show mpls traffic-eng auto-tunnel mesh
 show mpls traffic-eng autoroute
 show mpls traffic-eng collaborator-timers
 show mpls traffic-eng counters signaling
 show mpls traffic-eng ds-te te-class
 show mpls traffic-eng fast-reroute database
 show mpls traffic-eng fast-reroute log
 show mpls traffic-eng forwa
 show mpls traffic-eng forwarding
 show mpls traffic-eng igp-areas
 show mpls traffic-eng link-management admission-control
 show mpls traffic-eng link-management advertisements
 show mpls traffic-eng link-management bandwidth-allocation
 show mpls traffic-eng link-management bfd-neighbors
 show mpls traffic-eng link-management igp-neighbors
 show mpls traffic-eng link-management interfaces
 show mpls traffic-eng link-management statistics
 show mpls traffic-eng link-management summary
 show mpls traffic-eng lmp
 show mpls traffic-eng maximum tunnels
 show mpls traffic-eng pce peer
 show mpls traffic-eng pce tunnels
 show mpls traffic-eng preemption log
 show mpls traffic-eng topology
 show mpls traffic-eng tunnels
 show mpls traffic-eng tunnels auto-bw brief
 show mrib client
 show mrib fgid
 show mrib label-table-info
 show mrib mdt-interface
 show mrib nsf
 show mrib route
 show mrib route outgoing-interface
 show mrib route-collapse
 show mrib table-info
 show mrib tlc
 show msdp globals
 show msdp peer
 show msdp rpf
 show msdp sa-cache
 show msdp statistics peer
 show msdp summary

show nsr ncd client
show nsr ncd queue
show ntp associations
show ntp status
show operational
show ospf
show ospf border-routers
show ospf database
show ospf flood-list
show ospf interface
show ospf message-queue
show ospf mpls traffic-eng
show ospf neighbor
show ospf request-list
show ospf retransmission-list
show ospf routes
show ospf sham-links
show ospf statistics interface
show ospf summary-prefix
show ospf virtual-links
show ospfv3
show ospfv3 border-routers
show ospfv3 database
show ospfv3 flood-list
show ospfv3 interface
show ospfv3 neighbor
show ospfv3 request-list
show ospfv3 retransmission-list
show ospfv3 routes
show ospfv3 summary-prefix
show ospfv3 virtual-links
show performance-mgmt bgp
show performance-mgmt interface
show performance-mgmt mpls
show performance-mgmt node
show performance-mgmt ospf
show pim bgp-safi
show pim bsr candidate-rp
show pim bsr election
show pim bsr rp-cache
show pim context
show pim context detail
show pim context table
show pim df election-state
show pim df winner
show pim group-map
show pim interface
show pim join-prune statistic
show pim mdt
show pim mstatic
show pim neighbor
show pim nsf
show pim range-list
show pim rpf
show pim rpf hash
show pim rpf route-policy statistics
show pim rpf route-policy test
show pim rpf summary
show pim summary
show pim table-context
show pim topology
show pim topology detail
show pim topology entry-flag
show pim topology interface-flag
show pim topology summary
show pim traffic
show pim tunnel info
show placement location
show placement policy
show placement program
show placement reoptimize
show platform
show policy-map interface
show policy-map targets
show ppp interfaces
show ppp sso alerts
show ppp sso state
show ppp sso summary

show prefix-list
show prefix-list afi-all
show prefix-list ipv4
show prefix-list ipv4 standby
show prefix-list ipv6
show processes
show protocols (BGP)
show protocols (EIGRP)
show protocols (IS-IS)
show protocols (OSPF)
show protocols (OSPFv3)
show protocols (RIP)
show qos ea trace
show qos interface
show qos redq
show qos wred-curve
show radius
show radius accounting
show radius authentication
show radius client
show radius dead-criteria
show radius server-groups
show raw brief
show raw detail pcb
show raw extended-filters
show raw statistics pcb
show rcc
show reboot
show redundancy
show rib
show rib afi-all
show rib attributes
show rib client-id
show rib clients
show rib extcomms
show rib firsthop
show rib history
show rib next-hop
show rib opaques
show rib protocols
show rib recursion-depth-max
show rib statistics
show rib tables
show rib trace
show rib vpn-attributes
show rib vrf
show rip
show rip database
show rip interface
show rip statistics
show route
show route backup
show route best-local
show route connected
show route local
show route longer-prefixes
show route next-hop
show route quarantined
show route resolving-next-hop
show route static
show route summary
show rpl
show rpl active as-path-set
show rpl active community-set
show rpl active extcommunity-set
show rpl active prefix-set
show rpl active rd-set
show rpl active route-policy
show rpl as-path-set
show rpl as-path-set attachpoints
show rpl as-path-set references
show rpl community-set
show rpl community-set attachpoints
show rpl community-set references
show rpl extcommunity-set
show rpl inactive as-path-set
show rpl inactive community-set
show rpl inactive extcommunity-set

show rpl inactive prefix-set
show rpl inactive rd-set
show rpl inactive route-policy
show rpl maximum
show rpl policy-global references
show rpl prefix-set
show rpl prefix-set attachpoints
show rpl prefix-set references
show rpl rd-set
show rpl rd-set attachpoints
show rpl rd-set references
show rpl route-policy
show rpl route-policy attachpoints
show rpl route-policy inline
show rpl route-policy references
show rpl route-policy uses
show rpl unused as-path-set
show rpl unused community-set
show rpl unused extcommunity-set
show rpl unused prefix-set
show rpl unused rd-set
show rpl unused route-policy
show rsvp authentication
show rsvp counters
show rsvp counters oor
show rsvp counters prefix-filtering
show rsvp fast-reroute
show rsvp graceful-restart
show rsvp hello instance
show rsvp hello instance interface-based
show rsvp interface
show rsvp neighbor
show rsvp request
show rsvp reservation
show rsvp sender
show rsvp session
show run diagnostic monitor
show running performance-mgmt
show running-config
show sam certificate
show sam crl
show sam log
show sam package
show sam sysinfo
show sampler-map
show sap
show screddrv
show sctp association brief
show sctp association detail
show sctp pcb brief
show sctp pcb detail
show sctp statistics
show sctp summary
show sdr
show services redundancy (CGN)
show sessions
show snmp
show snmp context-mapping
show snmp engineid
show snmp entity
show snmp group
show snmp host
show snmp interface
show snmp interface notification
show snmp interface regular-expression
show snmp mib
show snmp request duplicates
show snmp users
show snmp view
show spantree
show srlg
show srp
show ssh
show ssh session details
show ssl
show system backup
show tacacs
show tacacs server-groups

[show tcp brief](#)
[show tcp detail](#)
[show tcp extended-filters](#)
[show tcp nsr brief](#)
[show tcp nsr client brief](#)
[show tcp nsr detail client](#)
[show tcp nsr detail pcb](#)
[show tcp nsr detail session-set](#)
[show tcp nsr session-set brief](#)
[show tcp nsr statistics client](#)
[show tcp nsr statistics pcb](#)
[show tcp nsr statistics session-set](#)
[show tcp nsr statistics summary](#)
[show tcp statistics](#)
[show terminal](#)
[show udp brief](#)
[show udp detail pcb](#)
[show udp extended-filters](#)
[show udp statistics](#)
[show user](#)
[show users](#)
[show variables boot](#)
[show variables system](#)
[show version](#)
[show vlan interface](#)
[show vlan tags](#)
[show vlan trunks](#)
[show vrf](#)
[show vrrp](#)
[show xml schema](#)
[show xml sessions](#)
[shutdown \(ATM\)](#)
[shutdown \(BGP\)](#)
[shutdown \(Bridge Domain\)](#)
[shutdown \(IS-IS\)](#)
[shutdown \(MSDP\)](#)
[shutdown \(SONET\)](#)
[shutdown \(T3/E3\)](#)
[shutdown \(VFI\)](#)
[shutdown \(VRF\)](#)
[shutdown \(global\)](#)
[signalled-name](#)
[signalling](#)
[signalling advertise explicit-null \(MPLS-TE\)](#)
[signalling dscp \(LDP\)](#)
[signalling dscp \(RSVP\)](#)
[signalling graceful-restart](#)
[signalling hello graceful-restart interface-based](#)
[signalling hello graceful-restart refresh interval](#)
[signalling hello graceful-restart refresh misses](#)
[signalling prefix-filtering access-list](#)
[signalling prefix-filtering default-deny-action](#)
[signalling rate-limit](#)
[signalling refresh interval](#)
[signalling refresh missed](#)
[signalling refresh reduction bundle-max-size](#)
[signalling refresh reduction disable](#)
[signalling refresh reduction reliable](#)
[signalling refresh reduction summary](#)
[single-connection](#)
[single-topology](#)
[sip address](#)
[sip domain-name](#)
[site-id](#)
[site-of-origin \(BGP\)](#)
[site-of-origin \(EIGRP\)](#)
[site-of-origin \(RIP\)](#)
[sla operation](#)
[slow-migration-interval](#)
[snmp test trap all](#)
[snmp test trap entity](#)
[snmp test trap infra](#)
[snmp test trap interface](#)
[snmp test trap snmp](#)
[snmp trap rate-limit](#)
[snmp traps mpls traffic-eng](#)
[snmp-server chassis-id](#)
[snmp-server community](#)

snmp-server community-map
 snmp-server contact
 snmp-server context
 snmp-server engineid local
 snmp-server engineid remote
 snmp-server entityindex persist
 snmp-server group
 snmp-server host
 snmp-server ifindex persist
 snmp-server ifmib ifalias long
 snmp-server ifmib stats cache
 snmp-server inform
 snmp-server interface
 snmp-server interface subset
 snmp-server ipv4 dscp
 snmp-server ipv4 precedence
 snmp-server location
 snmp-server mibs cbqosmib cache
 snmp-server mibs cbqosmib persist
 snmp-server mibs eventmib packet-loss
 snmp-server notification-log-mib
 snmp-server packetsize
 snmp-server queue-length
 snmp-server target list
 snmp-server throttle-time
 snmp-server timeouts subagent
 snmp-server trap authentication vrf disable
 snmp-server trap link ietf
 snmp-server trap throttle-time
 snmp-server trap-source
 snmp-server trap-timeout
 snmp-server traps
 snmp-server traps bgp
 snmp-server traps ethernet cfm
 snmp-server traps ethernet oam events
 snmp-server traps isis
 snmp-server traps mpls l3vpn
 snmp-server traps mpls ldp
 snmp-server traps ospf errors
 snmp-server traps ospf lsa
 snmp-server traps ospf retransmit
 snmp-server traps ospf state-change neighbor-state-change
 snmp-server traps pim interface-state-change
 snmp-server traps pim invalid-message-received
 snmp-server traps pim neighbor-change
 snmp-server traps pim rp-mapping-change
 snmp-server traps rsvp
 snmp-server traps snmp
 snmp-server traps syslog
 snmp-server traps vrrp events
 snmp-server user
 snmp-server view
 snmp-server vrf
 so
 socket receive-buffer-size
 socket send-buffer-size
 source
 source (NTP)
 source (NetFlow)
 source address
 source in
 source port
 source-address (6rd)
 speaker-id
 speed (Management Ethernet)
 spf prefix-priority
 spf prefix-priority (OSPF)
 spf-interval
 split-horizon disable (EIGRP)
 split-horizon disable (RIP)
 spt-threshold infinity
 srlg
 srp ips delay trigger-keepalive
 srp ips request forced-switch
 srp ips timer
 srp ips wtr-timer
 srp mac-count
 srp mac-reject

srp manual-switch
 srp priority-threshold
 srp rate-limit
 srp shutdown
 srp topology-timer
 ssh
 ssh client knownhost
 ssh client source-interface
 ssh client vrf
 ssh server
 ssh server logging
 ssh server rate-limit
 ssh server session-limit
 ssh server v2
 ssh timeout
 ssm
 ssm map static
 ssrp group
 ssrp location
 ssrp profile
 start-time
 static-address (VPLS)
 static-forward inside (CGN)
 static-group
 static-mac-address (VPLS)
 static-rpf
 statistics
 statistics measure
 stopbits
 streaming
 street-address
 stub (EIGRP)
 stub (OSPF)
 stub (OSPFv3)
 subject-name (trustpoint)
 subscribe-to-alert-group inventory
 subscribe-to-alert-group syslog
 summary-address (EIGRP)
 summary-prefix (IS-IS)
 summary-prefix (OSPF)
 summary-prefix (OSPFv3)
 suppress-route
 suppressed
 switch-fabric service-policy
 switching (GMPLS)
 switching endpoint (GMPLS)
 switching transit (GMPLS)
 symbol-period threshold
 symbol-period window
 system backup
 system boot-sequence

T
 table-policy
 tacacs source-interface
 tacacs-server host
 tacacs-server key
 tacacs-server timeout
 tag
 tag (IP SLA)
 tag (IS-IS)
 tag-rewrite
 target ipv4
 target pseudowire
 target traffic-eng
 task
 taskgroup
 tcp mss
 tcp mss (CGN)
 tcp path-mtu-discovery
 tcp selective-ack
 tcp synwait-time
 tcp timestamp
 tcp window-size
 telnet
 telnet client source-interface
 telnet dscp

telnet server
telnet transparent
template
template (NetFlow)
terminal exec
terminal length
terminal monitor
terminal width
tftp client source-interface
tftp server
threshold
threshold (SONET path)
threshold (SONET)
threshold sd-ber
threshold sf-ber
threshold type average
threshold type consecutive
threshold type immediate
threshold type xofy
throttle
time (VPLS)
timeout
timeout (CGN logging)
timeout (CGN)
timeout (IP SLA)
timeout (RADIUS)
timeout (TACACS+)
timeout login response
timeout setup (L2TP)
timeout-rootcause
timers (APS)
timers (BGP)
timers active-time
timers basic
timers bgp
timers loose-path (MPLS-TE)
timers lsa arrival
timers lsa group-pacing
timers lsa min-arrival
timers lsa refresh
timers nsf route-hold (EIGRP)
timers pacing flood
timers pacing lsa-group
timers pacing retransmission
timers removal unused (auto-tunnel backup)
timers throttle lsa all (OSPF)
timers throttle lsa all (OSPFv3)
timers throttle spf (OSPF)
timers throttle spf (OSPFv3)
timestamp disable
tna ipv4
topology holddown sigerr (MPLS-TE)
topology-id
tos
tos (CGN)
trace
trace (IS-IS)
traceroute
traceroute (CGN)
traceroute cache
traceroute ethernet cfm
traceroute mpls ipv4
traceroute mpls mldp (MP2MP)
traceroute mpls mldp (P2MP)
traceroute mpls multipath
traceroute mpls traffic-eng
traceroute mpls traffic-eng tunnel-mte (P2MP)
traceroute mpls traffic-eng tunnel-te (P2P)
traffic-class (CGN)
transmit-delay
transmit-delay (OSPF)
transmit-delay (OSPFv3)
transmit-power
transport input
transport mode (L2VPN)
transport output
transport preferred
transport udp

trusted-key
 ttl
 ttl (6rd)
 ttl-security
 ttl-threshold (MSDP)
 ttl-threshold (multicast)
 tunnel de
 tunnel destination (IPIPsec)
 tunnel dfbit disable
 tunnel dfbit disable (IP)
 tunnel mode
 tunnel mode (IP)
 tunnel source
 tunnel source (IPIPsec)
 tunnel tos
 tunnel tos (IP)
 tunnel ttl
 tunnel ttl (IP)
 tunnel-id (auto-tunnel backup)
 tunnel-template
 type (VPLS)
 type icmp echo
 type icmp path-echo
 type icmp path-jitter
 type mpls lsp ping
 type mpls lsp trace
 type udp echo
 type udp ipv4 address
 type udp jitter

U

ubit-reserved (CGN)
 uneq-shut (SONET path)
 unicast address (6rd)
 unidirectional
 unmount
 unsuppress-route
 update-calendar

update-source
 upgrade cpuctrlbits
 upgrade hw-module fpd
 use
 usergroup
 username
 users group
 utility bc
 utility cut
 utility date
 utility date set
 utility df
 utility du
 utility egrep
 utility fgrep
 utility find
 utility head
 utility less
 utility mv
 utility sort
 utility tail
 utility uniq
 utility wc
 utility which
 utility xargs

V

validate-update-source disable
 variance
 vc-class atm
 verify-data
 version
 version v9
 vfi (VPLS)
 violate-action
 virtual-link (OSPF)
 virtual-link (OSPFv3)
 vpn-distinguisher is

[vrf](#)
[vrf \(BGP\)](#)
[vrf \(EIGRP\)](#)
[vrf \(IP SLA MPLS LSP monitor\)](#)
[vrf \(IP SLA\)](#)
[vrf \(MPP\)](#)
[vrf \(OSPF\)](#)
[vrf \(RADIUS\)](#)
[vrf \(RIP\)](#)
[vrf \(TACACS+\)](#)
[vrf \(XML\)](#)
[vrf \(cgn\)](#)
[vrf \(description\)](#)
[vrf \(igmp\)](#)
[vrf \(mhost\)](#)
[vrf \(multicast\)](#)
[vrf \(relay profile\)](#)
[vrf \(static\)](#)
[vrf\(address-family\)](#)
[vrr](#)
[vrrp](#)
[vrrp assume-ownership disable](#)
[vrrp bfd fast-detect](#)
[vrrp bfd minimum-interval](#)
[vrrp bfd multiplier](#)
[vrrp ipv4](#)
[vrrp preempt](#)
[vrrp priority](#)
[vrrp text-authentication](#)
[vrrp timer](#)
[vrrp track interface](#)
[vty-pool](#)

[weight reset-on-import disable](#)
[width \(display\)](#)
[window-size \(RSVP\)](#)
[withdraw \(VPLS\)](#)

X

[xconnect group](#)
[xml agent](#)
[xml agent ssl](#)
[xml agent tty](#)

W

[wanmode on](#)
[wavelength](#)
[weight](#)
[weight reset-on-import](#)