



Release Notes for the Ultra Cloud Core Subscriber Management Infrastructure Version 2023.04.1.12

First Published: 2023-10-17

Ultra Cloud Core Subscriber Management Infrastructure

Introduction

This Release Notes identifies changes and issues related to this software release.

Release Lifecycle Milestones

Release Lifecycle Milestone	Milestone	Date
First Customer Ship	FCS	31-Oct-2023
End of Life	EoL	31-Oct-2023
End of Software Maintenance	EoSM	30-Apr-2025
End of Vulnerability and Security Support	EoVSS	30-Apr-2025
Last Date of Support	LDoS	30-Apr-2026

These milestones and the intervals between them are defined in the [Cisco Ultra Cloud Core \(UCC\) Software Release Lifecycle Product Bulletin](#) available on cisco.com.

Release Package Version Information

Software Packages	Version
smi-install-disk.20.04.0-20231009.iso.SPA.tgz	20.04.0-20231009
cee.2023.04.1.12.SPA.tgz	2023.04.1.12
cluster-deployer-2023.04.1.12.SPA.tgz	2023.04.1.12

Descriptions for the various packages provided with this release are provided in the [Release Package Descriptions, on page 5](#) section.

Verified Compatibility

UCS Server	CIMC Firmware Version
Cisco UCS C220 M6	4.2(2a) or later
Cisco UCS C220 M5	4.1(3f) or later

What's New in this Release

New in Documentation

This version of Release Notes includes a new section titled **What's New in this Release** comprising all new features, enhancements, and behavior changes applicable for the release.

This section will be available in all the 5G release notes and will supersede content in the Release Change Reference (RCR) document. Effective release 2024.01, the RCR document will be deprecated.

Features and Enhancements

This section covers a brief description of the features and enhancements introduced in this release. It also includes links to detailed documentation, where available.

Feature	Description
Configurable XFS File System	SMI supports a new XFS file system to install the <code>/data</code> partition using Mongo DB for new deployments. This file system can be configured using the <code>smi-data fs-type xfs</code> command. Default Setting: Disabled – Configuration required to enable
CPU Isolation	SMI provides a higher level of CPU isolation for VPP workers to support cnUPF. Using the host profile, SMI defines <code>isolcpu</code> to isolate CPUs from the kernel scheduler. Default Setting: Disabled – Configuration required to enable
Kubernetes Version Upgrade	With this release, the Kubernetes version is upgraded from 1.25 to 1.26. Default Setting: Enabled – Always On
UCS M7 Server Support	SMI Bare Metal supports the UCS C220 M7 server with a single socket for Private 5G deployments in this release. The Cisco UCS C220 M7 Rack Server is a high-density, 1RU, general-purpose infrastructure and application server that provides industry-leading performance and efficiency. Note The UCS M7 server is not supported for on-prem deployments.

Related Documentation

For a complete list of documentation available for this release, go to: <https://www.cisco.com/c/en/us/support/wireless/ultra-cloud-core-subscriber-microservices-infrastructure/tsd-products-support-series-home.html>

Installation and Upgrade Notes

This Release Note does not contain general installation and upgrade instructions. Refer to the existing installation documentation for specific installation and upgrade considerations.



Note In this release, you must install a patch to use all the functionalities in SMI. For more information, contact your Cisco Account representative.

Software Integrity Verification

To verify the integrity of the software image you have from Cisco, you can validate the SHA512 checksum information against the checksum identified by Cisco for the software.

Image checksum information is available through **Cisco.com Software Download Details**. To find the checksum, hover the mouse pointer over the software image you have downloaded.

Ultra Cloud Core - Subscriber Microservices Infrastructure

Release 2023.03.1.31

Related Links and Documentation
[SMI Release Notes](#)

	Release Date	Size	
NED package 5.6.8 for deployer signature package ncs-5.6.8-cisco-smi-nc-2023.03.1.31.tar.SPA.tgz	21-Jul-2023	0.88 MB	↓ 🛒 📄
NED package 6.1 for cee signature package ncs-6.1-cisco-cee-nc-2023.03.1.31.tar.SPA.tgz	21-Jul-2023	0.91 MB	↓ 🛒 📄
NED package 6.1 for deployer signature package ncs-6.1-cisco-smi-nc-2023.03.1.31.tar.SPA.tgz	21-Jul-2023	1.63 MB	↓ 🛒 📄
SMI Common Execution Environment bm offline signature package cee-2023.03.1.31.SPA.tgz	20-Jul-2023	2858.08 MB	↓ 🛒 📄

523481

At the bottom you find the SHA512 checksum, if you do not see the whole checksum you can expand it by pressing the "...".

To validate the information, calculate a SHA512 checksum using the information in the following table and verify that it matches with the one provided on the software download page.

To calculate a SHA512 checksum on your local desktop, refer to the following table please.

Table 1: Checksum Calculations per Operating System

Operating System	SHA512 Checksum Calculation Command Examples
Microsoft Windows	Open a command line window and type the following command: <pre>> certutil.exe -hashfile <filename>.<extension> SHA512</pre>
Apple MAC	Open a terminal window and type the following command: <pre>\$ shasum -a 512 <filename>.<extension></pre>
Linux	Open a terminal window and type the following command: <pre>\$ sha512sum <filename>.<extension></pre> <p>Or</p> <pre>\$ shasum -a 512 <filename>.<extension></pre>
<p>NOTES:</p> <p><filename> is the name of the file.</p> <p><extension> is the file extension (e.g. .zip or .tgz).</p>	

If the SHA512 checksum matches, you can be sure that no one has tampered with the software image, or the image has not been corrupted during download.

If the SHA512 checksum does not match, we advise you to not attempt upgrading any systems with the corrupted software image. Download the software again and verify the SHA512 checksum again. If there is a constant mismatch, please open a case with the Cisco Technical Assistance Center.

Certificate Validation

SMI software images are signed via x509 certificates. Please view the .README file packaged with the software for information and instructions on how to validate the certificates.

Open Bugs for This Release

The following table lists the open bugs in this specific software release.



Note This software release may contain open bugs first identified in other releases. Additional information for all open bugs for this release are available in the [Cisco Bug Search Tool](#).

Bug ID	Headline
CSCwh85836	Only 16 VPP threads being used on M6 UPF instead of 24

Resolved Bugs for This Release

The following table lists the resolved bugs in this specific software release.

Bug ID	Headline	Behavior Change
CSCwh50257	Cluster sync failed during SMF upgrade to ccg.2023.03.m0.d8.0.i30	No

Operator Notes

Cloud Native Product Version Numbering System

The **show helm list** command displays detailed information about the version of the cloud native product currently deployed.

Versioning: Format & Field Description

YYYY.RN.MN[.TTN] [.dN] [.MR][.iBN]

Where,

YYYY → 4 Digit year.

- Mandatory Field.
- Starts with 2020.
- Incremented after the last planned release of year.

RN → Major Release Number.

- Mandatory Field.
- Starts with 1.
- Support preceding 0.
- Reset to 1 after the last planned release of a year(YYYY).

MN → Maintenance Number.

- Mandatory Field.
- Starts with 0.
- Does not support preceding 0.
- Reset to 0 at the beginning of every major release for that release.
- Incremented for every maintenance release.
- Preceded by "m" for bulbs from main branch.

TTN → Throttle of Throttle Number.

- Optional Field, Starts with 1.
- Precedes with "t" which represents the word "throttle or throttle".
- Applicable only in "Throttle of Throttle" cases.
- Reset to 1 at the beginning of every major release for that release.

DN → Dev branch Number

- Same as TTN except Used for DEV branches.
- Precedes with "d" which represents "dev branch".

MR → Major Release for TOT and DEV branches

- Only applicable for TOT and DEV Branches.
- Starts with 0 for every new TOT and DEV branch.

BN → Build Number

- Optional Field, Starts with 1.
- Precedes with "t" which represents the word "interim".
- Does not support preceding 0.
- Reset at the beginning of every major release for that release.
- Reset of every throttle of throttle.

522483

The appropriate version number field increments after a version has been released. The new version numbering format is a contiguous sequential number that represents incremental changes between releases. This format facilitates identifying the changes between releases when using Bug Search Tool to research software releases.

Release Package Descriptions

The following table lists the descriptions for packages that are available with this release.

Table 2: Release Package Information

Software Packages	Description
base.<version>.iso.SPA.tgz	The application-level POD ISO image signature package for use with bare metal deployments. This package contains the base ISO image as well as the release signature, certificate, and verification information.
cee.<version>SPA.tgz	The SMI Common Execution Environment (CEE) offline release signature package. This package contains the CEE deployment package as well as the release signature, certificate, and verification information.
cluster-deployer-<version>.SPA.tgz	The SMI Deployer image signature package for use with bare metal deployments. This package contains the Deployer v image as well as the release signature, certificate, and verification information.

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, refer to <https://www.cisco.com/c/en/us/support/index.html>.

