Application de licences permanentes dans les réseaux à répartition d'air sur FDM

Table des matières

Introduction
Conditions préalables
Exigences
Composants utilisés
Configurer
Activer le mode PLR
Annuler l'inscription PLR
J'ai une licence dans CSSM
Je n'ai pas de licence dans CSSM
Désinscription du périphérique en mode PLR
Vérifier
<u>Dépannage</u>
Problèmes courants
Informations connexes

Introduction

Ce document décrit comment appliquer des licences permanentes dans des réseaux à air libre sur Firepower Device Manager (FDM).

Conditions préalables

Exigences

Il est recommandé d'avoir des connaissances sur ce sujet :

• Configuration initiale de Cisco Secure Firewall Threat Defense

Composants utilisés

Les informations contenues dans ce document sont basées sur la version du logiciel :

• Firepower Threat Defense version 7.4.1.

The information in this document was created from the devices in a specific lab environment. All of the devices used in this document started with a cleared (default) configuration. Si votre réseau est en ligne, assurez-vous de bien comprendre l'incidence possible des commandes.

Configurer

Activer le mode PLR

Étape 1. Activez le mode PLR sur votre périphérique.

Cliquez sur Device et accédez à Smart License.



Étape 2. Cliquez sur l'engrenage et sélectionnez Switch to Universal PLR.



Remarque : si votre périphérique utilise la licence Smart, vous devez annuler l'enregistrement du périphérique.



Attention : une fois que vous avez basculé en mode PLR, vous ne pouvez plus repasser en mode d'évaluation.



Dans la fenêtre d'aperçu, sélectionnez le niveau de performances et cliquez sur Oui.

A Change to Permanent License

If you switch to Universal Permanent License Reservation mode, you cannot switch back to Evaluation mode.

Are you sure you want to use Universal Permanent License Reservation for this device?

Select Performance Tier

The selected performance tier determines VPN session limits and device throughput, click here 🖸 to learn more.

Make sure the performance tier selected matches the license in your Cisco Smart Software Manager account.

Performance Tier		Your Device Specifications			
Pick a Tier	~	Cores	/ RAM 4 c	ore / 8 GB	
			NO	YES	

Étape 3. Enregistrez le code de demande.

Un	iversal Permanent License Reservation ${ m olimbda e}$ $ imes$
•	f you have Cloud Services enabled you might want to disable them.
1	Save Request Code for this Device.
\downarrow	Request Code
	DE-ZNGFWv:9ADKC86E1VU-CCRVmZyqM-BF SAVE AS TXT
2 ↓	Log into your Cisco Smart Software Manager 2 account, go to the Inventory > Licenses page, and start the License Reservation process. Use the request code to generate an Authorization Code. Note that you must work with your Cisco representative to enable Universal Permanent License Reservation mode in your account. If you cannot start the License Reservation process (that is, the button does not appear on the Inventory > License page), please contact your Cisco representative.
3	Paste or type in the Authorization Code:
	Authorization Code
	Paste code from clipboard here
?	For a more detailed overview on Cisco Licensing, go to cisco.com/go/licensingguide
	CANCEL

Étape 4. Connectez-vous à votre compte CSSM et naviguez vers Smart Software Licensing > Inventory > Licenses et cliquez sur License Reservation.



Cliquez sur Continuer.

Use of the Software contained in this Smart Account is subject to Cisco's EULA. Cisco may restrict the availability or features of this Smart Account or the Smart Licensing capabilities in any region, or modify or discontinue features to comply with applicable laws and regulations. You may only use the Software in the country for which it is purchased and intended to be used.

				Proceed
IIEZ VOTRE CODE D	e demande et c	liquez sur Next.		
STEP 1	STEP 2	STEP 3	STEP 4	
You can reserve licenses for p You will begin by generating a To learn how to generate this of Once you have generated the 1) Enter the Reservation R 2) Select the licenses to be 3) Generate a Reservation 4) Enter the Reservation A	roduct instances that cannot conn Reservation Request Code from th code, see the configuration guide f code: equest Code below a reserved Authorization Code uthorization Code on the product in	ect to the Internet for security reasons ne product instance. or the product being licensed. stance to activate the features	, ,	
DE-ZNGFWv:9ADKC86E1VU-C	CCRVmZyqM-BF	Br	owse	0
				Cancel

Sélectionnez votre licence et cliquez sur Next.

Smart License Reservation

STEP 1 🗸	STEP 2	STEP 3	STEP 4
Enter Request Code	Select Licenses	Review and Confirm	Authorization Code
Product Instance Detai	ls		
Product Type:	VIRTSEC		
UDI PID:	NGFWv		
UDI Serial Number:	9ADKC86E1VU		
Licenses to Reserve			
In order to continue, ensure that	you have a surplus of the licenses y	ou want to reserve in the Virtual Acco	unt.

Cisco Firepower Virtual Threat Defense Universal License



×

Cliquez sur Générer le code d'autorisation.

Smart License Reservation

STEP 1 🗸	STEP $2 \checkmark$ Select Licenses	STEP 3 Review and Confirm	STEP 4 Authorization Code	
Product Instance Detai	ls			
Product Type: UDI PID: UDI Serial Number:	VIRTSEC NGFWv 9ADKC86E1VU			
Licenses to Reserve				
License			Expires	Quantity to Reserve
Cisco Firepower Virtual Three Cisco Firepower Virtual Threat Defense	eat Defense Universal License se Universal License			1
				Cancel Back Generate Authorization Code

Pour enregistrer le code d'autorisation, cliquez sur Télécharger en tant que fichier ou sur Copier dans le Presse-papiers.

Smart License Reservation

step 1 🗸	STEP $2 \checkmark$	step 3 🗸	STEP 4	
Enter Request Code	Select Licenses	Review and Confirm	Authorization Code	
The Reservation Autho	rization Code below has been genera	ited for this product instance. Enter th	is code into the Smart Licensing set	ings for the product, to enable the licensed features.
Product Instance Deta	ails			
Product Type:	VIRTSEC			
UDI PID:	NGFWv			
UDI Serial Number:	9ADKC86E1VU			
Authorization Code:	10005 0110 -05-014-0-4- D0-40	17 E 17		
To learn how to enter this cod	e see the confiduration duide for the	product being licensed		
			D	ownload as File Copy to Clipboard Close

Cliquez sur Close pour terminer le processus.

Étape 5. Revenez à FDM et collez le code d'autorisation et cliquez sur Register.



Remarque : actualisez la page pour voir l'état actuel de la licence.

Universal Permanent License Reservation



If you have Cloud Services enabled you might want to disable them.

1	Save Request Code for this Device.		
\downarrow	Request Code		
	DE-ZNGFWv:9ADKC86E1VU-CCRVmZyqM-BF	SAVE AS TXT	
(2) ↓	Log into your Cisco Smart Software Manager 2 account, go and start the License Reservation process. Use the request of Code. Note that you must work with your Cisco representative License Reservation mode in your account. If you cannot sta process (that is, the button does not appear on the Inventory your Cisco representative.	to the Inventory > code to generate a ve to enable Unive rt the License Res v > License page),	Licenses page, an Authorization ersal Permanent servation please contact
3	Paste or type in the Authorization Code:		
	Authorization Code		
?	For a more detailed overview on Cisco Licensing, go to cisco	o.com/go/licensin	gguide 🖸
		CANCEL	REGISTER

Annuler l'inscription PLR

J'ai une licence dans CSSM

Utilisez cette option lorsque vous avez terminé l'Assistant Enregistrement de licence dans CSSM et que vous disposez d'un code d'autorisation. Par exemple, vous avez démarré le processus dans le mauvais FDM, vous devez donc libérer votre licence dans votre compte CSSM.

Étape 1. Cliquez sur Device et accédez à Smart License.



Étape 2. Cliquez sur l'engrenage et sélectionnez Annuler PLR.

Firewall Device Manager Monitoring Policies Objects Device: firepower	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Device Summary Licensing VIIVERSAL PLR NOT FINISHED Reservation Pending CONTINUE RESERVATION Need help?(3)	Cancel PLR
Tiered Performance Performance Tier: FTDv20 - 3 Gbps Session limits for VPN and rate-limited throughput are determined by the selected performance tier. Learn More @	Includes: Minimum Threat Defense Virtual Cores 4 core Rate Limit 3 Gbps Minimum Threat Defense Virtual RAM 8 GB VPN Limit 250
	Your Device: Cores / RAM 4 core / 8 GB

Étape 3. Sélectionnez J'ai une licence dans CSSM.

Are you sure you want to cancel the Permanent License Reservation?



8

Étape 4. Collez votre code d'autorisation et cliquez sur Generate Release Code.

Are you sure you want to cancel the Permanent License Reservation?

License States I have a License in CSSM I do not have a License in ... 1 Get Authorization Code from CSSM and paste it here: Authorization Code 5 4 17 11 12 11 A 76. -...... NO FE BUI 2 Generate a Release License Code using your Authorization Code. J GENERATE RELEASE CODE 3 In your Cisco Smart Software Manager 🖸 account free up license by putting Release Code. CANCEL

8

 \times

Enregistrez votre code de licence de version.

Are you sure you want to cancel the Permanent License Reservation?



8

Étape 5. Connectez-vous à votre compte CSSM et naviguez jusqu'à Smart Software Licensing > Inventory > Product Instances.

Smart Software Licensing

SL Product Details Support Help

Alerts	Inventory	Convert to Smart Licensing	Reports	Preferences	On-Prem Accounts	Activity
--------	-----------	----------------------------	---------	-------------	------------------	----------

Authorize License-Enforced Features		Search by De	vice or by Product Type	(
lame	Product Type	Last Contact	Alerts	Actions
10.106.60.161	FP	2024-Feb-08 21:22:04		Actions -
68.com	ESA	2024-Feb-08 15:47:37		Actions -
724FMC	FP	2024-Jan-16 18:30:52		Actions -
A-TSZ-HIS-FMC01	FP	2023-Oct-03 21:05:28	8 Failed to Renew	Actions -
94115	FPRUHI	2024-Jan-27 17:05:40		Actions -
MALAB	ASAHIGH	2024-Jan-18 19:07:58		Actions 👻
AALAB	ASAHIGH	2024-Jan-18 11:25:38		Actions 👻
AALAB	ASAHIGH	2024-Jan-18 20:14:33		Actions -
AALAB	ASAHIGH	2024-Jan-18 05:30:17		Actions 👻
AAALAB	ASAHIGH	2024-Jan-18 08:00:04		Actions 🗸

Étape 6. Recherchez votre périphérique par son nom.



Remarque : le nom est le numéro de série du périphérique.

General Licenses Product Insta	Event Log			
Authorize License-Enforced Features	ŀ	UDI_F	PID:NGFWv; UDI_SN:9ADKC86E1VU;	×
Name	Product Type	Last Contact	Alerts	Actions
UDI_PID:NGFW; UDI_SN:9ADKC86E1VU;	VIRTSEC	2024-Feb-09 01:11:40 (Res	erved Licenses)	Actions 🗸
				Showing 1 Re

Étape 7. Cliquez sur Actions et sélectionnez Supprimer dans la liste déroulante.

General	Licenses	Product Instances	Event Log			
Authorize	License-Enforce	ed Features		UDI_PII	D:NGFWr; UDI_SN:9ADKC86E1VU;	× 9.
Name			Product Type	Last Contact	Alerts	Actions
UDI_PID:N	GFWv; UDI_SN:9A	DKC86E1VU;	VIRTSEC	2024-Feb-09 01:11:40 (Rese	rved Licenses)	Actions 👻
					Tra	ansfer
					Re	emove
					Re	host Licenses from a Failed Produc

×

Collez votre code de licence de version et cliquez sur Supprimer la réservation.

Remove Reservation

To remove a Product Instance that has reserved licenses and make those licenses once again available to other Product Instances, enter in the Reservation Return Code generated by the Product Instance. If you cannot generate a Reservation Return Code, contact Cisco Support

* Reservation Return Code:	DKvxiU-zchZA5-M6ekJk-EmeitQ-85pErd-Ft7	
	Remove Reservation	Cancel

Étape 8. Revenez à votre périphérique et cliquez sur Ok.



Remarque : actualisez la page pour voir l'état actuel de la licence.

Are you sure you want to cancel the Permanent License Reservation?



0

Je n'ai pas de licence dans CSSM

Utilisez cette option lorsque vous ne terminez pas l'Assistant Enregistrement de licence dans CSSM. Par exemple, vous avez démarré le processus PLR dans votre FDM, mais vous ne disposez pas des licences correctes dans votre CSSM.

Étape 1. Cliquez sur Device et accédez à Smart License.



Étape 2. Cliquez sur l'engrenage et sélectionnez Annuler PLR.

Firewall Device Manager Monitoring Policies Objects Device: firepower	(b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
Device Summary Licensing OUNTINUE RESERVATION Need help?(3)	Resync connection Cancel PLR
Tiered Performance Performance Tier: FTDv20 - 3 Gbps Session limits for VPN and rate-limited throughput are determined by the selected performance tier. Learn More (2) <td>Includes: Minimum Threat Defense Virtual Cores 4 core Rate Limit 3 Gbps Minimum Threat Defense Virtual RAM 8 GB VPN Limit 250</td>	Includes: Minimum Threat Defense Virtual Cores 4 core Rate Limit 3 Gbps Minimum Threat Defense Virtual RAM 8 GB VPN Limit 250
	Your Device: Cores / RAM 4 core / 8 GB

Étape 3. Sélectionnez Je n'ai pas de licence dans CSSM.

Cancel Permanent License Reservation	@ ×	
Are you sure you want to cancel the Permanent License Reservation License States I have a License in CSSM	on?	
i In this case you can proceed with Cancelling Permanent License Rese	rvation.	
	CANCEL	ОК

Cliquez sur OK pour terminer.

Désinscription du périphérique en mode PLR

Étape 1. Cliquez sur Device et accédez à Smart License.

Firewall Device Manager Monitoring Policies Objects	Device: firepower	> 🖨 🐵 ?	admin v ilitati SECURE
Model Cisco Firepower Threat Defens	Software VDB Intrusion Rule e for VMwa 7.4.1-172 376.0 20231011-1	e Update Cloud Services High Avai 536 🖗 Not Registered Register Not Conf	lability O CONFIGURE
fo Inside Net	Cisco Firepower Threat Defense for VMware () 0/0 0/1 0/2 0/0 0/0		DNS Server NTP Server
Interfaces Management: Merged Enabled 1 of 4 View All Interfaces	Routing 1 static route View Configuration	Updates Geolocation, Rule, VDB, System Upgrade, Security Intelligence Feeds View Configuration	System Settings Management Access Logging Settings DHCP Server / Relay DDNS Service
Smart License Universal PLR Tier: Not selected (Threat Defense Virtual - Variable) View Configuration	Backup and Restore	Troubleshoot No files created yet REQUEST FILE TO BE CREATED	DNS Server Hostname Time Services SSL Settings See more

Étape 2. Cliquez sur l'engrenage et sélectionnez Unregister Universal PLR.



Étape 3. Cliquez sur Yes pour continuer le processus.

\Lambda Warning

If you unregister the device, you cannot make any changes to the device configuration. You will have to re-register the device using either Smart Licensing or Universal Permanent License Reservation mode to make changes.

Are you sure you want to unregister the device?



Étape 4. Enregistrez le code de licence de version.



Étape 5. Connectez-vous à votre compte CSSM et naviguez jusqu'à Smart Software Licensing > Inventory > Product Instances.

Smart Software Licensing

SL Product Details Support Help

Alerts	Inventory	Convert to Smart Licensing	Reports	Preferences	On-Prem Accounts	Activity
--------	-----------	----------------------------	---------	-------------	------------------	----------

Authorize License-Enforced Features		Search by De	vice or by Product Type	(
lame	Product Type	Last Contact	Alerts	Actions
10.106.60.161	FP	2024-Feb-08 21:22:04		Actions -
68.com	ESA	2024-Feb-08 15:47:37		Actions -
724FMC	FP	2024-Jan-16 18:30:52		Actions -
A-TSZ-HIS-FMC01	FP	2023-Oct-03 21:05:28	8 Failed to Renew	Actions -
94115	FPRUHI	2024-Jan-27 17:05:40		Actions -
MALAB	ASAHIGH	2024-Jan-18 19:07:58		Actions 👻
AALAB	ASAHIGH	2024-Jan-18 11:25:38		Actions 👻
AALAB	ASAHIGH	2024-Jan-18 20:14:33		Actions -
AALAB	ASAHIGH	2024-Jan-18 05:30:17		Actions 👻
AAALAB	ASAHIGH	2024-Jan-18 08:00:04		Actions 🗸

Étape 6. Recherchez votre périphérique par son nom.



Remarque : le nom est le numéro de série du périphérique.

General Licenses Product Insta	Event Log			
Authorize License-Enforced Features	ŀ	UDI_F	PID:NGFWv; UDI_SN:9ADKC86E1VU;	×
Name	Product Type	Last Contact	Alerts	Actions
UDI_PID:NGFW; UDI_SN:9ADKC86E1VU;	VIRTSEC	2024-Feb-09 01:11:40 (Res	erved Licenses)	Actions 🗸
				Showing 1 Re

Étape 7. Cliquez sur Actions et sélectionnez Supprimer dans la liste déroulante.

General	Licenses	Product Instances	Event Log			
Authorize	License-Enforce	ed Features		UDI_PII	D:NGFWr; UDI_SN:9ADKC86E1VU;	× 9.
Name			Product Type	Last Contact	Alerts	Actions
UDI_PID:N	GFWv; UDI_SN:9A	DKC86E1VU;	VIRTSEC	2024-Feb-09 01:11:40 (Rese	rved Licenses)	Actions 👻
					Tra	ansfer
					Re	emove
					Re	host Licenses from a Failed Produc

Collez votre code de licence de version et cliquez sur Supprimer la réservation.

Remove Reservation

To remove a Product Instance that has reserved licenses and make those licenses once again available to other Product Instances, enter in the Reservation Return Code generated by the Product Instance. If you cannot generate a Reservation Return Code, contact Cisco Support

×

 Reservation Return Code: 	DCsSXH-D2rBtc-UZzer8-Un5yqp-vcKF1v-EG4	
	\bigcirc	

Étape 8. Retournez à votre périphérique et cliquez sur Annuler l'inscription.

Unregister Universal Permanent License Reservation

1	Save Release Code for this Device.		
\downarrow	Release License Code		
	DCsSXH-D2rBtc-UZzer8-Un5yqp-vcKF1v-EG4	SAVE AS TXT	
	You will not be able to regenerate the Release Code after you save this code for use in Cisco Smart Software Manager.	unregister. Please r	nake sure that you
2	In your Cisco Smart Software Manager 2 free up license by from here.	inserting Releas	e License Code
		CANCEL	UNREGISTER

Vérifier

Accédez à Device > Smart License et vous pouvez voir que la licence est Universal PLR.



Dépannage

1. Recherchez les erreurs dans /ngfw/var/log/cisco/smart_agent.log.

Par exemple, dans ces journaux, vous pouvez voir que le processus d'enregistrement a réussi.

```
<#root>
> expert
admin@firepower:~$ sudo su
Password:
root@firepower:/home/admin# cd /ngfw/var/log/cisco/
root@firepower:/ngfw/var/log/cisco# tail smart_agent.log
```

```
2024-02-09 03:21:21 ajp-nio-8009-exec-8: INFO LicenseSoftwareIds:82 - Selected software ID: regid.2019-
2024-02-09 03:21:21 ajp-nio-8009-exec-8: INFO DefaultSmartAgentFactoryProvider:398 - New platform tag i
2024-02-09 03:21:21 ajp-nio-8009-exec-8: INFO PLRUnhandledNotificationHandler:31 - Handling listener cl
2024-02-09 03:21:21 ajp-nio-8009-exec-8: INFO PLRUnhandledNotificationHandler:31 - Handling listener cl
2024-02-09 03:21:21 ajp-nio-8009-exec-8: INFO SmartAgentConfFileSync:178 - RegistrationStatus : REGISTER
2024-02-09 03:21:21 ajp-nio-8009-exec-8: INFO SmartAgentConfFileSync:192 - updated the smart Agent File
```

```
2024-02-09 03:21:21 ajp-nio-8009-exec-8: INFO PLRUnhandledNotificationHandler:31 - Handling listener cl
2024-02-09 03:21:21 ajp-nio-8009-exec-8: INFO DefaultSmartAgentManager:159 - Received notification from
```

 Prenez une queue de cochon pour demander l'assistance du centre d'assistance technique et joignez-la aux notes de dossier. Vous pouvez demander de l'assistance dans <u>Assistance</u> <u>technique et téléchargements Cisco</u>.

> expert
admin@firepower:~\$ sudo su
<u>root@firepower:/home/admin#</u> pigtail all -outfile LogsRegistration.txt

3. L'état de la licence est également indiqué dans le fichier /etc/sf/smart_agent.conf. Si le périphérique est en mode Universal Permanent Licensing Reservation, le fichier smart_agent.conf affiche REGISTERED et AUTHORIZED.

```
> expert
admin@firepower:~$ sudo su
root@firepower:/home/admin# tail /etc/sf/smart_agent.conf
#Fri Feb 09 03:21:21 UTC 2024
virtual_acct=
registration=REGISTERED,null
authorization=AUTHORIZED,1707448881842
```

Problèmes courants

Pas assez de licences.

Dans le processus License Reservation, vous avez obtenu cette erreur :

Smart License Reservation



Action recommandée.

Vérifiez que vous disposez de suffisamment de licences dans votre compte CSSM. Si vous disposez de suffisamment de licences, demandez l'assistance du TAC.

Vous ne pouvez pas voir le bouton License Reservation.

Smart Software Licensing	SL Product Details Support Help		
Alerts Inventory Convert to Smart Licensing Reports Preferences	On-Prem Accounts Activity		
General Licenses Product Instances Event Log			
Available Actions - Manage License Tags		Show License Transactions	By Name By Tag Search by License Q

Action recommandée

Vous devez contacter votre représentant Cisco pour activer le mode PLR dans votre compte.

Informations connexes

• Guide de configuration de Cisco Secure Firewall Device Manager, version 7.4

À propos de cette traduction

Cisco a traduit ce document en traduction automatisée vérifiée par une personne dans le cadre d'un service mondial permettant à nos utilisateurs d'obtenir le contenu d'assistance dans leur propre langue.

Il convient cependant de noter que même la meilleure traduction automatisée ne sera pas aussi précise que celle fournie par un traducteur professionnel.