









ã,ãf£ãffã,ãf¥ã®æ¬ã«æ^ãŠÿã™ã,«æ»æ'fè€...ã 10.0.0.1 ã« www.example.com  
ã,'ã»£ã,Šã«ãfzãffãf'ãf³ã,°ãšãããã¾ã™ãã,ã—ã,£ã¾ãã,ã,"ã€,  
ã"ã,£ã£èµ·ã"ã,ã'ã^ã€www.example.com  
ã,'ã,ç...šã™ã,ãã"ã"ã,èè|ãçãã|ã,,ã,ãf|ãf¼ã,¶ã-é-ã£ãÿ  
Webã,µãf¼ãfãã®é£çµjã,çµ,ã°tã™ã,ãã,ã—ã,£ã¾ãã,ã,"ã€,

ä,æ£ã¾µã...¥ã®æ¬ã™ã,« DNS

ã,ãf£ãffã,ãf¥ã®æ¬ã—ããããã¾ã,,ã£ã€ã,»ã,ãf¥ãfãfãfã,£ç"ç©¶è€...ã¬æœ€èç'æ»æ'fè€  
DNS

ã,ãf£ãffã,ãf¥ã,'ãfzã,|ãf³ãf^ã™ã,ãã"ã"ã,ã'ã-èf½ã«ã™ã,«æ%œ³·ã,ç°ã—ã¾ã—ãÿ  
ã"ã®æ%œ³·ã¬ DNS

ãf—ãfãf^ã,³ãf«ã®ã»ã"ã,ãã©ã®ã®ã®ÿè£...ã®è,,tã¼±æ£šã«ããã'ã"ãç¾ã¾ã™æ  
ãÿ°æœ¬çš,,ãã®ã®ÿè£...è,,tã¼±æ£šã¬ DNS

ãçœç"ã,'æœœè"¼ã™ã,ãã®ã«ã½ç"ãã,ã,£ã,«æ»æ'fè€...ã£æœÿã¾...ãœã,'ã,€èç'ã™ã,«  
DNS

ã,ã,ã'ããã,ã®é€ã,%ã,£ãÿãçœç"ã,'ã½œæ^ã™ã,ãã"ã"ã,ã'ã-èf½ã«ã™ã,«  
DNS ãf^ãf©ãf³ã,¶ã,ã,ãfšãf³ ID

ãŠã,^ã³é€ãçjã...ãfãfãf¼ãfç°ãããã£ããããtã«ãf©ãf³ãfãfã£ãã-ãã,£ãããã,,ã—ã€  
DNSã,µãf¼ãfããããã®ã,ããtãããçœç"ã£æœ%œãš¹ãšã,ã,ã"è£æ...ã®—ã¾ã

DNSã,µãf¼ãf

æ©ÿèf½ã,'æ¾¾ã¾ã™ã,ã»ã,ãã®ã,ã,ã,ã,³è£½ã"ãä,æ£ã¾µã...¥ã®æ¬ã™ã,«  
DNS ã,ãf£ãffã,ãf¥ã«æ·æ,,ÿãšã,ã,ããÿã,ãã«çç°èãã,ã,£ã|ã,,ã¾ã™:

- Cisco IOS ã,½ãf·ãf^ã,ãã,šã,ç¼¼š Cisco ãfã,° ID [CSCso81854](#)  
i¼^ç™»é£²ãfãf¼ã,¶ã®ãçj¼%ãšæ¬æ,ã£ãã,ã,£ã|ã,,ã¾ã™è,,tã¼±æ£šã€
- Cisco Network Registrar: Cisco ãfã,° ID [CSCsq01298](#)  
i¼^ç™»é£²ãfãf¼ã,¶ã®ãçj¼%ãšæ¬æ,ã£ãã,ã,£ã|ã,,ã¾ã™è,,tã¼±æ£šã€
- Cisco Application and Content Networking Systemi¼^ACNSi¼%ã,½ãf·ãf^ã,ãã,šã,ç¼¼^ACNSi¼%:  
Cisco ãfã,° ID [CSCsq21930](#)  
i¼^ç™»é£²ãfãf¼ã,¶ã®ãçj¼%ãšæ¬æ,ã£ãã,ã,£ã|ã,,ã¾ã™è,,tã¼±æ£šã€

ã"ã®è,,tã¼±æ£šã,ããã,ã,«,,tã¼±æ£šãšã,ã³ã...-é-¼^CVEi¼% ID CVE-2008-  
1447 ãã%²ã,šã½ãã|ã,%ã,£ã¾ã—ãÿã€,

ãfãf¼ãf^ã,çãf%ãf-ã,¹ã%œ»è£æ...ã°é ...

ãfãf¼ãf^ã,çãf%ãf-ã,¹ã%œ»i¼^PATi¼%ã¬ãf—ãf©ã,ããfãf¼ãf^  
ãfãfãf^ãfãf¼ã,ãã®ãfzãf«ãfãf—ãf«ãfã,¹ãf^ã£ãã~ã,ã,ã½çç"ã—ãçjãfãf-ãfãffã,ãfã  
ã,çãf%ãf-ã,¹ã%œ»i¼^NATI¼%ã®ã½çã¼ãfãf-ãfãffã,IPã,çãf%ãf-ã,¹ãšã™ã€,









äf~äf-ä, äf³ä «è,,†å¼±æ€šä Çä, ä, <å 'å ^ä -ä€ ä:®æfä, 'å «ä, €æœ€ä ^ ä ®äfaäfaäfa¼ä, 1i¼  
 1 ä:®æfæ, ^ä çäfaäfaäfa¼ä, 1ä€ ä^ -ä «è ~è¼%ä •ä, Çä ¾ä™ä€,  
 ä€ÇæZ¨ ä¥¨ äfaäfaäfa¼ä, 1ä€ ä^ -ä «ä -ä€ ä"ä ®ä, çäf%ä fä, ä, ¶äfaä Çä½œæ ^ ä •ä, Çä  
 ç%ä¹ä®šä ®ä^ -ä «è ~ä •ä, Çä€ | ä,, ä, <äfaäfaäfa¼ä, 1ä, ^ä, Šä,, ä ä, i¼^ç- 1  
 ä:®æfæ, ^ä çäfaäfaäfa¼ä, 1ä, ^ä, Šä ä, i¼%ä fä fä-ä, äf³ä «ä «ä ¾ä, Çä, <äfaäfaäfa¼ä, 1ä Çç¨¼ä  
 èj¨ ä ®ä€ÇæZ¨ ä¥¨ äfaäfaäfa¼ä, 1ä€ ä^ -ä «è ~è¼%ä •ä, Çä€ | ä,, ä, <äfaäfaäfa¼ä, 1ä€ ä ¾ä Y

äf;ä, äfäfa¼ä äfaäfaäfa¼ä, 1	ä:®ç†ä•ä, ÇäYäfaäfaäfa¼ä, 1ä® Ä Ä Ä Ä Ä ä^ç¨¨ æ€š	
<b>Affected 12.0-Based Releases</b>	<b>First Fixed Release</b> i¼^ä:®æfä•ä, ÇäYæœ€ä^ ä ®äfaäfaäfa¼ä, 1i¼%ä	æZ¨ä¥¨äfaäfaäfa¼ä, 1
12.0	è,,†å¼±æ€šäªä—	Ä
12.0DA	è,,†å¼±æ€šäªä—	Ä
12.0DB	Release prior to 12.0(7)DB are vulnerable; (E releases 12.0(7)DB and later are not vulnerable; <a href="#">æœ€ä^ä®ä:®æfä- 12.4</a>	12.4(19a) 12.4(19b)
12.0DC	Release prior to 12.0(7)DC are vulnerable; (E releases 12.0(7)DC and later are not vulnerable; <a href="#">æœ€ä^ä®ä:®æfä- 12.4</a>	12.4(19a) 12.4(19b)
12.0S	è,,†å¼±æ€šäªä—	Ä
12.0SC	è,,†å¼±æ€šäªä—	Ä
12.0SL	è,,†å¼±æ€šäªä—	Ä
12.0SP	è,,†å¼±æ€šäªä—	Ä

12.0ST	è,,†â¼±æ€§ãªã—	Â
12.0SX	è,,†â¼±æ€§ãªã—	Â
12.0SY	è,,†â¼±æ€§ãªã—	Â
12.0SZ	è,,†â¼±æ€§ãªã—	Â
12.0T	Vulnerable; <a href="#">æœ€âªãª@ä;@æfãª 12.4</a>	12.4(19a) 12.4(19b)
12.0W	è,,†â¼±æ€§ãªã—	Â
12.0WC	Vulnerable; contact TAC	Â
12.0WT	è,,†â¼±æ€§ãªã—	Â
12.0XA	è,,†â¼±æ€§ãªã—	Â
12.0XB	è,,†â¼±æ€§ãªã—	Â
12.0XC	è,,†â¼±æ€§ãªã—	Â
12.0XD	è,,†â¼±æ€§ãªã—	Â
12.0XE	æ³ˆ†¼š Release prior to 12.0(7)XE1 are vulnerable¼E releases 12.0(7)XE1 and later are not vulnerable;	Â
12.0XF	è,,†â¼±æ€§ãªã—	Â

12.0XG	è,,†â¼±æ€§ãªã—	Â
12.0XH	è,,†â¼±æ€§ãªã—	Â
12.0XI	è,,†â¼±æ€§ãªã—	Â
12.0XJ	è,,†â¼±æ€§ãªã—	Â
12.0XK	Release prior to 12.0(7)XK2 are vulnerable!¼E releases 12.0(7)XK2 and later are not vulnerable; <a href="#">æœ€ãªãª@ã;@æfã— 12.4</a>	12.4(19a) 12.4(19b)
12.0XL	è,,†â¼±æ€§ãªã—	Â
12.0XM	è,,†â¼±æ€§ãªã—	Â
12.0XN	è,,†â¼±æ€§ãªã—	Â
12.0XQ	è,,†â¼±æ€§ãªã—	Â
12.0XR	Release prior to 12.0(7)XR1 are vulnerable!¼E releases 12.0(7)XR1 and later are not vulnerable; <a href="#">æœ€ãªãª@ã;@æfã— 12.4</a>	12.4(19a) 12.4(19b)
12.0XS	è,,†â¼±æ€§ãªã—	Â
12.0XV	è,,†â¼±æ€§ãªã—	Â
12.0XW	è,,†â¼±æ€§ãªã—	Â
<b>Affected</b>	<b>First Fixed</b>	<b>æŽ'âŸ'ãfãªfãfãfã,¹</b>

12.1-Based Releases	Release prior to 12.1(2)AY1 are vulnerable; releases 12.1(2)AY1 and later are not vulnerable;	
12.1	Vulnerable; <a href="#">releases prior to 12.1(2)AY1 are vulnerable; releases 12.1(2)AY1 and later are not vulnerable;</a>	12.4(19a) 12.4(19b)
12.1AA	Release prior to 12.1(2)AY1 are vulnerable; releases 12.1(2)AY1 and later are not vulnerable;	^
12.1AX	Release prior to 12.1(2)AY1 are vulnerable; releases 12.1(2)AY1 and later are not vulnerable;	^
12.1AY	Release prior to 12.1(22)AY1 are vulnerable; releases 12.1(22)AY1 and later are not vulnerable;	12.1(22)EA11
12.1AZ	Release prior to 12.1(2)AY1 are vulnerable; releases 12.1(2)AY1 and later are not vulnerable;	^
12.1CX	Release prior to 12.1(2)AY1 are vulnerable; releases 12.1(2)AY1 and later are not vulnerable;	^
12.1DA	Release prior to 12.1(2)AY1 are vulnerable; releases 12.1(2)AY1 and later are not vulnerable;	^
12.1DB	Release prior to 12.1(4)DB1 are vulnerable; releases 12.1(4)DB1 and later are not vulnerable; <a href="#">releases prior to 12.1(4)DB1 are vulnerable; releases 12.1(4)DB1 and later are not vulnerable;</a>	12.4(19a) 12.4(19b)
12.1DC	Release prior to 12.1(4)DC2 are vulnerable; releases 12.1(4)DC2 and later are not vulnerable; <a href="#">releases prior to 12.1(4)DC2 are vulnerable; releases 12.1(4)DC2 and later are not vulnerable;</a>	12.4(19a) 12.4(19b)
12.1E	Release prior to 12.1(2)AY1 are vulnerable; releases 12.1(2)AY1 and later are not vulnerable;	^
12.1EA	Release prior to 12.1(11)EA1 are vulnerable; releases 12.1(11)EA1 and later are not vulnerable;	12.1(22)EA11



12.1XC	Release prior to 12.1(1)XC1 are vulnerable; releases 12.1(1)XC1 and later are not vulnerable; <a href="#">see 12.4</a>	12.4(19a) 12.4(19b)
12.1XD	è,,†â¼±æ€§ãª—	Â
12.1XE	è,,†â¼±æ€§ãª—	Â
12.1XF	è,,†â¼±æ€§ãª—	Â
12.1XG	è,,†â¼±æ€§ãª—	Â
12.1XH	è,,†â¼±æ€§ãª—	Â
12.1XI	è,,†â¼±æ€§ãª—	Â
12.1XJ	è,,†â¼±æ€§ãª—	Â
12.1XK	è,,†â¼±æ€§ãª—	Â
12.1XL	è,,†â¼±æ€§ãª—	Â
12.1XM	è,,†â¼±æ€§ãª—	Â
12.1XN	è,,†â¼±æ€§ãª—	Â
12.1XO	è,,†â¼±æ€§ãª—	Â
12.1XP	è,,†â¼±æ€§ãª—	Â

12.1XQ	è,,†â¼±æ€§ãªã—	Â
12.1XR	è,,†â¼±æ€§ãªã—	Â
12.1XS	è,,†â¼±æ€§ãªã—	Â
12.1XT	è,,†â¼±æ€§ãªã—	Â
12.1XU	è,,†â¼±æ€§ãªã—	Â
12.1XV	è,,†â¼±æ€§ãªã—	Â
12.1XW	è,,†â¼±æ€§ãªã—	Â
12.1XX	è,,†â¼±æ€§ãªã—	Â
12.1XY	è,,†â¼±æ€§ãªã—	Â
12.1XZ	è,,†â¼±æ€§ãªã—	Â
12.1YA	è,,†â¼±æ€§ãªã—	Â
12.1YB	è,,†â¼±æ€§ãªã—	Â
12.1YC	è,,†â¼±æ€§ãªã—	Â
12.1YD	è,,†â¼±æ€§ãªã—	Â
12.1YE	æ³¬¼š Release prior to 12.1(5)YE1 are vulnerable¼E releases 12.1(5)YE1 and later are not vulnerable;	12.4(19a)





12.2BZ	è,,†â¼±æ€§ãªã—	Â
12.2CX	è,,†â¼±æ€§ãªã—	Â
12.2CY	è,,†â¼±æ€§ãªã—	Â
12.2CZ	Vulnerable; contact TAC	Â
12.2DA	è,,†â¼±æ€§ãªã—	Â
12.2DD	è,,†â¼±æ€§ãªã—	Â
12.2DX	è,,†â¼±æ€§ãªã—	Â
12.2EU	è,,†â¼±æ€§ãªã—	Â
12.2EW	è,,†â¼±æ€§ãªã—	Â
12.2EWA	è,,†â¼±æ€§ãªã—	Â
12.2EX	è,,†â¼±æ€§ãªã—	Â
12.2EY	è,,†â¼±æ€§ãªã—	Â
12.2EZ	è,,†â¼±æ€§ãªã—	Â
12.2FX	è,,†â¼±æ€§ãªã—	Â
12.2FY	è,,†â¼±æ€§ãªã—	Â

12.2FZ	è,,†â¼±æ€§ãªã—	Â
12.2IXA	è,,†â¼±æ€§ãªã—	Â
12.2IXB	è,,†â¼±æ€§ãªã—	Â
12.2IXC	è,,†â¼±æ€§ãªã—	Â
12.2IXD	è,,†â¼±æ€§ãªã—	Â
12.2IXE	è,,†â¼±æ€§ãªã—	Â
12.2IXF	è,,†â¼±æ€§ãªã—	Â
12.2JA	è,,†â¼±æ€§ãªã—	Â
12.2JK	è,,†â¼±æ€§ãªã—	Â
12.2MB	è,,†â¼±æ€§ãªã—	Â
12.2MC	è,,†â¼±æ€§ãªã—	Â
12.2S	è,,†â¼±æ€§ãªã—	Â
12.2SB	è,,†â¼±æ€§ãªã—	Â
12.2SBC	è,,†â¼±æ€§ãªã—	Â
12.2SCA	è,,†â¼±æ€§ãªã—	Â

12.2SE	è,,†â¼±æ€§ãªã—	Â
12.2SEA	è,,†â¼±æ€§ãªã—	Â
12.2SEB	è,,†â¼±æ€§ãªã—	Â
12.2SEC	è,,†â¼±æ€§ãªã—	Â
12.2SED	è,,†â¼±æ€§ãªã—	Â
12.2SEE	è,,†â¼±æ€§ãªã—	Â
12.2SEF	è,,†â¼±æ€§ãªã—	Â
12.2SEG	è,,†â¼±æ€§ãªã—	Â
12.2SG	è,,†â¼±æ€§ãªã—	Â
12.2SGA	è,,†â¼±æ€§ãªã—	Â
12.2SL	è,,†â¼±æ€§ãªã—	Â
12.2SM	è,,†â¼±æ€§ãªã—	Â
12.2SO	è,,†â¼±æ€§ãªã—	Â
12.2SRA	è,,†â¼±æ€§ãªã—	Â
12.2SRB	è,,†â¼±æ€§ãªã—	Â

12.2SRC	è,,†â¼±æ€§ãªã—	Â
12.2SU	è,,†â¼±æ€§ãªã—	Â
12.2SV	è,,†â¼±æ€§ãªã—	Â
12.2SVA	è,,†â¼±æ€§ãªã—	Â
12.2SVC	è,,†â¼±æ€§ãªã—	Â
12.2SVD	è,,†â¼±æ€§ãªã—	Â
12.2SW	è,,†â¼±æ€§ãªã—	Â
12.2SX	è,,†â¼±æ€§ãªã—	Â
12.2SXA	è,,†â¼±æ€§ãªã—	Â
12.2SXB	è,,†â¼±æ€§ãªã—	Â
12.2SXD	è,,†â¼±æ€§ãªã—	Â
12.2SXE	è,,†â¼±æ€§ãªã—	Â
12.2SXF	è,,†â¼±æ€§ãªã—	Â
12.2SXH	è,,†â¼±æ€§ãªã—	Â
12.2SXI	è,,†â¼±æ€§ãªã—	Â

12.2SY	è,,†â¼±æ€§ãªã—	Â
12.2SZ	è,,†â¼±æ€§ãªã—	Â
12.2T	Vulnerable; <a href="#">æœ€âªãª@äªæfãª 12.4</a>	12.4(19a) 12.4(19b)
12.2TPC	Release prior to 12.2(8)TPC10d are vulnerable¼E releases 12.2(8)TPC10d and later are not vulnerable;	Â
12.2UZ	è,,†â¼±æ€§ãªã—	Â
12.2XA	è,,†â¼±æ€§ãªã—	Â
12.2XB	Vulnerable; <a href="#">æœ€âªãª@äªæfãª 12.4</a>	12.4(19a) 12.4(19b)
12.2XC	Vulnerable; <a href="#">æœ€âªãª@äªæfãª 12.4</a>	12.4(19a) 12.4(19b)
12.2XD	è,,†â¼±æ€§ãªã—	Â
12.2XE	è,,†â¼±æ€§ãªã—	Â
12.2XF	è,,†â¼±æ€§ãªã—	Â
12.2XG	Vulnerable; <a href="#">æœ€âªãª@äªæfãª 12.4</a>	12.4(19a) 12.4(19b)

12.2XH	è,,†â¼±æ€§ãªã—	Â
12.2XI	è,,†â¼±æ€§ãªã—	Â
12.2XJ	è,,†â¼±æ€§ãªã—	Â
12.2XK	Vulnerable; <a href="#">æœ€âªãª@ä;@æfã— 12.4</a>	12.4(19a) 12.4(19b)
12.2XL	Vulnerable; <a href="#">æœ€âªãª@ä;@æfã— 12.4</a>	12.4(19a) 12.4(19b)
12.2XM	è,,†â¼±æ€§ãªã—	Â
12.2XN	è,,†â¼±æ€§ãªã—	Â
12.2XNA	è,,†â¼±æ€§ãªã—	Â
12.2XO	è,,†â¼±æ€§ãªã—	Â
12.2XQ	è,,†â¼±æ€§ãªã—	Â
12.2XR	è,,†â¼±æ€§ãªã—	Â
12.2XS	è,,†â¼±æ€§ãªã—	Â
12.2XT	Vulnerable; <a href="#">æœ€âªãª@ä;@æfã— 12.4</a>	12.4(19a) 12.4(19b)

12.2XU	Vulnerable; <a href="#">æœ€ååãä;@æfã 12.4</a>	12.4(19a) 12.4(19b)
12.2XV	è,,†å¼±æ€§ãã—	Â
12.2XW	è,,†å¼±æ€§ãã—	Â
12.2YA	è,,†å¼±æ€§ãã—	Â
12.2YB	è,,†å¼±æ€§ãã—	Â
12.2YC	è,,†å¼±æ€§ãã—	Â
12.2YD	è,,†å¼±æ€§ãã—	Â
12.2YE	è,,†å¼±æ€§ãã—	Â
12.2YF	è,,†å¼±æ€§ãã—	Â
12.2YG	è,,†å¼±æ€§ãã—	Â
12.2YH	è,,†å¼±æ€§ãã—	Â
12.2YJ	Vulnerable; <a href="#">æœ€ååãä;@æfã 12.4</a>	12.4(19a) 12.4(19b)
12.2YK	è,,†å¼±æ€§ãã—	Â
12.2YL	Vulnerable; <a href="#">æœ€ååãä;@æfã 12.4</a>	12.4(19a)

		12.4(19b)
12.2YM	Vulnerable; <a href="#">æœ€å^ã®ä;®æfã 12.4</a>	12.4(19a) 12.4(19b)
12.2YN	Vulnerable; <a href="#">æœ€å^ã®ä;®æfã 12.4</a>	12.4(19a) 12.4(19b)
12.2YO	Vulnerable; migrate to any release in 12.2SY	12.2(18)SXF15; 08-AUG-08 ã§å^ç"å`èf½
12.2YP	è,,†å¼±æ€§ãª—	Â
12.2YQ	è,,†å¼±æ€§ãª—	Â
12.2YR	è,,†å¼±æ€§ãª—	Â
12.2YS	è,,†å¼±æ€§ãª—	Â
12.2YT	Vulnerable; <a href="#">æœ€å^ã®ä;®æfã 12.4</a>	12.4(19a) 12.4(19b)
12.2YU	Vulnerable; <a href="#">æœ€å^ã®ä;®æfã 12.4</a>	12.4(19a) 12.4(19b)
12.2YV	Vulnerable; <a href="#">æœ€å^ã®ä;®æfã 12.4</a>	12.4(19a) 12.4(19b)













12.3YA	Vulnerable; <a href="#">æœ€å^ã@ä;@æfã 12.4</a>	12.4(19a) 12.4(19b) 12.4(20)T; 11-JUL-08 ãšå^ç"å-èf½
12.3YD	Vulnerable; <a href="#">first fixed in 12.4T</a>	12.4(20)T; 11-JUL-08 ãšå^ç"å-èf½
12.3YF	Vulnerable; <a href="#">first fixed in 12.3YX</a>	12.3(14)YX12 12.4(20)T; 11-JUL-08 ãšå^ç"å-èf½
12.3YG	Vulnerable; <a href="#">first fixed in 12.4T</a>	12.4(20)T; 11-JUL-08 ãšå^ç"å-èf½
12.3YH	Vulnerable; <a href="#">first fixed in 12.4T</a>	12.4(20)T; 11-JUL-08 ãšå^ç"å-èf½
12.3YI	Vulnerable; <a href="#">first fixed in 12.4T</a>	12.4(20)T; 11-JUL-08 ãšå^ç"å-èf½
12.3YJ	è,,†å¼±æ€§ãª—	Â
12.3YK	Vulnerable; <a href="#">first fixed in 12.4T</a>	12.4(20)T; 11-JUL-08 ãšå^ç"å-èf½
12.3YM	Release prior to 12.3(14)YM12 are vulnerable 12.3(14)YM12 and later are not vulnerable;	12.3(14)YM12
12.3YQ	è,,†å¼±æ€§ãª—	Â



12.4JX	è,,†â¼±æ€§ãªã—	Â
12.4MD	12.4(15)MD	12.4(15)MD
12.4MR	12.4(19)MR	12.4(19)MR
12.4SW	Vulnerable; contact TAC	Â
12.4T	12.4(15)T6 12.4(20)T; 11-JUL-08 ãª§â^©ç""âª¬èf½	12.4(20)T; 11-JUL-08 ãª§â^©ç""âª¬èf½
12.4XA	Vulnerable; <a href="#">first fixed in 12.4T</a>	12.4(20)T; 11-JUL-08 ãª§â^©ç""âª¬èf½
12.4XB	12.4(2)XB10	Â
12.4XC	Vulnerable; contact TAC	Â
12.4XD	12.4(4)XD11; 31-JUL-08 ãª§â^©ç""âª¬èf½	12.4(20)T; 11-JUL-08 ãª§â^©ç""âª¬èf½
12.4XE	Vulnerable; <a href="#">first fixed in 12.4T</a>	12.4(20)T; 11-JUL-08 ãª§â^©ç""âª¬èf½
12.4XF	è,,†â¼±æ€§ãªã—	Â
12.4XG	è,,†â¼±æ€§ãªã—	Â
12.4XJ	Vulnerable; <a href="#">first fixed in 12.4T</a>	12.4(20)T; 11-JUL-08 ãª§â^©ç""âª¬èf½





6.2.x	6.2.4.1; ç ¼åœ ¨ å...-é-ä,
6.3.x	6.3.1.5; ç ¼åœ ¨ å...-é-ä,
7.0.x	7.0.1; â^©ç""ã ²èf½ ãª 2008 å¹ 9æœ^æœ«é f

Cisco Network Registrar ¢,½ãf•ãf^ã,lä,šã,çã <http://www.cisco.com/cgi-bin/Software/Tablebuild/tablebuild.pl/nr-eval?psrtdcat20e2> ¢šãf€ã,|ãf³ãfãf¼ãf%ã ²èf½ãšã™

## Cisco Application and Content Networking Systemi¼^ACNSi¼%ã,½ãf•ãf^ã,lä,šã,ç

ã"ã®ã•é;Āã²»šã^©ç""ã ²èf½ãšã™,ã, Cisco ACNS  
ã,½ãf•ãf^ã,|ã,šã,çã®ãfãf¼ã,ãfšãf³ 5.5.11.2 ¢šèšfæ±°ã•ã,Āã³¼ã™ã€,

Cisco ACNS 5.5 ¢,½ãf•ãf^ã,lä,šã,çã <http://www.cisco.com/cgi-bin/tablebuild.pl/acns55?psrtdcat20e2>  
ãšãf€ã,|ãf³ãfãf¼ãf%ã ²èf½ãšã™ã€,

## ä, æfã^©ç"" ä°<ã¼<ã ¨ å...-ã¼ç™°èj¨

Cisco PSIRT ¢ã"ã®ã,çãf%ããfã,ã,ã,¶ã,¶ãfãã«è¨è¼%ãã,Āã,€  
è,,tä¼±æ€šã®ã,æfã^©ç""ã«æ°-ã¥ãã,,ã|ã,,ã³¼ãã,ã"ã€,  
è,,tä¼±æ€šã®æ€šè³ã«ãã,ã,ã|ã®ãĀĀ...ãªæš€èj"çš,,è©³ç'ã²ã...±ç""ã^©ç""ã ²èf½ãf—ãfã,ã,šã,²ãf^ã²ã"ã®è,,tä¼±æ€šã,ã,æfã^©ç""ãšããã, < 2  
ãªã®ããfã,ãfãf¼ãfã«ã,é€é"ã-ã³¼ã-ãÿã€,

ä,æfã¼ã...ã®æ'ã™ã, Cisco DNS  
ã,ãfããfã,ãfããĀæ°ã-ãããªã,ãĀãããfã³ Kaminsky IOActive  
ã®ã,»ã,ãfããfãftã,Łç"ç©¶è€...ã²æœ€èè:æ^ãšÿã™ã,ãÿã,ã«ã,æfã¼ã...ã®ã,ã  
DNS ¢,ãfããfã,ãfãã,²ãœã,æ%ãœ³•ã,çªã-ã³¼ã-ãÿã€, Cisco  
ã²ã¼ã®èªæÿ»çμæžœã«ãã,ã|ã®ãfªãfãfãf¼ã,çÿã,ããããã,ããããã«ãfã  
Kaminsky ¢«æ,,ÿè-ã™ã,ã"ã¨ã,æœããç¼ã™ã€,

Cisco  
IOSã,½ãf•ãf^ã,lä,šã,çã®ãÿã,ã®è,,tä¼±æ€šãf...ã±ãĀè,,tä¼±æ€šã®æ¥ç•Āã...ã½"å...-é-  
<http://www.cisco.com/go/psirt> ¢šè¨è:ãã,Āã|ã,,ã, Cisco  
IOSã,½ãf•ãf^ã,|ã,šã,çã«ã,çãfšã,|ãfã,¹ã•ã,Āãÿãfãf-ãfã,±ãf¼ã,ãfšãf³  
ã,¹ã,±ã,ãfããf¼ãfãã"ã®ã"ã®è«ãã•ãª-éf¨ãšæãã¼ãã,Āã|ã,,ã,ãã"ã¨ã«æ³"ç>

US-CERT ¢«ã,ã£ãã|å...-é-ãã,Āã,ãfããããfãfªãfããfãã,çãf%ããfã,ã,¶ã,¶ãfãã

<http://www.kb.cert.org/vuls/id/800113> i¼^"VU#800113 - è,,†â¼± ã◊ªè±æ•°ã◊® DNS  
 â@ÿè£...ä,æ¯ã,ã€ã,ãf£ãfã,ãf¥ã◊™ã,ã◊ÿã,◊i¼%ã◊Sã^©ç""ã◊Sã◊ã◊¾ã◊™ã€,

## URL

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20080708-dns>

## æ''è'',ã±¥æ'

<p>Revision 2.1</p>	<p>2008-09-09</p>	<p>Ciscoã,çãf—ãfªã,±ãf¼ã,ãf§ãfªã◊®ã◊ÿã,◊ã◊®è;½ãŠã◊ã,CEã◊ÿ Ciscoãf◊ãã,çãf%ããf-ã,¹ã±%ãæ◊&gt;è£æ...®ã°é...ã€ã,»ã,¯ã,ãfSãfªã◊«PATã,ã◊™ã,ã◊ã◊ã◊ã◊ã,CEã,%ã◊®ããfããfã,ã,¹ã◊¯ã°æfªã◊Sã◊ã◊ã,é£ã◊ãfãfªã,ãf¼ã◊CEã◊ã,ã◊ã◊ã,ã◊—ã,CEã◊ªã◊,ã◊®ã◊Sã,¯ãfªã,ãfª¼^ACEi¼ã,çãf—ãf©ã,ã,çãfªã,¹ã,ã^¼ã¾ã◊—ã◊¾ã◊™ã€, Cisco Network Registrarã◊Systemi¼^ACNSi¼%ã,½ãfãf^ã,¼ã,Sã,çã◊®ã◊ÿã,◊ã◊®æ'æ-°æ,^ä;®æ£æ,^æf...ã±ã◊Šã,^ã◊³ææ%ããŠ¹æ—¥ã»ã€,</p>
<p>Revision 2.0</p>	<p>2008-07-28</p>	<p>DNSã,ãf¼ãfã◊ã◊CEPATã,è;CEã◊täfã◊ãfãf^ãfãfã,¯ãfããfã,ã,¹ã◊®ã¾CEãã,è;CEã◊täfã◊ã◊ã◊CEã◊Sã◊ã◊ã,çPATã,ªãfSãf-ãf¼ã,ãfSãfªã◊®ã◊ÿã,◊ã◊æ,ã◊ç;ã◊—ã,è;CEã◊täfã◊ã◊ã◊ã°æfªã◊Sã◊ã◊ã,é£ã◊ä;ã...fãfãf¼ãfãfãfãfã,ãf¼ã,ã¼çç""ã◊™ã,ã,ã,¹ã,³è£½ã""ã◊ã◊«æf...ã±ã◊Šã,^ã◊³Ciscoãfãã,è;½ãŠã◊—ã€ã◊ã◊ã◊ã◊ãCEããfãf¼ãfãã,çãf%ããf-ã,¹ã±%ãæ◊&gt;è£æ...®ã°é...ã€ã,»ã,¯ã,ãfSãfªã,ã°é;CEã◊Sã,^ã◊³Cisco Network Registrarã◊®ã◊ÿã,◊ã◊®æ'æ-°æ,^ä;®æ£æ,^ã◊ã,½ãfãf^ã</p>
<p>ãfªãf"ã,ãf§ãfª³ 1.2</p>	<p>2008-07-25</p>	<p>ã€CEã,æ£ã^©ç""ã°ã¾ãã◊ã...ã¼çç™°è;ã€ã,»ã,¯ã,ãfSãfªã,ã°CEã...ã◊ªã,³ãf¼ãf%ã◊CEã...±ç""ã^©ç""ã◊¯èf½ã◊Sã◊ã,ã,ã◊ã◊ã,ççªã◊ã◊ÿã,◊ãè,,†â¼±æ£Sã◊®è³ç°ã◊®ã...ã◊®è°è«ã◊«æ°—ã◊¥ã◊,ã◊¼ã◊,ã,ã◊ãã,½ãfãf^ã,¼ã,Sã,çã◊®ã◊ÿã,◊ã◊®æf...ã±æ'æ-°æ,^ã,çãfªã,ããf©ãf"ãfãfãfã</p>
<p>ãfªãf"ã,ãf§ãfª³ 1.1</p>	<p>2008-07-22</p>	<p>CVSSã,¹ã,ªã,çã,«ãf«ã,ãf¥ãf-ãf¼ã,¼ã◊,ã◊®ã°ã°®šãfãfªã,¯ã€, Cisco Network Registrarã◊®ã◊ÿã,◊ã◊®ã;®æ£æ,^ã◊ã,½ãfãf^ã,¼ã,Sã,çã◊®æ'æ-°æ,^è;ã€,è,,†â¼±æ£Sã◊®è³ç°ã◊®ã...ã◊®è°è«ã◊«æ°—ã◊¥ã◊,ã◊¼ã◊,ã,ã◊ãã,½ãfãf^ã,¼ã,Sã,çã◊®ã◊ÿã,◊ã◊®æf...ã±æ'æ-°æ,^ã,çãfªã,ããf©ãf"ãfãfãfã</p>
<p>ãfªãf"ã,ãf§ãfª³ 1.0</p>	<p>2008-07-21</p>	<p>ã^ã&gt;žã...-é-ãfªãfªãf¼ã,¹</p>



## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。