

# Cisco IOS Secure Copy (SCP) Vulnerability



**Critical**  
CVE ID : cisco-sa-20090325-scp  
Published : 2009-03-25 16:00  
Version : 1.3 : Final  
CVSS : 9.0  
Workarounds : No Workarounds available  
Cisco ID : CSCsv38166

[CVE-2009-0637](#)

**Summary**

## Impact

Cisco IOS Secure Copy (SCP)

allows an attacker to execute arbitrary code with root privileges on the target device. The vulnerability exists in the SCP daemon (scpd) in Cisco IOS versions 12.4(2)T and earlier.

Cisco IOS

SCP is a protocol for copying files between devices. It is implemented in the SCP daemon (scpd) in Cisco IOS. The vulnerability exists in the SCP daemon in Cisco IOS versions 12.4(2)T and earlier.

SCP is implemented in the SCP daemon (scpd) in Cisco IOS. The vulnerability exists in the SCP daemon in Cisco IOS versions 12.4(2)T and earlier.

SCP is implemented in the SCP daemon (scpd) in Cisco IOS. The vulnerability exists in the SCP daemon in Cisco IOS versions 12.4(2)T and earlier.

Cisco IOS

SCP is implemented in the SCP daemon (scpd) in Cisco IOS. The vulnerability exists in the SCP daemon in Cisco IOS versions 12.4(2)T and earlier.

SCP is implemented in the SCP daemon (scpd) in Cisco IOS. The vulnerability exists in the SCP daemon in Cisco IOS versions 12.4(2)T and earlier.

SCP is implemented in the SCP daemon (scpd) in Cisco IOS. The vulnerability exists in the SCP daemon in Cisco IOS versions 12.4(2)T and earlier.

For more information, see the Cisco Security Advisory <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory-Cisco-Security-Advisory-20090325-scp>.

© 2009 Cisco

IOS, »ã,ãf¥ãfãftã,£ã,ćãf%ããfã,ãã,¶ãfããfããfãf%ããf«ã...-é-ã«ãã-ã€ã8ã»¶ãã®ã,»ã,ãf¥ãfããfãfã  
IOSã,½ãfããfã,ã,šã,ćãã®è,,fã¼±æ€Šã«ã³¼ã‡ã-ã-ããã,ãã¾ãã™ã€ã,ã,ćãf%ããfã,ãã,¶ãfããfããfããfãã  
ãã,,ãf%ãã,ãf¥ãfã;ãfããfããã,ãã®ãããfãã,ããæ-ãããããã®ããããããšã,šããšããããã™ã€,

- Cisco IOS cTCPãã®DoSè,,fã¼±æ€Š  
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20090325-ctcp>
- Cisco IOSã,½ãfããfã,ã,šã,ćãã®èããæ•ããã®æãçÿèf½ãã«ããšãã'ã,ãIPã,½ã,±ãffãfãã®è,,fã¼±æ€Š  
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20090325-ip>
- Cisco IOSã,½ãfããfã,ã,šã,ćãfćãfãã,ããfããIPããšã,ãã³ããfćãããã,ããfããIPV6ãã®è,,fã¼±æ€Š  
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20090325-mobileip>
- Cisco IOSã,½ãfããfã,ã,šã,ćãã®Secure Copyãã«ããšãã'ã,ãæ"ãé™ãã~ãæ¼ãã®è,,fã¼±æ€Š  
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20090325-scp>
- Cisco IOSã,½ãfããfã,ã,šã,ćãã®Session Initiation Protocolãã«ããšãã'ã,ãDenial of Service(DoS)ãã®è,,fã¼±æ€Š  
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20090325-sip>
- Cisco IOSã,½ãfããfã,ã,šã,ćãã®Multiple Features Crafted TCP Sequence Vulnerability  
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20090325-tcp>
- Cisco IOSã,½ãfããfã,ã,šã,ćãã®Multiple Features Crafted UDP Packet Vulnerability  
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20090325-udp>
- Cisco IOSã,½ãfããfã,ã,šã,ćãã®WebVPNããšã,ãã³ããSSLVPNãã®è,,fã¼±æ€Š



viewã,³ãfžãf³ãf%õ)ã€ã"ã,Ɛã,‰õã®ãf"ãfãfãf¼ã«æžŸçŸšã•ã,ƐãŸãf!ãf¼ã,Ÿi¼^ãfãf¼ã,«ãf

ã,ã,ã,ã,³è£½ã“ãšç¼ãfã—ã|ã„ã, Cisco IOSã,½ãf•ãf^ã,|ã,šã,ç  
ãfããfãf¼ã,ã,çç°èãã™ã,ã«ã-ã€ãfãfãfã,ãã,ãã«ãfã,°ã,ããfãã—ã| show  
versionã,³ãfžãf³ãf%õã,'ã½;ã£ã|ã€ã,ã,ã,ã,ã,ãfãfãf  
ãfãfšãf¼ã,'è; çºã—ã¾ã™ã€,"Internetwork Operating System Software"ã€"Cisco  
IOS Software"ã,ã,ã„ã-ã"ã,Ɛã,‰õã«éjžã¼ã™ã,ã,ã,ã,ãfãfãf  
ãfãfšãf¼ã«ã,^ã£ã|ãfãfãfã,ãã,ããš Cisco IOS  
ã,½ãf•ãf^ã,|ã,šã,çãƐç¼ãfã—ã|ã„ã,ã,ã"ã"ã,çç°èããšããã¾ã™ã€,  
ãããã®ã¼Ɛã,ãã«ã,ããfãf¼ã,ããããƐæ<-ã¼šã®é-ã«èj; çºã•ã,Ɛã€çŸšã„ã|  
"Version"ã Cisco IOSã,½ãf•ãf^ã,|ã,ã,ã,ã  
ãfããfãf¼ã,ãããã€è; çºã•ã,ã,Ɛã¾ã™ã€,ã»-ã®ã,ã,ã,ã,ã,  
ãfãfãfã,ãã,ããšã-ã€show version  
ã,³ãfžãf³ãf%õãƐã~ãœ"ã—ããããã£ãŸã,šã€ã^ãŸã®ã#ãšãã€è; çºã•ã,ƐãŸãŸã

ã»ã,ãã¾ã-ã€Cisco è£½ã"ãã«ã|ã€IOSããfããf¼ã,¹ 12.3(26)  
ãçç¼ããã—ã€ããããã®ã,ããfãf¼ã,ãããã€C2500-IS-L  
ãšã„ã,ã,ã"ã"ã,'çºã—ã|ã„ã¾ã™ã:

```
Router#show version
Cisco Internetwork Operating System Software
IOS (tm) 2500 Software (C2500-IS-L), Version 12.3(26), RELEASE SOFTWARE (fc2)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2008 by cisco Systems, Inc.
Compiled Mon 17-Mar-08 14:39 by dchih
```

!--- output truncated

æ¬;ã®ã¾ã-ã€ãããã,ããfã,ãf^ãf¼ãfã«ã•ã,ƐãŸã,ããfãf¼ã,ãããã€C1841-  
ADVENTERPRISEK9-Mãšã€Cisco IOSã,½ãf•ãf^ã,|ã,šã,çãfããfãf¼ã,¹ 12.4(20)T  
ã,ã®Ÿè;Ɛã—ã|ã„ã,ã,ã,ã,ã,ã,³è£½ã"ã,'çºã—ã|ã„ã¾ã™ã€,

```
Router#show version
Cisco IOS Software, 1841 Software (C1841-ADVENTERPRISEK9-M), Version 12.4(20)T, RELEASE SOFTWARE (fc3)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2008 by Cisco Systems, Inc.
Compiled Thu 10-Jul-08 20:25 by prod_rel_team
```

!--- output truncated





äf~äf-ã,äãf³ã ◊ ◊ ◊ è ~ è¼%ã ◊ ◊ •ã,Ĉã ◊ ◊ |ã ◊ ◊,,ã ◊ ◊¾ã ◊ ◊™ã€ç%ã¹ã®šã ◊ ◊®ãfããfãf¼ã,¹  
 äf~äf-ã,äãf³ã ◊ ◊ ◊ è,,†ã¼±æ€šã ◊ ◊Ĉã ◊ ◊,ã,ã'ã ◊ ◊^ã ◊ ◊-ã€ ◊ ◊ä:®æfã,ã'ã ◊ ◊«ã,€æœ€ã^ ◊ ◊ã ◊ ◊®ãfããfãf¼ã,¹i¼%  
 1  
 ä:®æfæ,^ã ◊ ◊äãfããfãf¼ã,¹ã€ ◊ ◊ã^—ã ◊ ◊«è ~ è¼%ã ◊ ◊•ã,Ĉã ◊ ◊¾ã ◊ ◊™ã€,ã€Ĉæž"ã¥"ãfããfãf¼ã,¹ã€ ◊ ◊ã¹  
 1  
 ä:®æfæ,^ã ◊ ◊äãfããfãf¼ã,¹ã,^ã,šã ◊ ◊ã ◊ ◊,,i¼%ãf^ãf-ã,äãf³ã ◊ ◊◊ã ◊ ◊«ã ◊ ◊¾ã,Ĉã,ãfããfããf¼ã,¹ã ◊ ◊Ĉç"¼ã

äf;ã,ãfããf¼ äfããfãf¼ã,¹		ä:®
<b>Affected 12.0-Based Releases</b>	<b>First Fixed Release</b> i¼^ä:®æfã ◊ ◊•ã,Ĉã ◊ ◊ÿæœ€ã^ ◊ ◊ã ◊ ◊®ãfããfãf¼ã,¹i¼%	
è©²ã½"ã ◊ ◊™ã, < 12.0 äf™ãf¼ã,¹ã ◊ ◊®ãfããfããf¼ã,¹ã ◊ ◊-ã ◊ ◊,ã,šã ◊ ◊¾ã ◊ ◊ã,"ã€,		
<b>Affected 12.1-Based Releases</b>	<b>First Fixed Release</b> i¼^ä:®æfã ◊ ◊•ã,Ĉã ◊ ◊ÿæœ€ã^ ◊ ◊ã ◊ ◊®ãfããfããf¼ã,¹i¼%	
è©²ã½"ã ◊ ◊™ã, < 12.1 äf™ããf¼ã,¹ã ◊ ◊®ãfããfããf¼ã,¹ã ◊ ◊-ã ◊ ◊,ã,šã ◊ ◊¾ã ◊ ◊ã,"ã€,		
<b>Affected 12.2-Based Releases</b>	<b>First Fixed Release</b> i¼^ä:®æfã ◊ ◊•ã,Ĉã ◊ ◊ÿæœ€ã^ ◊ ◊ã ◊ ◊®ãfããfããf¼ã,¹i¼%	
12.2	è,,†ã¼±æ€šã ◊ ◊ã ◊ ◊—	
12.2B	è,,†ã¼±æ€šã ◊ ◊ã ◊ ◊—	
12.2BC	è,,†ã¼±æ€šã ◊ ◊ã ◊ ◊—	
12.2BW	è,,†ã¼±æ€šã ◊ ◊ã ◊ ◊—	





12.2FY	è,,†â¼±æ€§ãªã—
12.2FZ	è,,†â¼±æ€§ãªã—
12.2IRA	è,,†â¼±æ€§ãªã,Š(æœƒâ^ªª®ä¿®æƒã— <a href="#">12.2SRC</a>
12.2IRB	è,,†â¼±æ€§ãªã,Š(æœƒâ^ªª®ä¿®æƒã— <a href="#">12.2SRC</a>
12.2IXA	è,,†â¼±æ€§ãªã—
12.2IXB	è,,†â¼±æ€§ãªã—
12.2IXC	è,,†â¼±æ€§ãªã—
12.2IXD	è,,†â¼±æ€§ãªã—
12.2IXE	è,,†â¼±æ€§ãªã—
12.2IXF	è,,†â¼±æ€§ãªã—
12.2IXG	è,,†â¼±æ€§ãªã—
12.2JA	è,,†â¼±æ€§ãªã—
12.2JK	è,,†â¼±æ€§ãªã—
12.2MB	è,,†â¼±æ€§ãªã—
12.2MC	è,,†â¼±æ€§ãªã—

12.2S	è,,†â¼±æ€§ãªã—
12.2SB	12.2(33)SB4
12.2SBC	è,,†â¼±æ€§ãªã—
12.2SCA	è,,†â¼±æ€§ãªã,Š(æœ€â^ªã®ä¿®æ£ã <a href="#">12.2SCB</a> )
12.2SCB	12.2(33)SCB1
12.2SE	12.2(50)SE 12.2(44)SE6
12.2SEA	è,,†â¼±æ€§ãªã—
12.2SEB	è,,†â¼±æ€§ãªã—
12.2SEC	è,,†â¼±æ€§ãªã—
12.2SED	è,,†â¼±æ€§ãªã—
12.2SEE	è,,†â¼±æ€§ãªã—
12.2SEF	è,,†â¼±æ€§ãªã—
12.2SEG	è,,†â¼±æ€§ãªã—
12.2SG	12.2(52)SG†¼^2009â¼5æœ^15æ—¥ãª«â...¥æ%œªãª—èf¼i¼%œ



12.2SVD	è,,†â¼±æ€§ãªã—
12.2SVE	è,,†â¼±æ€§ãªã—
12.2SW	è,,†â¼±æ€§ãªã—
12.2SX	è,,†â¼±æ€§ãªã—
12.2SXA	è,,†â¼±æ€§ãªã—
12.2SXB	è,,†â¼±æ€§ãªã—
12.2SXD	è,,†â¼±æ€§ãªã—
12.2SXE	è,,†â¼±æ€§ãªã—
12.2SXF	è,,†â¼±æ€§ãªã—
12.2SXH	è,,†â¼±æ€§ãªã—
12.2SXI	12.2(33)SXI1
12.2SY	è,,†â¼±æ€§ãªã—
12.2SZ	è,,†â¼±æ€§ãªã—
12.2T	è,,†â¼±æ€§ãªã—
12.2TPC	è,,†â¼±æ€§ãªã—

12.2XA	è,,†â¼±æ€§ãªã—
12.2XB	è,,†â¼±æ€§ãªã—
12.2XC	è,,†â¼±æ€§ãªã—
12.2XD	è,,†â¼±æ€§ãªã—
12.2XE	è,,†â¼±æ€§ãªã—
12.2XF	è,,†â¼±æ€§ãªã—
12.2XG	è,,†â¼±æ€§ãªã—
12.2XH	è,,†â¼±æ€§ãªã—
12.2XI	è,,†â¼±æ€§ãªã—
12.2XJ	è,,†â¼±æ€§ãªã—
12.2XK	è,,†â¼±æ€§ãªã—
12.2XL	è,,†â¼±æ€§ãªã—
12.2XM	è,,†â¼±æ€§ãªã—
12.2XN	è,,†â¼±æ€§ãªã,ã,Š(æœ€â^ªãª®ä¿®æĤãª <a href="#">12.2SRC</a>

12.2XNA	è,,†â¼±æ€§ã,ã,Šã€æœ€â^ã®äç®æfã <a href="#">12.2SRD</a>
12.2XNB	12.2(33)XNB3
12.2XNC	è,,†â¼±æ€§ã^ã—
12.2XO	è,,†â¼±æ€§ã^ã—
12.2XQ	è,,†â¼±æ€§ã^ã—
12.2XR	è,,†â¼±æ€§ã^ã—
12.2XS	è,,†â¼±æ€§ã^ã—
12.2XT	è,,†â¼±æ€§ã^ã—
12.2XU	è,,†â¼±æ€§ã^ã—
12.2XV	è,,†â¼±æ€§ã^ã—
12.2XW	è,,†â¼±æ€§ã^ã—
12.2YA	è,,†â¼±æ€§ã^ã—
12.2YB	è,,†â¼±æ€§ã^ã—
12.2YC	è,,†â¼±æ€§ã^ã—

12.2YD	è,,†å¼±æ€§ãªãª—
12.2YE	è,,†å¼±æ€§ãªãª—
12.2YF	è,,†å¼±æ€§ãªãª—
12.2YG	è,,†å¼±æ€§ãªãª—
12.2YH	è,,†å¼±æ€§ãªãª—
12.2YJ	è,,†å¼±æ€§ãªãª—
12.2YK	è,,†å¼±æ€§ãªãª—
12.2YL	è,,†å¼±æ€§ãªãª—
12.2YM	è,,†å¼±æ€§ãªãª—
12.2YN	è,,†å¼±æ€§ãªãª—
12.2YO	è,,†å¼±æ€§ãªãª—
12.2YP	è,,†å¼±æ€§ãªãª—
12.2YQ	è,,†å¼±æ€§ãªãª—
12.2YR	è,,†å¼±æ€§ãªãª—
12.2YS	è,,†å¼±æ€§ãªãª—

12.2YT	è,,†â¼±æ€§ãªã—
12.2YU	è,,†â¼±æ€§ãªã—
12.2YV	è,,†â¼±æ€§ãªã—
12.2YW	è,,†â¼±æ€§ãªã—
12.2YX	è,,†â¼±æ€§ãªã—
12.2YY	è,,†â¼±æ€§ãªã—
12.2YZ	è,,†â¼±æ€§ãªã—
12.2ZA	è,,†â¼±æ€§ãªã—
12.2ZB	è,,†â¼±æ€§ãªã—
12.2ZC	è,,†â¼±æ€§ãªã—
12.2ZD	è,,†â¼±æ€§ãªã—
12.2ZE	è,,†â¼±æ€§ãªã—
12.2ZF	è,,†â¼±æ€§ãªã—
12.2ZG	è,,†â¼±æ€§ãªã—
12.2ZH	è,,†â¼±æ€§ãªã—





12.3JEA	è,,†â¼±æ€§ã,ă,Šă€TACă«ăŠă•ă„ăăăăăăăăăă„
12.3JEB	è,,†â¼±æ€§ã,ă,Šă€TACă«ăŠă•ă„ăăăăăăăăăă„
12.3JEC	è,,†â¼±æ€§ã,ă,Šă€TACă«ăŠă•ă„ăăăăăăăăăă„
12.3JK	è,,†â¼±æ€§ã,ă,Š(æœĚă^ăă®ăž®æĚă 12.4T)
12.3JL	è,,†â¼±æ€§ãăă—
12.3JX	è,,†â¼±æ€§ã,ă,Šă€TACă«ăŠă•ă„ăăăăăăăăăă„
12.3T	è,,†â¼±æ€§ã,ă,Š(æœĚă^ăă®ăž®æĚă 12.4T)
12.3TPC	è,,†â¼±æ€§ãăăă—
12.3VA	è,,†â¼±æ€§ã,ă,Šă€TACă«ăŠă•ă„ăăăăăăăăăă„
12.3XA	è,,†â¼±æ€§ãăăă—
12.3XB	è,,†â¼±æ€§ãăăă—
12.3XC	è,,†â¼±æ€§ãăăă—
12.3XD	è,,†â¼±æ€§ãăăă—
12.3XE	è,,†â¼±æ€§ãăăă—

12.3XF	è,,†å¼±æ€ššã,ã,Šã€,TACã«ãŠã•ãã,,ã^ã,ã>ãããããã•ã,,
12.3XG	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3XI	è,,†å¼±æ€ššã,ã,Šã€æœ€å^ã®ä¿®æfã <a href="#">12.2SB</a>
12.3XJ	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.3YX</a> )
12.3XK	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3XL	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3XQ	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3XR	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.4</a> )
12.3XS	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3XU	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.4T</a> )
12.3XW	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æfã <a href="#">12.3YX</a> )

12.3XX	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.3XY	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.3XZ	è,,†å¼±æ€§ãªã—
12.3YA	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.3YD	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.3YF	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.3YX</a> )
12.3YG	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.3YH	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.3YI	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.3YJ	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®ä¿®æƒã <a href="#">12.4T</a> )

12.3YK	è,,†á¼±æ€§ã̄,ã,Š(æœƒå^ã̄•R̄ä¿R̄æŁã̄ <a href="#">12.4T</a> )
12.3YM	12.3(14)YM13
12.3YQ	è,,†á¼±æ€§ã̄,ã,Š(æœƒå^ã̄•R̄ä¿R̄æŁã̄ <a href="#">12.4T</a> )
12.3YS	è,,†á¼±æ€§ã̄,ã,Š(æœƒå^ã̄•R̄ä¿R̄æŁã̄ <a href="#">12.4T</a> )
12.3YT	è,,†á¼±æ€§ã̄,ã,Š(æœƒå^ã̄•R̄ä¿R̄æŁã̄ <a href="#">12.4T</a> )
12.3YU	è,,†á¼±æ€§ã̄,ã,Š(æœƒå^ã̄•R̄ä¿R̄æŁã̄ <a href="#">12.4T</a> )
12.3YX	12.3(14)YX14
12.3YZ	è,,†á¼±æ€§ã̄,ã,Šã€TACã̄«ã̄•Šã̄•ã̄„ã̄^ã̄,ã̄>ã̄ã̄ã̄ã̄ã̄ã̄ã̄ã̄•ã̄„
12.3ZA	è,,†á¼±æ€§ã̄,ã,Š(æœƒå^ã̄•R̄ä¿R̄æŁã̄ <a href="#">12.4T</a> )
<b>Affected 12.4-Based Releases</b>	<b>First Fixed Release</b> ĩ¼^ã̄•R̄æŁã̄•ã̄,CEã̄•ÿæœƒå^ã̄ã̄•R̄ã̄ªã̄ªã̄ªã̄,ĩ¼%o
12.4	12.4(18e)

	12.4(23a) i <sup>1</sup> / <sub>4</sub> 2009 a <sup>1</sup> / <sub>4</sub> 6 a e a ^ 5 a e — Y a « a ... Y a e % o o < a e f i 1 / 2 i 1 / 4 % o
12.4JA	è, , † a 1 / 4 ± a e € § a , ã, Š a € , T A C ã « ã Š a • ã „ a ^ ã, ã ã ã ã ã ã ã ã ã „
12.4JDA	è, , † a 1 / 4 ± a e € § a , ã, Š a € , T A C ã « ã Š a • ã „ a ^ ã, ã ã ã ã ã ã ã ã ã „
12.4JK	è, , † a 1 / 4 ± a e € § a , ã, Š a € , T A C ã « ã Š a • ã „ a ^ ã, ã ã ã ã ã ã ã ã ã „
12.4JL	è, , † a 1 / 4 ± a e € § a , ã, Š a € , T A C ã « ã Š a • ã „ a ^ ã, ã ã ã ã ã ã ã ã ã „
12.4JMA	è, , † a 1 / 4 ± a e € § a , ã, Š a € , T A C ã « ã Š a • ã „ a ^ ã, ã ã ã ã ã ã ã ã ã „
12.4JMB	è, , † a 1 / 4 ± a e € § a , ã, Š a € , T A C ã « ã Š a • ã „ a ^ ã, ã ã ã ã ã ã ã ã ã „
12.4JX	è, , † a 1 / 4 ± a e € § a , ã, Š a € , T A C ã « ã Š a • ã „ a ^ ã, ã ã ã ã ã ã ã ã ã „
12.4MD	12.4(11)MD7
12.4MR	12.4(19)MR2
12.4SW	è, , † a 1 / 4 ± a e € § a , ã, Š a € , T A C ã « ã Š a • ã „ a ^ ã, ã ã ã ã ã ã ã ã ã „
12.4T	12.4(24)T
	12.4(20)T2
	12.4(22)T1
	12.4(15)T9 i <sup>1</sup> / <sub>4</sub> 2009 a <sup>1</sup> / <sub>4</sub> 4 a e a ^ 29 a e — Y a « a ... Y a e % o o < a e f i 1 / 2 i 1 / 4 % o
12.4XA	è, , † a 1 / 4 ± a e € § a , ã, Š ( a e e € a ^ ã ® ä ç ® æ f ã <a href="#">12.4T</a> )

12.4XB	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®äž®æƒã <a href="#">12.4T</a> )
12.4XC	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®äž®æƒã <a href="#">12.4T</a> )
12.4XD	12.4(4)XD12i¼^2009å¹3æœ²27æ—Ÿã«å...Ÿæ%o&ã-èf½i¼%o
12.4XE	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®äž®æƒã <a href="#">12.4T</a> )
12.4XF	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®äž®æƒã <a href="#">12.4T</a> )
12.4XG	12.4(20)T2 12.4(22)T1
12.4XJ	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®äž®æƒã <a href="#">12.4T</a> )
12.4XK	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®äž®æƒã <a href="#">12.4T</a> )
12.4XL	12.4(15)XL4ã,^ã,Šã%ã®ãfãfãf¼ã,¹ã«ã-è,,†å¼±æ€§ãœãœã,ã,Šã€12.4(15)XL
12.4XM	è,,†å¼±æ€§ã,ã,Š(æœƒå^ã®äž®æƒã <a href="#">12.4T</a> )

12.4XN	è,,†â¼±æ€§ã,ã,Šã€TACã«ãŠã•ã,,ã^ã,ã>ããããã•ã,,
12.4XP	è,,†â¼±æ€§ã,ã,Šã€TACã«ãŠã•ã,,ã^ã,ã>ããããã•ã,,
12.4XQ	12.4(15)XQ2
12.4XR	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.4XT	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.4XV	è,,†â¼±æ€§ã,ã,Šã€TACã«ãŠã•ã,,ã^ã,ã>ããããã•ã,,
12.4XW	12.4(11)XW10
12.4XY	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æƒã <a href="#">12.4T</a> )
12.4XZ	12.4(15)XZ2
12.4YA	12.4(20)YA2
12.4YB	è,,†â¼±æ€§ãªã—
12.4YD	è,,†â¼±æ€§ãªã—

ä, æƒâ^©ç”” ä°<ã¾ã” ” ä...-â¼ç™ºèi”



ã ẽ Šã ẽ ẽã ẽ æœ ẽ ã, çãf%õãf ẽ ã, ðã, ¶ãfã ẽ « ẽ ẽ ¼%õã ẽ ã, Æã ẽ |ã ẽ, ã, <è, †ã¼±æ€Šã ẽ ®ã, ẽ æfã^©ç  
ã ẽ “ã ẽ ®è, †ã¼±æ€Šã ẽ ẽã ẽ Kevin  
Grahamæ° ẽ ã ẽ «ã, ^ã ẽ £ã ẽ |ã, ·ã, ^ã, ^ã ẽ «ã ±ã Šã ẽ ·ã, Æã ẽ ¾ã ẽ —ã ẽ Ÿã€ã, ã, ·ã, ^ã, ^ã ẽ ẽã ẽ ã ẽ “ã ẽ ®è,

**URL**

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20090325-scp>

**æ”¹è”, ă±Ÿæ´**

ãfããf“ã, ãfšãf³ 1.3	2009ã¹´6æœ^26æ—Ÿ	2009ã¹´3æœ^ã ẽ ®ã¿®æfæ, ^ã ẽ ¿ã, ½ãf·ãf^ã,  ã, Šã, çãftãf¼ãf-ãf«ã ẽ
ãfããf“ã, ãfšãf³ 1.2	2009ã¹´6æœ^1æ—Ÿ	ãfããfãf¼ã, ^12.4(23a)ã ẽ ®ã...-é-<ã^ã®šæ—Ÿã, 'æ>'æ-°ã€,
ãfããf“ã, ãfšãf³ 1.1	2009ã¹´5æœ^1æ—Ÿ	ãfããfãf¼ã, ^12.4(23a)ã ẽ ®ã...-é-<ã^ã®šæ—Ÿã, 'æ>'æ-°ã€,
ãfããf“ã, ãfšãf³ 1.0	2009ã¹´3æœ^25æ—Ÿ	ã^ ẽ ç%õ^ãfããfãf¼ã, ^1

**ã^©ç”¹è| ẽ ç´,,**

æœ-ã, çãf%õãf ẽ ã, ðã, ¶ãfã ẽ ç, ¶ã¿ ẽ ẽ ¼ã ẽ ®ã,, ã ẽ ®ã ẽ ẽã ẽ —ã ẽ |ã ẽ “æ ẽ ẽ ã¾ã ẽ —ã ẽ |ã ẽ Šã, Šã€  
æœ-ã, çãf%õãf ẽ ã, ðã, ¶ãfã ẽ ®æf...ã ±ã ẽ Šã, ^ã ẽ ^ãfããfãfã, ^ã ẽ ®ã½¿ç””ã ẽ «é-çã ẽ ™ã, <è²-ã»ã ẽ ®ã, €  
ã ẽ ¾ã ẽ Ÿã€ã ẽ ã, ã, ^ã, ^ã ẽ æœ-ãf%õã, ãfŸãfãfãfã ẽ ®ã†...ã®¹ã, 'ã^ã Šã ẽ ^ã ẽ —ã ẽ «ã¼%õæ>'ã ẽ —ã ẽ  
æœ-ã, çãf%õãf ẽ ã, ðã, ¶ãfã ẽ ®è ẽ ẽ ¿°ã†...ã®¹ã ẽ «é-çã ẽ —ã ẽ |ã ẽ æf...ã ±é... ẽ ä¿ã ẽ ® URL  
ã, çœ ẽ ç·Ÿã ẽ —ã ẽ ®ã ẽ ~ç<-ã ẽ ®è»çè¼%õã,,,æ,, ẽ ẽ ³ã, 'æ-½ã ẽ —ã ẽ Ÿã 'ã ẽ ^ã ẽ ã ẽ ½”ç¼¾ã ẽ Æç®¿ç ẽ  
ã ẽ “ã ẽ ®ãf%õã, ãfŸãfãfãfãf^ã ẽ ®æf...ã ±ã ẽ ẽã ẽ ã, ã, ^ã, ^ã ẽ ẽ½ã” ẽ ã ẽ ®ã, ”ãfãf%õãf|ãf¼ã, ¶ã, 'ã³¼è±¿ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。