

af Ssf 4 a a, ^ a £ a | af f a f a, m a, 1 a S Cisco IOS
a, 1/2 af a f a, | a, s a, c a C e 1/4 a f a a a | a a, a, < a " a " a, ' c c o e a a S a a a 3/4 a a T M a e,
a a a a a 3/4 C e a, a a a a f j a f 1/4 a, a a a a C e a e < a 1/4 s a a e " a a e j : c p a a a, C e a e c q s a a, a |
"Version" a " Cisco IOS a, 1/2 af a f a, | a, " a, c
af a f a f 1/4 a, 1 a a a a C e j : c p a a a a, C e a a 3/4 a a T M a e, a a a a a, a, 1 a, 3
af f a f a, m a, 1 a s a a a e show version
a, 3 a f z a f a f % a a C e a a e " a a a a a a a f a a Y a, S a e a a Y a a a a a S a a C e j : c p a a a a, C e a a Y a

a e j a a 3/4 a a a e Cisco
IOS a, 1/2 af a f a, | a, s a, c a f a f a f 1/4 a, 1 15.0(1)M1 a, a a Y e j C e a a a e a a, m a f a, 1 a f a f 1/4 a f a a a, C e a a | a a
UNIVERSALK9-M a s a a, a, a, a, 1 a, 3 e £ 1/2 a " a, ' c p a a a a a | a a, a a 3/4 a a T M a e,

<#root>

Router>

show version

Cisco IOS Software, C3900 Software (C3900-UNIVERSALK9-M), Version 15.0(1)M1, RELEASE SOFTWARE
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2009 by Cisco Systems, Inc.
Compiled Wed 02-Dec-09 17:17 by prod_rel_team

!--- output truncated

Cisco

IOS a, 1/2 af a f a, | a, s a, c a f a f a f 1/4 a, 1 a a a 1/2 a a a e j a a % a f a a e j 1/2 a S a e f ... a a a a a e a e j a a a URL a a
Paper: Cisco IOS and NX-OS Software Reference
Guide a e a, a a, c ... s a a a a | a a a a a a a, a e,
<http://www.cisco.com/web/about/security/intelligence/ios-ref.html>.

e, t a 1/4 a e e s a, a a a a a, a a a a a a a a a a a a C e c c o e a a a a, C e a a Y e £ 1/2 a " a

Cisco IOS XE a S a, a a 3 Cisco IOS XR

a, 1/2 af a f a, | a, s a, c a a a a a e, t a 1/4 a e e s a a a 1/2 a e Y e j a, a a a a a a 3/4 a a a, a e,

a a a a a, a, 1 a, 3 e £ 1/2 a " a a a a S a a, a a | a e a a a a a a a a, c a f % a a f a, m a, q a f a a a a 1/2 a e Y e j a, a a a a

è©³ç°

Cisco IOS, ½áf•áf^ã, lä, šã, çã «ãf†ãfã, mã, 1ã, »ãf³ã, mãf¼æ©ÿèf½ã ¯ã€ Cisco Discovery Protocolã€ Link Layer Discovery

Protocol(LLDP)ã€ DHCPã€ªã©ã®ãf—ãfãf^ã, ³ãf«ã, 'ã½¿ç" "ã—ã|ã,,ã,ãfãffãf^ãf^ãf¼ã, ¯

Cisco

IOSã, ½áf•áf^ã, lä, šã, çã «ã ¯ã€ èª è "¼ã •ã, Æã |ã,,ãªã,,ãfªãfçãf¼ãf^ã®æ"»æ'fè€...ã€

ãf†ãfã, ©ãf«ãf^ã Sæœ%ãš¹ã «ãªã£ã |ã,,ã,ãf†ãfã, mã, 1ã, »ãf³ã, mãf¼æ©ÿèf½ã ¯ã€ IPã, Sensoræ©ÿèf½ã ÆDHCPãfã, ±ãffãf^ã, 'ã†|ç, †ã—ã, ^ã†ã "ã™ã, <ã "ã «ãf^ãfªã, -ãf¼ã

ãf†ãfã, mã, 1ã, »ãf³ã, mãf¼æ©ÿèf½ã ®è©³ç°ã «ã mã,,ã |ã ¯ã€ãŽãf†ãfã, mã, 1ã, »ãf³ã, mãf¼ã, ¯ã, mãf%ãã€ã, 'ã, ç...šã—ã |ããããããã,ã€,

ã"ã®è, †ã¼±æ€šã ¯ã€ã»¥ã% Cisco Bug ID [CSCty96049](#)(
ç™»éÆ²ãfãf¼ã, ¶ã°, ç"")ã "ã—ã |æ-†æ>ã-ã, Æã€ Common Vulnerabilities and
Exposures(CVE)IDã "ã—ã | CVE-2012-
4621ã Æã%²ã, Šã½"ã |ã, %ãã, Æã |ã,,ã¾ã™ã€,

ã>žé¿ç-

è©²ã½"ã™ã,ãfªãfªãf¼ã, 1ã šã ¯ã€ãf†ãfã, mã, 1ã, »ãf³ã, mãf¼æ©ÿèf½ã ¯ãf†ãfã, ©ãf«ãf^ã Sæ
device-sensor filter-spec dhcp exclude

allã, 'é©ç" "ã™ã,ãã"ã "ã sè»½æ, >ãšããã¾ã™ã€,ã"ã®ã, ³ãfžãf³ãf%ã ¯ã€ DHCP

æ¬|ã®ã¾ãšã ¯ã€ã, °ãfãf¼ãfãf«è"ã®šã, ³ãfžãf³ãf%ã Æç™ºè; Æã•ã, Æã |ã,,ã¾ã™ã

```
Switch# configure terminal
Switch(config)# device-sensor filter-spec dhcp exclude all
```

ãf†ãfã, mã, 1ã, »ãf³ã, mãf¼æ©ÿèf½ã ÆDHCPãf†ãf¼ã, çã, 'ãŽé>†ã—ã |ã,,ãªã,,ã"ã "ã, çç

ãf;ã,ãfãf¼ãfãf¼ã,¹	
Affected 12.0-Based Releases	
Affected 12.2-Based Releases	
Affected 12.3-Based Releases	
Affected 12.4-Based Releases	
ã½±éÿ;ã,'ã—ã'ã,< 15.0 ãf™ãf¼ã,'ã®ãfãf¼ã,¹	
15.0EX	è,,†ã¼±æ€§ãªã—
15.0EY	è,,†ã¼±æ€§ãªã—
15.0M	è,,†ã¼±æ€§ãªã—
15.0MR	è,,†ã¼±æ€§ãªã—
15.0 MRA	è,,†ã¼±æ€§ãªã—
15.0ç§'	è,,†ã¼±æ€§ãªã— Cisco IOS XEãf†ãfªã,ªã,¹¼šã€CECisco IOS XEã,½ãf•ãf^ã.ã.ã.ã.ã®ã,C
15.0SE	15.0(1)SE3 15.0(2)SE 15.0(2)SE1¼^2012ã¹¹2ææ^10æ—ãªªã...ãæ%ãªª—èf½¼%ã
15.0SG	è,,†ã¼±æ€§ãªã— Cisco IOS XEãf†ãfªã,ªã,¹¼šã€CECisco IOS XEã,½ãf•ãf^ã.ã.ã.ã.ã®ã,C
15.0SY	è,,†ã¼±æ€§ãªã—
15.0XA	è,,†ã¼±æ€§ãªã—
15.0XO	Cisco IOS XEãf†ãfªã,ªã,¹¼šã€CECisco IOS XEã,½ãf•ãf^ã.ã.ã.ã.ã®ã,C
ã½±éÿ;ã,'ã—ã'ã,< 15.1 ãf™ãf¼ã,'ã®ãfãf¼ã,¹	
15.1EY	è,,†ã¼±æ€§ãªã—
15.1GC	è,,†ã¼±æ€§ãªã—
15.1M	è,,†ã¼±æ€§ãªã—
15.1MR	è,,†ã¼±æ€§ãªã—

15.1S	<p>è,,†â¼±æ€§ãªã—</p> <p>Cisco IOS XEã,½ãf•ãf^ã,lä,§ã,çãª@ã,Ç</p>
15.1SG	<p>15.1(1)SG1</p> <p>15.1(2)SGi¼^2012â¹¹1æœ^12æ—¥ãªª«ã...¥æ%œœ<ãª—èf¼i¼%œ</p> <p>Cisco IOS XEã,½ãf•ãf^ã,lä,§ã,çãªª@ã,Ç</p>
15.1SNG	è,,†â¼±æ€§ãªã—
15.1SNH	è,,†â¼±æ€§ãªã—
15.1SNI	è,,†â¼±æ€§ãªã—
15.1SV	è,,†â¼±æ€§ãªªœ~ãœ~ãª—ãª¾ãªª™ãª,ãªª“ãªª@ã,Çãf%œœãfªã,ªã,¶ã,¶ã
15.1T	è,,†â¼±æ€§ãªã—
15.1XB	è,,†â¼±æ€§ãªã—
<p>ã¼±éÿ;ã,âª—ãª'ã, < 15.2</p> <p>ãªª™ãª¼ã,¹ãªª@ãªªãªªã¼ã,¹</p>	
15.2 GC	è,,†â¼±æ€§ãªã—
15.2JA	è,,†â¼±æ€§ãªã—
1,520ä,‡	è,,†â¼±æ€§ãªã—
15.2ç§'	<p>15.2(2)S1</p> <p>Cisco IOS XEã,½ãf•ãf^ã,lä,§ã,çãªª@ã,Ç</p>
15.2SNG	è,,†â¼±æ€§ãªã—
15.2T	è,,†â¼±æ€§ãªã—

Cisco IOS XE ã,½ãf•ãf^ã,lä,§ã,ç

Cisco IOS

XEã,½ãf•ãf^ã,lä,§ã,çãªª@ã,Çªª«ã...¥æ%œœ<ãª—èf¼i¼%œ,ã¼±éÿ;ã,âª—ãª'ã, < 15.2

Cisco IOS XR ã,½ãf•ãf^ã,lä,§ã,ç

Cisco IOS

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。