

# Cisco TelePresence ICMP **DoS** Vulnerability



**Severity**: High  
**Product**: Cisco TelePresence Collaboration  
**Endpoint**: Cisco TelePresence Collaboration Endpoint (CE)  
**Version**: 8.1, 8.2, 8.2.1, 8.2.2, 8.2.3, 8.2.4, 8.2.5, 8.2.6, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100  
**CVSS**: 7.5  
**Workarounds**: No workarounds available  
**Cisco ID**: CSCvb95396

[CVE-2017-3825](#)

**Summary**: A Denial of Service (DoS) vulnerability exists in Cisco TelePresence Collaboration Endpoint (CE) versions 8.1 through 8.2.99, 8.2.100. An attacker can cause a denial of service by sending a specially crafted ICMP Echo request to the affected device.

## Details

Cisco TelePresence Collaboration

Endpoint (CE) versions 8.1, 8.2, 8.2.1, 8.2.2, 8.2.3, 8.2.4, 8.2.5, 8.2.6, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100

The vulnerability is caused by a buffer overflow in the ICMP Echo request handling code. When a specially crafted ICMP Echo request is received, the device's memory is overwritten, leading to a crash and a denial of service.

The vulnerability affects the following components:

• Spark Room OS  
 • TelePresence DX (8.1, 8.2, 8.2.1, 8.2.2, 8.2.3, 8.2.4, 8.2.5, 8.2.6, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100)  
 • TelePresence MX (8.1, 8.2, 8.2.1, 8.2.2, 8.2.3, 8.2.4, 8.2.5, 8.2.6, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100)  
 • TelePresence SX Quick Set (8.1, 8.2, 8.2.1, 8.2.2, 8.2.3, 8.2.4, 8.2.5, 8.2.6, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100)

## References

[Cisco Security Advisory: CVE-2017-3825](#)

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20170503-ctp>

- Spark Room OS
- TelePresence DX (8.1, 8.2, 8.2.1, 8.2.2, 8.2.3, 8.2.4, 8.2.5, 8.2.6, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100)
- TelePresence MX (8.1, 8.2, 8.2.1, 8.2.2, 8.2.3, 8.2.4, 8.2.5, 8.2.6, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100)
- TelePresence SX Quick Set (8.1, 8.2, 8.2.1, 8.2.2, 8.2.3, 8.2.4, 8.2.5, 8.2.6, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100)

- TelePresence SXã,·ãfãf¼ã,°

**Cisco TelePresenceã,½ãfãf^ã,ã,šã,çãfãfãf¼ã,¹ã®çç°èª**

ã,·ã,¹ã,³è£½ã“ã®šã®ÿè;CEã·ã,CEã|ã,,ã,<Cisco

TelePresenceã,½ãfãf^ã,|ã,šã,çãfãfãf¼ã,¹ã-ã€®çç®çç®tè€...ã®CEèµªªç-š(IR)ãfãfçãf¼ãf^ã,

ç®ççç®tè€...ã-ã€®Webã,ªãf³ã,¿ãf¼ãfãfã,šã,ªã,¹ã«ãfã,°ã,ªãf³ã-ã|http(s)://<system-  
ip>ã,çã,ã,»ã,¹URLã,'ã½¿ç”ã™ã,ã<ã€ã¾ãÿã-ssh admin@<system-

ip>ã,³ãfžãf³ãf%ãã,'ã½¿ç”ã-ã|ãª-éf”API(xAPI)ã,'ã»ã-ã|SSHãf-ãfãf^ã,³ãf«ã,'ã½¿ç”ã™

ãÿã”ã^ã°ã€ã,½ãfãf^ã,|ã,šã,çãfãfãf¼ã,¹CE

8.2.0ã,'ã®ÿè;CEã-ã|ã,,ã,<Cisco TelePresence Magnus

SX80ã,³ãf¼ãfªãfã,ã®ã'ã^ã€æ¬ã®ã,|ã,šãf«ã,«ãfãftã,ã,¹ãf^ã®CEè;çª°ã·ã,CEã¾ã

<#root>

Welcome to Magnus SX80  
Cisco Codec Release

ce

8.2.0

PreAlpha1 c6612ca 2016-04-25  
SW Release Date: 2016-04-25 14:58:45, matchbox

è,†ã¼±æ€šã,'ã«ã,“ãšã,,ãªã,,ã”ã”ã®çç°èªã·ã,CEãÿè£½ã”

ã»ã®ã,ã,¹ã,³è£½ã”ã«ãšã,,ã|ã€ãã”ã®ã,çãf%ããfã,ªã,¶ãfãã®ã½±éÿ¿ã,'ã-ã

ã,ã,¹ã,³ã-ã€ã”ã®è,,†ã¼±æ€šã®CEä»¥ã,ã®ã,ã,¹ã,³è£½ã”ã«ã-ã½±éÿ¿ã,'ã,žã^ã

- TelePresence EXã,·ãfãf¼ã,°
- Telepresence Integrator Cã,·ãfãf¼ã,°
- TelePresence Profileã,·ãfãf¼ã,°
- TelePresence VX Clinical Assistant

- TelePresence VX Tactical
- TelePresence IX5000
- TelePresence System 5000
- TelePresence System 3000
- TelePresence System T
- TelePresence Codec(TC)
- TelePresence TX

## Ā>žé-

ā◊"ā◊è,,†ā±æ€šā◊«ā̄¼ā‡|ā◊™ā,ā>žé-ā◊-ā◊,ā,šā¼ā◊>ā,"ā€,

## ä;®æ£æ, ^ā◊žā, ½āf•āf^ā, |ā,šā,č

ā, .ā, 1ā, 3ā◊-ā◊"ā◊ā◊ā,čāf%āāf◊ā, mā, ¶āfāā◊«è"~è¼%ā◊◊ā,CEā◊ÿè,,†ā±æ€šā◊«ā̄¼ā‡|ā◊™ā,č;„j  
āf◊āf¼ā, āfšāf³ā◊"āf•ā,£āf¼āāf◊āf£

ā,»āffāf^ā◊«ā̄¼ā◊—ā◊|ā◊®ā◊žā◊"ā◊ā,šā¼ā◊™ā€,ā◊◊ā◊®ā,^ā◊†ā◊ā,½āf•āf^ā, |ā,šā,  
ā,čāffāf—ā,°āf-āf¼āf%āā, 'ā, māf³ā, 1āf^āf¼āāf«ā€◊āf€ā, |āf³āfāf¼āf%āā€◊ā,čā, -ā,»ā, 1ā¼ā◊ÿā◊-ā

[http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN\\_.html](http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN_.html)

ā◊«è"~è¼%ā◊®ā, .ā, 1ā, 3ā◊®ā, ½āf•āf^ā, |ā,šā,č

āf©ā, mā, »āf³ā, 1ā◊®æ◊jé ...ā◊«ā̄¼ā"ā◊†ā◊"ā◊"ā◊«ā◊CEæ,,ā◊—ā◊ÿā◊"ā◊"ā◊«ā◊ā,šā¼ā◊

ā◊¼ā◊ÿā€◊ā◊šā®æš~ā◊CEā,½āf•āf^ā, |ā,šā,čā, 'āf€ā, |āf³āfāf¼āf%āā◊šā◊◊ā,ā◊®ā◊-ā€◊ā,  
ā,čāffāf—ā,°āf-āf¼āf%āā◊šā◊™ā€,č;„jā,ÿā◊®ā,»ā,āfāf³āf†ā,£ā,½āf•āf^ā, |ā,šā,č

ā,čāffāf—āf†āf¼āāf^ā◊«ā,^ā◊£ā◊|ā€◊ā◊šā®æš~ā◊«æ-°ā◊—ā◊,,ā,½āf•āf^ā, |ā,šā,č

āf©ā, mā, »āf³ā, 1ā€◊è¼šā, ½āf•āf^ā, |ā,šā,č āf•ā,£āf¼āāf◊āf£

ā,»āffāf^ā€◊ā◊¼ā◊ÿā◊-āfjā, āf£āf¼ā f³āf"ā, āfšāf³

ā,čāffāf—ā,°āf-āf¼āf%āā◊«ā̄¼ā◊™ā,«æ"~é™ā◊ā◊CEā"~ā,žā◊•ā,CEā,ā◊"ā◊"ā◊-ā◊,ā,šā¼ā◊

ā,½āf•āf^ā, |ā,šā,čā◊®ā,čāffāf—ā,°āf-āf¼āf%āā,æœœè"žā◊™ā,čés>ā◊«ā◊-ā€◊[ā, .ā, 1ā, 3ā◊®ā,»ā,āf  
Security Advisories and Alerts[¼%]

āfšāf¼ā, ā◊šā...¥æ%ā◊šā◊◊ā,ā, .ā, 1ā, 3èè¼ā"ā◊®ā,čāf%āāf◊ā, mā, ¶āfāā, 'ā®šæœÿçš,,ā◊«ā◊,č  
ā,½āf•āf^āf¼ā, .āfšāf³ā, 'çç°èā◊ā◊—ā◊|ā◊◊ā◊ ā◊•ā◊,,ā€,

ā◊,,ā◊šā,CEā◊®ā'ā◊^ā,,ā€◊ā,čāffāf—ā,°āf-āf¼āf%āā◊™ā,āf†āf◊ā, mā, 1ā◊«ā◊◊ā^†ā◊āfjāfčā  
Technical Assistance

Center[¼^TACi¼%ā,,ā◊—ā◊◊ā◊-ā¥'ç',,ā◊—ā◊|ā◊,,ā,āfjāf³āf†āfšāf³ā, 1āf—āfāf◊ā, māf€āf¼ā◊◊

ā,āf¼āāf"ā, 1ā¥'ç',,ā, 'ā◊"ā^©ç"ā◊šā◊ā◊,,ā◊šā®æš~

ā, .ā, 1ā, 3ā◊◊ā, %ç'æž¥è¼ā...¥ā◊—ā◊ÿā◊CEā, .ā, 1ā, 3ā◊®ā, μāf¼āāf"ā, 1ā¥'ç',,ā, çμ◊ā, "ā◊šā◊,,ā◊ā◊,  
TAC([http://www.cisco.com/en/US/support/tsd\\_cisco\\_worldwide\\_contacts.html](http://www.cisco.com/en/US/support/tsd_cisco_worldwide_contacts.html))ā◊«é€çμjā◊—ā◊|ā,čāffāf—

ç,,;ã,,ÿã,çãffãf—ã,°ãf—ãf¼ãf%ã®ã³æ±;è£½ã"ãSã,ã,ã"ã"ã,è"¼æ~žã—ã|ã,,ãÿã  
URL ã,ã"ç"æ,,ããããããããã,,ã€,

ã;@æ£æ,^ã;ãfãfãfãfã,¹

ã"ã®è,,†ã¼±æ€§ã¬ã€Cisco TelePresence Collaboration  
Endpoint(CE)ã,½ãfãfã,|ã,šã,çãfãfãfãfã,18.3.2ã»¥é™ãSã;@æ£ãã,CEã|ã,,ã¾ã™ã€,  
Cisco TelePresenceã,½ãfãfã,|ã,šã,çãfãfãfãfã,18.3.2ã»¥é™ãSã;@æ£ãã,CEã|ã,,ã¾ã™ã€,  
Download  
Softwareã,µ,ããfãã<ã,%ããfãã,|ãfãfãfãfãfã%ãSãã¾ã™ã€, [Products] > [Video] > [Cisco  
TelePresence]ã®é†ã«ç§»ãã—ã|ããããããã,,ã€,

æ³¼šSpark Room

OSã,½ãfãfã,|ã,šã,çãfãfãfãfã,18.3.2ã»¥é™ãSã;@æ£ãã,CEã|ã,,ã¾ã™ã€,ãSã@ç

ã,æ£ã^©ç"ã°<ã¾ã"ã...-ã¼ç™°è;"

Cisco Product Security Incident Response

Team¼^PSIRT¼%ã¬ã€æœ-ã,çãf%ããfã,ã,¶ã,¶ãfãã«è"¼%ãã,CEã|ã,,ã,è,,†ã¼±æ€§ã

ã†ã...

æœ-è,,†ã¼±æ€§ã¬ã€ã,ã,ã,³ TAC

ã®ã,µãfãfãfãfãfã^æ;ã»¶ã®ã¾ãçœ™,ã«ç™°è|ãã,CEã¾ã—ãÿã€,

### URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20170503-ctp>

æ"¹è,,ã±æ'

ãfãfãfã,ãfšãf³	èª-æ~ž	ã,»ã,¬ã,ãfšãf³
1.1	[è,,†ã¼±æ€§ã¬ã€ã,ã,è£½ã"(Vulnerable Products)]ãfã,¹ãfã,'æ'æ-ã—ã¾ã™ã€,	è,,†ã¼±æ€§ã¬ã€ã,ã,è£½ã"(Vulnerable Products)]ãfã,¹ãfã,'æ'æ-ã—ã¾ã™ã€,
1.0	ã^ã>žã...-é-ãfãfãfãfã,¹	-

ã^©ç"è!ç',,

æœ-ã,çãf%ããfã,ã,¶ã,¶ãfããç,,;ãçè"¼ã®ã,,ã®ã"ã—ã|ã"æã¾ã—ã|ãšã,šã€  
æœ-ã,çãf%ããfã,ã,¶ã,¶ãfãã®æf...ã±ãšã,^ã³ãfãfãfã,¬ã®ã½çç"ã«é-çã™ã,è²-ã»ã®ã€,  
ã¾ãÿãÿã€ã,ã,¹ã,³ã¬æœ-ãf%ãã,ãfãfãfãfãfã®ã†...ã®¹ã,'ã^ãšããã—ã«ã%ãæ'ã—ã  
æœ-ã,çãf%ããfã,ã,¶ã,¶ãfãã®è"¼ç°ã†...ã®¹ã«é-çã—ã|æf...ã±è...ãçãçã® URL

ã,çœç•¥ã—ã€å~ç<-ã®è»çè¼%ã,,æ,,è`³ã,'æ-½ã—ãÿå´å^ã€å½"ç³¼ãŒç®;ç  
ã"ã®ãf%ã,ãf¥ãf;ãf³ãf^ã®æf...å±ã¯ã€ã,ã,¹ã,³è£½å"ã®ã,ãf³ãf%ãf!ãf¼ã,¶ã,ã³¼è±;ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。