

# Cisco IOS XE <sup>1</sup>/<sub>2</sub>af•af^ã,|ã,šã,çã® Web UI ã«ãŠã'ã,ç%0¹æ¨©æ~‡æ¼ã®è,,†ã¼±æ€



ã,çãf%ãfã,ã,ã,ãfããf¼ID : cisco-sa-  
20170927-privesc  
ã^ã...-é-çæ—¥ : 2017-09-27 16:00  
ãfãf¼ã,ãfšãf³ 1.0 : Final  
CVSSã,¹ã,³ã,ç : 9.9  
ã>žéçç- : No workarounds available  
Cisco ãfã,° ID : [CSCuy83062](#)

[CVE-2017-12230](#)

æ—¥æœ-èªžã«ã,^ã,çæf...ã ±ã-ã€è<±èªžã«ã,^ã,çãžæ-‡ã®éžã...-ã¼ã

æ!,è!

Cisco IOS XE <sup>1</sup>/<sub>2</sub>af•af^ã,|ã,šã,çã® Web ãf™ãf¼ã,¹ã®ãf|ãf¼ã,ã  
ã,ããf³ã,çãf¼ãf•ã,šã,ã,¹i¼^Web  
UI¼%ã«ã-è,,†ã¼±æ€šã€ã,ã,šã€èª€è¨¼ã•ã,çãã|ã,ãªã„ãªã„ãfªãçãf¼ãf^ã®æ»ã

ã“ã®è,,†ã¼±æ€šã-ã€è©²ã½“ã™ã,ã,½ãf•ãf^ã,|ã,šã,çã® Web UI  
ã,ã½çç”ã—ã|ã½œæ^ã•ã,çã,çæ-°è|ãf|ãf¼ã,ã®ãf‡ãf•ã,©ãf«ãf^ã®ãfãf¼ãfãfã,ã  
æ»æ'fè€...ã€ã€è©²ã½“ã™ã,ã,½ãf•ãf^ã,|ã,šã,çã® Web UI  
ã,ã½çç”ã—ã|æ-°è|ãf|ãf¼ã,ã,ã½œæ^ã—ã€æ-°è|ãf|ãf¼ã,ãã—ã|  
Web UI

ã«ãfã,°ã,ããf³ã™ã,ãã“ã”ãšã€ãã“ã®è,,†ã¼±æ€šã,ã,çæ£ã^çç”ãšããã,ãã-èf½æ€  
ã,çæ£ã^çç”ã«æ^ãšãã™ã,ãã”ã€æ»æ'fè€...ã-è©²ã½“ã®ãf‡ãfã,ã,ã,¹ã,šãšã€¨é™ª

ã“ã®è,,†ã¼±æ€šã«ã³ãã!ã™ã,ã,½ãf•ãf^ã,|ã,šã,ç  
ã,çãfãf—ãf‡ãf¼ãf^ã-ã€ãã™ãšãã«ã,ã,¹ã,³ãã,ã,ãfªãfªãf¼ã,¹ã•ã,çãã|ã,ãªã³ã™ã€,  
ã“ã®è,,†ã¼±æ€šã«ã³ãã!ã™ã,ã>žéçç-ã-ã,ã,šã³ãã>ã,ã€,

ã“ã®ã,çãf%ãfã,ã,ã,ãfãã-ã€æ-ã®ãfªãf³ã,ã,ã,šçç°èªãšãããã³ã™ã€,  
<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20170927-privesc>

ã“ã®ã,çãf%ãfã,ã,ã,ãfãã-ã€2017 ã¹ 9 æœ^ 27 æ—¥ã«ã...-é-ã•ã,çããÝ 13  
ã»ã®è,,†ã¼±æ€šã«é-çã™ã,ç 12 ä»ã®ã,ã,¹ã,³ã,ã,ãfªãfªãf¼ã,£  
ã,çãf%ãfã,ã,ã,ãfãã,ã«ã,€ Cisco IOS <sup>1</sup>/<sub>2</sub>af•af^ã,|ã,šã,çãšã,^ã³ IOS XE  
ã,½ãf•ãf^ã,|ã,šã,çãfªãfªãf¼ã,¹ã®ã,ã,ãfªãfªãf¼ã,£ã,çãf%ãfã,ã,ã,ãfã

af af af % af « a @ ä, € é f " a Sã TM a €,

a " a, Cã, % a @ a, ç af % a f a, pã, ¶ a f a " f a f a, " a @ ä, € è | Sã « a pã, a | a " a € à » ¥ ä, < a, ' a 3  
9æe^ 2017 å ' å Š å " a " Cisco IOS a Š a ^ a ^ 3 IOS XE a, ½ af • af ^ a, | a, Sã, ç Security  
Advisory a « a, ^ a £ a | ç u, a è ¾ ¼ ¼ a ¾ a, Cã, < æ, a €,

è © 2 a ½ " è £ ½ a "

### è, † a ¼ ± æ € § a @ a, a, < è £ ½ a "

a " a @ è, † a ¼ ± æ € Sã " a € Cisco IOS XE  
a, ½ af • af ^ a, | a, Sã, ç a @ è, † a ¼ ± a a f a f a f a f ¼ a, 1 a, ' a @ Y è ; Cã — a | a, a, a, a, 1 a, 3  
af † af a, pã, 1 a Sã € HTTP  
a, µ a f ¼ a f æ © Y è f ½ a Cæ æ % a Š a a ' a ^ a « a ½ ± é Y ç a, ' a Š a ¼ a — a ¾ a TM a €,  
æ ° a — a a † è " è ^ a • a, Cã Y Web af TM af ¼ a, 1 ç @ i ç † UI a Cã € Cisco IOS XE  
a, ½ af • af ^ a, | a, Sã, ç a @ Denali 16.2 af a f a f a f ¼ a, 1 a Š a ° Ž a ... ¥ a • a, Cã ¾ a — a Y a €,  
a " a @ è, † a ¼ ± æ € Sã " a € Cisco IOS XE  
a, ½ af • af ^ a, | a, Sã, ç a @ a » ¥ a % a a @ a f a f a f ¼ a, 1 a @ Web af TM af ¼ a, 1 ç @ i ç † UI  
a « a " a ½ ± é Y ç a, ' a Š a ¼ a — a ¾ a a, " a €,

Cisco IOS XE

a, ½ af • af ^ a, | a, Sã, ç a Cã f a f a f a f ¼ a, 1 a TM a, < è © 3 ç ° a « a pã, a | a " è, † a ¼ ± a Sã € è | a ¾ a

### Web UI è " a @ š a @ ç ç ° è a

a € ç @ i ç † è € ... a " af † af a, pã, 1 a « af a, ° a, pã f 3 Web UI  
a Cã f a f a, pã, 1 a @ a Y a, a « a, pã f a f a f ¼ a f - af « a « a a, Š a € è " a @ š a • a, Cã | a < a ©  
running-config a, ' a ½ ç " a TM a, < a Y a, a « a Sã a a ¾ a TM | http  
a, ' a « a, " a Sã, < a • a, | æ ¬ i a @ a, 3 af Ž af 3 af % a @ a ~ a ce " a Cã, a, < a, ^ a † a « ç ç ° è a a TM a,  
CLI a @ transport a, 3 af Ž af 3 af % :

```
transport-map type persistent webui transport-map-name
ip http server or ip http secure-server global configuration
transport type persistent webui input transport-map-name
```

a " a, Cã, % a @ a, 3 af Ž af 3 af % a Cã ~ a ce " a — a € æ s æ ^ a a, Cã | a, a, < a ' a ^ a € Web  
UI  
a Cæ æ % a Š a « a a £ a | a Š a, Š a € af † af a, pã, 1 ç " a « è " a @ š a • a, Cã | a, a ¾ a TM

»¥ä, <ã«ã€ show running-config | http

ã, 'ã«ã, "ãšã, <ã•ã,, |ã, ¢ãfãf¼ãf-ãf«ã«ãªã, Šã€ Web UI

ã, 'ã½ç"ã™ã, <ãŸã,ã«è"ã®šã•ã, Æã, <ãf«ãf¼ã, çã®ãŸã,ã®ã transport  
ã,³ãfžãf³ãf%o:

<#root>

Router#

show running-config | include http|transport

transport-map type persistent webui https-webui  
transport-map type persistent webui http-webui

no ip http server  
ip http authentication local

ip http secure-server

transport type persistent webui input http-webui

### Cisco IOS XE ã,½ãf•ãf^ã,ã,šã,çãfãfãf¼ã,¹ã®ã^ã^¥

ãfãfãfã,ã,ã,¹ã,Šãšã®Ÿè;Æã•ã,Æã|ã,,ã, < Cisco IOS XE ã,½ãf•ãf^ã,ã,šã,çãfãfãf¼ã,¹ã®ã^ã^€ç®;çtè€...ãÆãfãfãfã,ã,ã,¹ã«ãfã,°ã,ã,ãfãã—ã|ã€CLIãš  
show version ã,³ãfžãf³ãf%oã, 'ã®Ÿè;Æã—ã€è;çªã•ã,Æã,ã,ã,¹ãftãfãfãfšãf¼ã,ã,ç...šã™ã,ã«"ã"ã"ã«ã,^ã,Šçç°èããšãããã¾ã™ã€,ãfãfãfã,ã,ã,¹ãÆ Cisco IOS XE  
ã,½ãf•ãf^ã,ã,šã,çã,ã®Ÿè;Æã™ã,ã'ã®ã^ã€ã,ã,¹ãftãfãfãfšãf¼ã Cisco IOSã,½ãf•ãf^ã,ã,šã,çã€Cisco IOS XE  
ã,½ãf•ãf^ã,ã,šã,çãã¾ãŸã®ã®ãããfãã,¹ãfãã,è;çªã—ã¾ã™ã€,

æ¬ã®ã¾ã® Cisco IOS XE ã,½ãf•ãf^ã,ã,šã,çãfãfãf¼ã,¹ 16.2.1

ã,ã®Ÿè;Æã—ã|ã€CAT3K\_CAA-UNIVERSALK9-M

ã®ã,ã,ãfãfãf¼ã«æ,^ãçã,ãfãfãf¼ã,ã®ã%ããÆã,ã,ãfãfãfã,ã,ã,¹ã®ãŸã,ã®ã®ã

<#root>

ios-xe-device#

show version

Cisco IOS Software, Catalyst L3 Switch Software (CAT3K\_CAA-UNIVERSALK9-M), Version Denali 16.2.1, RELEASED FOR TECHNICAL SUPPORT  
Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2016 by Cisco Systems, Inc.

Cisco IOS XE 3.14.1, 3.14.2, 3.14.3, 3.14.4, 3.14.5, 3.14.6, 3.14.7, 3.14.8, 3.14.9, 3.14.10, 3.14.11, 3.14.12, 3.14.13, 3.14.14, 3.14.15, 3.14.16, 3.14.17, 3.14.18, 3.14.19, 3.14.20, 3.14.21, 3.14.22, 3.14.23, 3.14.24, 3.14.25, 3.14.26, 3.14.27, 3.14.28, 3.14.29, 3.14.30, 3.14.31, 3.14.32, 3.14.33, 3.14.34, 3.14.35, 3.14.36, 3.14.37, 3.14.38, 3.14.39, 3.14.40, 3.14.41, 3.14.42, 3.14.43, 3.14.44, 3.14.45, 3.14.46, 3.14.47, 3.14.48, 3.14.49, 3.14.50, 3.14.51, 3.14.52, 3.14.53, 3.14.54, 3.14.55, 3.14.56, 3.14.57, 3.14.58, 3.14.59, 3.14.60, 3.14.61, 3.14.62, 3.14.63, 3.14.64, 3.14.65, 3.14.66, 3.14.67, 3.14.68, 3.14.69, 3.14.70, 3.14.71, 3.14.72, 3.14.73, 3.14.74, 3.14.75, 3.14.76, 3.14.77, 3.14.78, 3.14.79, 3.14.80, 3.14.81, 3.14.82, 3.14.83, 3.14.84, 3.14.85, 3.14.86, 3.14.87, 3.14.88, 3.14.89, 3.14.90, 3.14.91, 3.14.92, 3.14.93, 3.14.94, 3.14.95, 3.14.96, 3.14.97, 3.14.98, 3.14.99, 3.14.100

3.14.101, 3.14.102, 3.14.103, 3.14.104, 3.14.105, 3.14.106, 3.14.107, 3.14.108, 3.14.109, 3.14.110, 3.14.111, 3.14.112, 3.14.113, 3.14.114, 3.14.115, 3.14.116, 3.14.117, 3.14.118, 3.14.119, 3.14.120, 3.14.121, 3.14.122, 3.14.123, 3.14.124, 3.14.125, 3.14.126, 3.14.127, 3.14.128, 3.14.129, 3.14.130, 3.14.131, 3.14.132, 3.14.133, 3.14.134, 3.14.135, 3.14.136, 3.14.137, 3.14.138, 3.14.139, 3.14.140, 3.14.141, 3.14.142, 3.14.143, 3.14.144, 3.14.145, 3.14.146, 3.14.147, 3.14.148, 3.14.149, 3.14.150, 3.14.151, 3.14.152, 3.14.153, 3.14.154, 3.14.155, 3.14.156, 3.14.157, 3.14.158, 3.14.159, 3.14.160, 3.14.161, 3.14.162, 3.14.163, 3.14.164, 3.14.165, 3.14.166, 3.14.167, 3.14.168, 3.14.169, 3.14.170, 3.14.171, 3.14.172, 3.14.173, 3.14.174, 3.14.175, 3.14.176, 3.14.177, 3.14.178, 3.14.179, 3.14.180, 3.14.181, 3.14.182, 3.14.183, 3.14.184, 3.14.185, 3.14.186, 3.14.187, 3.14.188, 3.14.189, 3.14.190, 3.14.191, 3.14.192, 3.14.193, 3.14.194, 3.14.195, 3.14.196, 3.14.197, 3.14.198, 3.14.199, 3.14.200

3.14.201, 3.14.202, 3.14.203, 3.14.204, 3.14.205, 3.14.206, 3.14.207, 3.14.208, 3.14.209, 3.14.210, 3.14.211, 3.14.212, 3.14.213, 3.14.214, 3.14.215, 3.14.216, 3.14.217, 3.14.218, 3.14.219, 3.14.220, 3.14.221, 3.14.222, 3.14.223, 3.14.224, 3.14.225, 3.14.226, 3.14.227, 3.14.228, 3.14.229, 3.14.230, 3.14.231, 3.14.232, 3.14.233, 3.14.234, 3.14.235, 3.14.236, 3.14.237, 3.14.238, 3.14.239, 3.14.240, 3.14.241, 3.14.242, 3.14.243, 3.14.244, 3.14.245, 3.14.246, 3.14.247, 3.14.248, 3.14.249, 3.14.250

3.14.251, 3.14.252, 3.14.253, 3.14.254, 3.14.255, 3.14.256, 3.14.257, 3.14.258, 3.14.259, 3.14.260, 3.14.261, 3.14.262, 3.14.263, 3.14.264, 3.14.265, 3.14.266, 3.14.267, 3.14.268, 3.14.269, 3.14.270, 3.14.271, 3.14.272, 3.14.273, 3.14.274, 3.14.275, 3.14.276, 3.14.277, 3.14.278, 3.14.279, 3.14.280, 3.14.281, 3.14.282, 3.14.283, 3.14.284, 3.14.285, 3.14.286, 3.14.287, 3.14.288, 3.14.289, 3.14.290, 3.14.291, 3.14.292, 3.14.293, 3.14.294, 3.14.295, 3.14.296, 3.14.297, 3.14.298, 3.14.299, 3.14.300

3.14.301, 3.14.302, 3.14.303, 3.14.304, 3.14.305, 3.14.306, 3.14.307, 3.14.308, 3.14.309, 3.14.310, 3.14.311, 3.14.312, 3.14.313, 3.14.314, 3.14.315, 3.14.316, 3.14.317, 3.14.318, 3.14.319, 3.14.320, 3.14.321, 3.14.322, 3.14.323, 3.14.324, 3.14.325, 3.14.326, 3.14.327, 3.14.328, 3.14.329, 3.14.330, 3.14.331, 3.14.332, 3.14.333, 3.14.334, 3.14.335, 3.14.336, 3.14.337, 3.14.338, 3.14.339, 3.14.340, 3.14.341, 3.14.342, 3.14.343, 3.14.344, 3.14.345, 3.14.346, 3.14.347, 3.14.348, 3.14.349, 3.14.350

### 3.14.351-3.14.360

3.14.351, 3.14.352, 3.14.353, 3.14.354, 3.14.355, 3.14.356, 3.14.357, 3.14.358, 3.14.359, 3.14.360

### 3.14.361-3.14.370

3.14.361, 3.14.362, 3.14.363, 3.14.364, 3.14.365, 3.14.366, 3.14.367, 3.14.368, 3.14.369, 3.14.370, 3.14.371, 3.14.372, 3.14.373, 3.14.374, 3.14.375, 3.14.376, 3.14.377, 3.14.378, 3.14.379, 3.14.380, 3.14.381, 3.14.382, 3.14.383, 3.14.384, 3.14.385, 3.14.386, 3.14.387, 3.14.388, 3.14.389, 3.14.390, 3.14.391, 3.14.392, 3.14.393, 3.14.394, 3.14.395, 3.14.396, 3.14.397, 3.14.398, 3.14.399, 3.14.400

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

3.14.401, 3.14.402, 3.14.403, 3.14.404, 3.14.405, 3.14.406, 3.14.407, 3.14.408, 3.14.409, 3.14.410, 3.14.411, 3.14.412, 3.14.413, 3.14.414, 3.14.415, 3.14.416, 3.14.417, 3.14.418, 3.14.419, 3.14.420, 3.14.421, 3.14.422, 3.14.423, 3.14.424, 3.14.425, 3.14.426, 3.14.427, 3.14.428, 3.14.429, 3.14.430, 3.14.431, 3.14.432, 3.14.433, 3.14.434, 3.14.435, 3.14.436, 3.14.437, 3.14.438, 3.14.439, 3.14.440, 3.14.441, 3.14.442, 3.14.443, 3.14.444, 3.14.445, 3.14.446, 3.14.447, 3.14.448, 3.14.449, 3.14.450





ã, 'çœ ç•¥ã —ã€ å ~ç<-ã ®è»çè¼%ã,,æ,, è ``³ã,'æ-½ã —ã ÿå 'å ^ã€ å½"ç³¼ã Çç®;ç  
ã "ã ®ãf%ãã,ãf¥ãf;ãf³ãf^ã ®æf...å ±ã ¯ã€ ã,ã,¹ã,³è£½å" ã ®ã, "ãf³ãf%ããf!ãf¼ã,¶ã,ã³¼è±;ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。