Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã►® Precision Time Protocol ã►®ã,µãƒ¼ãƒ“ã,¹å¦¨å®³ï¼ˆDoSï¼‰ã►®è„†å¼

High

ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªãƒ¼ID : cisco-sa-20180926-ptp

åˆ►å…¬é–‹æ—¥ : 2018-09-26 16:00

æœ€çµæ›´æ–°æ—¥ : 2019-07-15 19:24

ãƒ►ãƒ¼ã,¸ãƒ§ãƒ³ 1.1 : Final

CVSSã,¹ã,³ã,¢ : 7.5

å›žé►¿ç– : No workarounds available

Cisco ãƒ►ã,° ID : CSCvn28545 CSCvf94015 CSCvn28552 CSCvn28572 CSCvh77659

CVE-2018-0473

æ—¥æœ¬èªžã►«ã,ˆã,‹æƒ…å ±ã►¯ã€►è‹±èªžã►«ã,ˆã,‹åŽŸæ–‡ã►®é►žå…¬å¼►ã►

æ¦‚è¦►

Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã►® Precision Time Protocolï¼ˆPTPï¼‰ã,µãƒ–ã,·ã,¹ãƒ†ãƒ ã►®è„†å¼±æ€§ã►«ã,ˆã,Šã€►èª►è¨¼ã►•ã,Œã►¦ã►„ã►ªã►
Precision Time Protocol ã►®ã,µãƒ¼ãƒ“ã,¹å¦¨å®³ï¼ˆDoSï¼‰çŠ¶æ…‹ã,'å¼•ã►►èµ·ã►“ã►™å►¯èƒ½æ€§ã►Œã►,ã,Šã►¾ã►

ã►“ã►®è„†å¼±æ€§ã►¯ã€►PTP ãƒ'ã,±ãƒƒãƒˆã►®ä¸►å►►å►†ã►ªå‡¦ç►†ã►ŒåŽŸå› ã►§ç™ºç"Ÿã►—ã►¾ã►™ã€,æ"»æ'fè€…ã►¯ã€► PTP ãƒ'ã,±ãƒƒãƒˆã,'é€►ä¿¡ã►™ã,‹ã►‹ã€►ã►¾ã►Ÿã►¯å½±éŸ¿ã,'å►—ã►'ã,‹ãƒ‡ãƒ►ã,¤ã,¹ã,'ä»‹ã►—ã►¦ PTP ã,µãƒ–ã,·ã,¹ãƒ†ãƒ ã►® DoS çŠ¶æ…‹ã,'å¼•ã►►èµ·ã►“ã►—ã€►ãƒ►ãƒƒãƒˆãƒ¯ãƒ¼ã,¯å…¨ä½"ã►§æ™‚å^»å►Œæœ►ã►®å►►é¡Œã

ã,·ã,¹ã,³ã►¯ã►“ã►®è„†å¼±æ€§ã►«å¯¾å‡¦ã►™ã,‹ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã,¢ãƒƒãƒ—ãƒ‡ãƒ¼ãƒˆã,'ãƒªãƒªãƒ¼

ã►“ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►¯ã€►æ¬¡ã►®ãƒªãƒ³ã,¯ã,ˆã,Šç¢ºèª►ã►§ã►►ã►¾ã►™ã€,
https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180926-ptp

ã►“ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►¯ã€►2018 å¹´ 9 æœˆ 26 æ—¥ã►«å…¬é–‹ã►•ã,Œã►Ÿ 13 ä»¶ã►®è„†å¼±æ€§ã►«é–¢ã►™ã,‹ 12 ä»¶ã►®ã,·ã,¹ã,³ ã,»ã,ãƒ¥ãƒªãƒ†ã,£ ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã,'å►«ã,€ Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã►Šã,ˆã►³ IOS XE

ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã►®ã,»ã,ãƒ¥ãƒªãƒ†ã,£
ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªå…¬é–‹è³‡æ–™ã►®ä¸€éƒ¨ã►§ã►™ã€,ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►¨ãƒªãƒ³ã,¯ã►®ä
Cisco Event Response: September 2018 Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled Publicationã€►ã,'å►,ç…§ã►—ã►¦ã►►ã► ã►•ã►„ã€,

è©²å½“è£½å“►

è„†å¼±æ€§ã►®ã►,ã,‹è£½å“►

ã►“ã►®è„†å¼±æ€§ã►¯ã€►Cisco IOS
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã►®è„†å¼±æ€§ã►Œå˜åœ¨ã►™ã,‹ãƒªãƒªãƒ¼ã,¹ã,'å®Ÿè¡Œã►—ã►¦ã►„ã►¦ã€
ãƒ'ã,±ãƒƒãƒˆã,'å‡¦ç►†ã►™ã,‹ã,^ã►†ã►«è¨å®šã►•ã,Œã►¦ã►„ã,‹æ¬¡ã►®ã,·ã,¹ã,³è£½å“►ã►«å½

- 2500 ã,·ãƒªãƒ¼ã,º Connected Grid ã,¹ã,¤ãƒƒãƒ►
- Connected Grid ã,¤ãƒ¼ã,µãƒ►ãƒƒãƒˆ ã,¹ã,¤ãƒƒãƒ► ãƒ¢ã,¸ãƒ¥ãƒ¼ãƒ« ã,¤ãƒ³ã,¿ãƒ¼ãƒ•ã,§ã,¤ã,¹ ã,«ãƒ¼ãƒ‰
- Industrial Ethernet 2000 ã,·ãƒªãƒ¼ã,º ã,¹ã,¤ãƒƒãƒ►
- Industrial Ethernet 3000 ã,·ãƒªãƒ¼ã,º ã,¹ã,¤ãƒƒãƒ►
- Industrial Ethernet 3010 ã,·ãƒªãƒ¼ã,º ã,¹ã,¤ãƒƒãƒ►
- Industrial Ethernet 4000 ã,·ãƒªãƒ¼ã,º ã,¹ã,¤ãƒƒãƒ►
- Industrial Ethernet 4010 ã,·ãƒªãƒ¼ã,º ã,¹ã,¤ãƒƒãƒ►
- Industrial Ethernet 5000 ã,·ãƒªãƒ¼ã,º ã,¹ã,¤ãƒƒãƒ►

Precision Time Protocol ã►¯ãƒ‡ãƒ•ã,©ãƒ«ãƒˆã►§æœ‰åŠ¹ã►«ã►ªã►£ã►¦ã►„ã►¾ã►™ã€,

è„†å¼±æ€§ã►Œå˜åœ¨ã►™ã,‹ Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
ãƒªãƒªãƒ¼ã,¹ã€►ã►Šã,^ã►³è„†å¼±æ€§ã►Œå˜åœ¨ã►™ã,‹è£½å“►ã►®ä¿®æ£æ¸ˆã►¿ã,½ãƒ•ãƒˆã,

Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã►®å^¤å^¥

ãƒ‡ãƒ►ã,¤ã,¹ä¸Šã►§å®Ÿè¡Œã►•ã,Œã►¦ã►„ã,‹ Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
ãƒªãƒªãƒ¼ã,¹ã►¯ã€►ç®¡ç►†è€…ã►Œãƒ‡ãƒ►ã,¤ã,¹ã►«ãƒã,°ã,¤ãƒ³ã►—ã►¦ã€►CLI ã►§
**show version ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã►—ã€►è¡¨ç¤ºã►•ã,Œã,‹ã,·ã,¹ãƒ†ãƒ
ãƒ►ãƒŠãƒ¼ã,'å►,ç…§ã►™ã,‹ã►"ã►¨ã►«ã,^ã,Šç¢ºèª►ã►§ã►►ã►¾ã►™ã€,**ãƒ‡ãƒ►ã,¤ã,¹ã►
Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã,'å®Ÿè¡Œã►—ã►¦ã►„ã,‹å ´å►^ã€►ã,·ã,¹ãƒ†ãƒ
ãƒ►ãƒŠãƒ¼ã►«ã€ŒCisco Internetwork Operating System Softwareã€►ã,„ã€ŒCisco IOS
Softwareã€►ã►ªã►©ã►®ãƒ†ã,¹ãƒˆã►Œè¡¨ç¤ºã►•ã,Œã►¾ã►™ã€,ãƒ►ãƒŠãƒ¼ã►«ã►¯ã,¤ãƒ³ã
IOS
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã►®ãƒªãƒªãƒ¼ã,¹ç•ªå►·ã►¨ãƒªãƒªãƒ¼ã,¹å►►ã►Œè¡¨ç¤ºã►•ã,Œã►¾ã►™ã€,ä
ãƒ‡ãƒ►ã,¤ã,¹ã►§ã►¯ã€►**show version
ã,³ãƒžãƒ³ãƒ‰ã,'ã,µãƒ►ãƒ¼ãƒˆã►—ã►¦ã►„ã►ªã►‹ã►£ã►Ÿã,Šã€►å^¥ã►®å‡ºåŠ›ã►Œè¡¨ç¤ºã**

æ¬¡ã►«ã€►Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ 15.5(2)T1
ã►Œå®Ÿè¡Œã►•ã,Œã►¦ã►„ã►¦ã€►ã,¤ãƒ³ã,¹ãƒˆãƒ¼ãƒ«ã►•ã,Œã►¦ã►„ã,‹ã,¤ãƒ¡ãƒ¼ã,¸å►►ã►
C2951-UNIVERSALK9-M
ã►§ã►,ã,‹ãƒ‡ãƒ►ã,¤ã,¹ã►§ã►®ã,³ãƒžãƒ³ãƒ‰å‡ºåŠ›ä¾‹ã,'ç¤ºã►—ã►¾ã►™ã€,

<#root>

```
Router>

show version

Cisco IOS Software, C2951 Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team
.
.
.
```

Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
ãƒªãƒªãƒ¼ã,¹ã►®å'½å►►ã► ¨ç•ªå►·ä»˜ã►'ã►®è¦►å‰‡ã►«é–¢ã►™ã,‹è©³ç´°ã►¯ã€►ã€Ž[Cisco IOS and NX-OS Software Reference Guide](#)ã€►ã,'å►,ç…§ã►—ã►¦ã►►ã► ã►•ã►„ã€,

è„†å¼±æ€§ã,'å►«ã,"ã►§ã►„ã►ªã►„ã►"ã► ¨ã►Œç¢ºèª►ã►•ã,Œã►Ÿè£½å"►

ã►"ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►®è„†å¼±æ€§ã►®ã►,ã,‹è£½å"►ã,»ã,¯ã,·ãƒ§ãƒ³ã►«è¨˜è¼‰ã►•ã

ã,·ã,¹ã,³ã►§ã►¯ã€►ã►"ã►®è„†å¼±æ€§ã►¯ç"£æ¥ç"¨ã,¤ãƒ¼ã,µãƒ►ãƒƒãƒˆ 2000U
ã,·ãƒªãƒ¼ã,ºã,¹ã,¤ãƒƒãƒ►ã►«ã►¯å½±éŸ¿ã,'å►Šã►¼ã►•ã►ªã►„ã►"ã► ¨ã,'ç¢ºèª►ã►—ã►¾ã►–

ã,·ã,¹ã,³ã►¯ã€►ã►"ã►®è„†å¼±æ€§ã►Œ Cisco IOS XE ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã€►Cisco IOS XR
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã€►Cisco NX-OS
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã►«ã►¯å½±éŸ¿ã,'ä¸Žã►^ã►ªã►„ã►"ã► ¨ã,'ç¢ºèª►ã►—ã►¾ã►—ã►Ÿã€,

è©³ç´°

ç®¡ç►†è€…ã►¯ Precision Time Protocol
ã►Œæœ‰åŠ¹ã►«ã►ªã►£ã►¦ã►„ã,‹ã►‹ã►©ã►†ã►‹ã,'ç¢ºèª►ã►™ã,‹ã►Ÿã,►ã►«ãƒ‡ãƒ►ã,¤ã,¹ã
ã►§ **show ptp clock**
ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã►—ã►¦å‡ºåŠ›ã,'ç¢ºèª►ã►§ã►►ã►¾ã►™ã€,æ¬¡ã►® **show ptp clock**
**ã,³ãƒžãƒ³ãƒ‰ã►®å‡ºåŠ›ã►¯ã€►å¢ƒç•Œã,¯ãƒãƒƒã,¯ã► ¨ã►—ã►¦è¨å®šã►•ã,Œã►¦ã►„ã,‹ãƒ‡ã

<#root>

```
switch#
```

show ptp clock

```
 PTP CLOCK INFO
  PTP Device Type:
```

Boundary clock

```
  PTP Device Profile: Power Profile
  .
  .
  .
```

å›žé¿ç–

ã“ã®è„†å¼±æ€§ã«å¯¾å‡¦ã™ã‹ã‚å›žé¿ç–ã¯ã‚ã‚ã‚Šã¾ã›ã‚“ã€‚

ä¿®æ£æ¸ˆã¿ã½ãƒ•ãƒˆã,¦ã,§ã,¢

ã,·ã,¹ã,³ã¯ã“ã®ã,¢ãƒ‰ãƒ¤ã,¤ã,¶ãªã«è¨˜è¼‰ã•ã,Œã Ÿè„†å¼±æ€§ã«å¯¾å‡¦ã™ã‹ç„¡
ãƒ¼ãƒ¼ã,¸ãƒ§ãƒ³ã¨ãƒ•ã,£ãƒ¼ãƒ¤ãƒ£
ã,»ãƒƒãƒˆã«å¯¾ã—ã¦ã®ã¿ã¨ã¯ã™ã‚ã‚Šã¾ã™ã€‚ã¾ã¤ã®ã,ˆã†ã«ã™ã,½ãƒ•ãƒˆã,¦ã,§ã,
https://www.cisco.com/c/en/us/products/end-user-license-agreement.html

ã¾ã Ÿã€ã Šå®¢æ§˜ã Œã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã,'ãƒ€ã,¦ãƒ³ãƒãƒ¼ãƒ‰ã§ã ã‹ã®ã¯ã€ã,
ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã§ã™ã€ç„¡å„Ÿã®ã,»ã,ãƒ¥ãƒªãƒ†ã,£ ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
ã,¢ãƒƒãƒ—ãƒ‡ãƒ¼ãƒˆã«ã,ˆã£ã¦ã€ã Šå®¢æ§˜ã«æ–°ã —ã „ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
ãƒ©ã,¤ã,»ãƒ³ã,¹ã€è¿½åŠ ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒ•ã,£ãƒ¼ãƒ‰ãƒ£
ã,»ãƒƒãƒˆã€ã ¾ã Ÿã ¯ãƒ¡ã,¸ãƒ£ãƒ¼ ãƒªãƒ“ã,¸ãƒ§ãƒ³
ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã«å¯¾ã™ã,‹æ¨©é™ã Œä»˜ä¸Žã•ã,Œã,‹ã“ã¨ã¯ã,Šã¾ã

ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã®ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã,'æ¤œè¨Žã™ã,‹éš›ã«ã¯ã€[ã,·ã,¹ã,³ã®ã,»ã,ãƒ
Security Advisories and Alertsï¼‰]
ãƒšãƒ¼ã,¸ã§å…¥æ‰‹ã§ã ã,‹ã,·ã,¹ã,³è£½å“ã®ã,¢ãƒ‰ãƒ¤ã,¤ã,¶ãªã,'å®šæœŸçš„ã«å,ç
ã,½ãªãƒ¥ãƒ¼ã,·ãƒ§ãƒ³ã,'ç¢ºèª ã—ã¦ã ã •ã „ã€,

ã „ã šã,Œã®å ´å ˆã,ã€ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã™ã,‹ãƒ‡ãƒ¤ã,¤ã,¹ã«å ¤å ˆã ªãƒ¡ãƒ¢ã
Technical Assistance
Centerï¼ˆTACï¼‰ã,ã—ã ¦ã ¯å¥‘ç´„ã—ã ¦ã „ã,‹ãƒ¡ãƒ³ãƒ†ãƒŠãƒ³ã,¹ãƒ—ãƒãƒ¤ã,¤ãƒ€ãƒ¼ã«

ã,µãƒ¼ãƒ“ã,¹å¥‘ç´„ã,'ã“å^©ç”¨ã ¯ã§ã ªã „ã Šå®¢æ§˜

ã,·ã,¹ã,³ã‹ã,‰ç›´æŽ¥è³¼å…¥ã —ã Ÿã Œ Cisco Service Contract

ã,'ã"å^©ç"¨ã„ã Ÿã ã„ã¦ã„ãªã„å´å^ã€ã¾ã Ÿã€ã,µãƒ¼ãƒ‰ãƒ¼ãƒ†ã,£ãƒ™
POS ã‹ã,‰å…¥æ‰‹ã§ã ã ªã„å´å^ã¯ã€Cisco TAC
ã«é€£çµ¡ã—ã¦ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã,'å…¥æ‰‹ã—ã¦ã ã •ã„ã€,
https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html

ç„¡å„Ÿã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã®å¯¾è±¡ã"ã§ã,ã‹ã"ã¨ã,'è¨¼æ˜Žã—ã¦ã„ã Ÿã
URL ã,'ã"ç"¨æ„ã ã •ã„ã€,

Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢

ã Šå®¢æ§˜ã Œ Cisco IOS
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã®è„†å¼±æ€§ã«ã,ˆã‹ä¾µå®³ã®å¯¾è½æ€§ã,'å^¤æ–ã§ã ã‹ã,ˆã†ã€
Cisco IOS Software Checker
ãƒ„ãƒ¼ãƒ«ã,'æ ä¾›ã—ã¦ã„ã¾ã™ã€,ã"ã®ãƒ„ãƒ¼ãƒ«ã«ã,ˆã,Šã€ç‰¹å®šã®
Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã«è©²å½"ã™ã‹ã‹ã,³ ã,»ã,ãƒ¥ãƒªãƒ†ã,£
ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã€ã Šã,ˆã³ã„ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã§è¹¬æ˜Žã•ã,Œã¦ã„ã‹è„†å¼±
Fixedã€ï¼‰ã,'ç‰¹å®šã§ã ã¾ã™ã€,ã¾ã Ÿè©²å½"ã™ã‹å´å^ã€ã ã ã®ãƒªãƒ
First Fixedã€ï¼‰ã,'ç‰¹å®šã§ã ã¾ã™ã€,

ã"ã®ãƒ„ãƒ¼ãƒ«ã,'ä½¿ç"¨ã—ã¦æ¬¡ã®ã¿ã¿ã¯ã®ã®ã¿ã¾ã™ã€,

- ãƒ‰ãƒƒãƒ—ãƒ€ã,¦ãƒ³ãƒªãƒ¼ã,¹ãƒˆã‹ã‹ã‰ãƒªãƒ¼ã,¹ï¼ˆè¤‡æ•°å¯¾ï¼‰ã,'é¸æŠžã™ã‹ã‹ã€å^†ãž å¯¾è±¡ã¨ã¨ã,·ã,¹ãƒ†ãƒ ã‹ã‰ãƒ•ã,¡ã,¤ãƒ«ã,'ã,¢ãƒƒãƒ—ãƒãƒ¼ãƒ‰ã—ã¦ã€æ¤œç´¢ã,'é–‹å§‹ã™ã‹
- **show version ã,³ãƒžãƒ³ãƒ‰ã®å‡ºåŠ›ã,'ãƒ„ãƒ¼ãƒ«ã§è§£æž ã™ã‹**
- ã,«ã,¹ã,¿ãƒžã,¤ã,ºã—ã Ÿæ¤œç´¢ï¼ˆé ŽåŽ»ã«å…¬é–‹ã•ã,Œã Ÿã™ã¹ã¦ã¦ã®ã,·ã,¹ã,³ã,»ã,ãƒ¥ãƒªãƒ†ã,£ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã,'æ¤œç´¢å¯¾è±¡ã«å…¥ã,Œã Ÿã,Šã€ç‰¹å®šã®ã,¢ãƒ‰ãƒ•ã,¤ã,¶ã

ãƒªãƒªãƒ¼ã,¹ã Œã€å…¬é–‹ã•ã,Œã¦ã „ã‹ã,·ã,¹ã,³ã,»ã,ãƒ¥ãƒªãƒ†ã,£ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã®ã
IOS Software Checkerã,'ä½¿ç"¨ã™ã‹ã‹ã€æ¬¡ã®ãƒ•ã,£ãƒ¼ãƒ«ãƒ‰ã«Cisco
IOSã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒªãƒªãƒ¼ã,¹(ã Ÿã¨ ã ˆã °ã€**15.1(4)M2**)ã,'å…¥åŠ›ã—ã¾ã™ã€,

Check

ãƒ‡ãƒ•ã,©ãƒ«ãƒˆã§ã¯ã¯Cisco IOS
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã®ãƒ‰ã,§ãƒƒã,¯ã«ã¯ã€çµ‰æžœã¯ã€é«˜ã,»ã,ãƒ¥ãƒªãƒ†ã,£ã¸ã®ã½
(ã,µãƒ¼)
ã¾ã Ÿã¯é‡‰å¤§ã ªè„†å¼±æ€§ã«ã®ã¿ã Œå«ã¾ã,Œã¦ã „ã¾ã™ã€,ã€Œä¸é–
SIR è„†å¼±æ€§ã®çµ‰æžœã,'å«ã,ã‹ã«ã¯ã€Cisco.com ã® Cisco IOS
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒ‰ã,§ãƒƒã,«ãƒ¼ã,'ä½¿ç"¨ã—ã¦ã€[Impact Rating]

ãƒ‰ãƒãƒƒãƒ—ãƒ€ã‚¦ãƒ³ ãƒªã‚¹ãƒˆã‚® [ä¸é–“ï¼ˆMediumï¼‰]
ãƒ©ã‚§ãƒƒã‚¯ãƒœãƒƒã‚¯ã‚¹ãƒªã‚'ã‚ªãƒ³ã‚«ã‚—ã‚¾ã‚™ã€‚

ä¸‚æ£åˆ©ç"¨ä°‹ä¾‹ã‚¨ å…¬å¼‚ç™°è¡¨

Cisco Product Security Incident Response
Teamï¼ˆPSIRTï¼‰ã‚¯ãƒ©ãƒ‚ã‚¤ã‚¶ãƒªãƒ«ã«è¨˜è¼‰ã•ã‚Œã¦ã„ã‚‹è„†å¼±æ€§ã‚

å‡°å…¸

ã"ã®è„†å¼±æ€§ã¯ Cisco TAC
ã‚µãƒ©ãƒ¼ãƒˆã‚±ãƒ¼ã‚¹ã®è§£æ±°ä¸«ç™°è¡‹ã•ã‚Œã¾ã—ãŸã€‚

URL

https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180926-ptp

æ"¹è¨‚å±¥æ´

ãƒ©ãƒ¼ã‚¸ãƒ§ãƒ³	è¹¬æ˜Ž
1.1	ãƒ©ã,° ID ã,'è¿½åŠ ã€‚è©²å½"è£½å"ã•ã‚‰ã€‰ç"£æ¥ç"¨ã,¤ãƒ¼ã‚µãƒ©ãƒƒãƒˆ ã,'å‰Šé™¤ã€‚ä¿®æ£ãƒ—ãƒã,°ãƒ©ãƒ ã¯ã€ã•ã¹ã¦ã®ãƒ—ãƒ©ãƒƒãƒˆãƒ
1.0	åˆ©å›žå…¬é–‹ãƒªãƒªãƒ¼ã‚¹

åˆ©ç"¨è¦ç´„

æœ¬ã‚ãƒ‰ãƒ©ã‚¤ãƒ¤ã¯ç„¡ä¿¿è¨¼ã®ã‚‚ã‚®ã®ã¨ã—ã¦ã—ã¦ã‚Šã‚Šã€
æœ¬ã‚ãƒ‰ãƒ©ã‚¤ãƒ¤ã®æƒ…å ±ã‚ˆã³ãƒªãƒ³ã‚¯ã®ä½¿ç"¨ã«é–¢ã™ã‚‹è²¬ä»»ã®ã‚
ã¾ãŸã€·ã‚¹ãƒ¾ãƒ¯ãƒ¾ã®æœ¬ãƒ‰ã‚ãƒ¥ãƒ¡ãƒ³ãƒˆã®å†…å®¹ã,'ä°ˆå'Šã®ãªã—ã«å¤‰æ›´ã—ã
æœ¬ã‚ãƒ‰ãƒ©ã‚¤ãƒ¤ã®è¨˜è¿°å†…å®¹ã«é–¢ã—ã¦æƒ…å ±é…ä¿¡ã® URL
ã,'çœ©ç•¥ã—ã€å˜ç‹¬ã®è»¢è¼‰ã„æ„è¨³ã,'æ–½ã—ã—ãŸå ´å˜ã€å½"ç¤¾ã®Œç®¡ç
ã"ã®ãƒ‰ã,ãƒ¥ãƒ¡ãƒ³ãƒˆã®æƒ…å ±ã¯ã€ã,·ã,¹ã,³è£½å"ã®ã®ã,¨ãƒ³ãƒ‰ãƒ¦ãƒ¼ã,¶ã,'å¯¾è±¡ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。