

# Cisco IOSã€?IOS XEã€?ã?Šã,^ã?³NX-OSã,½ãf•ãf^ã,|ã,§ã,çã?®ã,»ã,ãf¥ãfãftã,£ã,°ã of Service(DoS)ã?®è,,tå¼±æ€§



ã,çãf‰ãf♦ã,¤ã,¶ãfãf%ID : cisco-sa-sxp- [CVE-2020-3228](#)

68TEVzR

68TEVzR

å^♦å...-é-æ-¥ : 2020-06-03 16:00

ãf♦ãf%ID,ãf§ãf³ 1.0 : Final

CVSSã,¹ã,³ã,c : [6.8](#)

å›é♦¿ç- : No workarounds available

Cisco ãf♦ã,° ID : [CSCvt30182 CSCvd71220 CSCvp96954](#)

æ—¥æœ¬è^zã♦«ã,^ã,<æf...å ±ã?^-ã€♦è<±è^zã♦«ã,^ã,<åŽÝæ-‡ã♦®é♦žå...-å¼♦ã

æ!,è!

Cisco IOSã,½ãf•ãf^ã,|ã,§ã,çã?Cisco IOS XEã,½ãf•ãf^ã,|ã,§ã,çã?ã?Šã,^ã?³Cisco NX-OSã,½ãf•ãf^ã,|ã,§ã,çã?Security Group Tag Exchange Protocol(SXP)ã?®è,,tå¼±æ€§ã?«ã,^ã,§ã?è^a?è^1/4ã?•ã,Cæ?|ã?„ã?^a?„ãf?ãfçãf%4ãf^ã?®æ”»ã

ã?“ã?®è,,tå¼±æ€§ã?^-ã€♦å·§ã?™ã?«ç?°å·¥ã?•ã,Cæ?ÝSXPãf?ã,±ãffãf^ã?Cæ?Fã?—ã?♦?å?|ç? DoS çŠ¶æ...æ?Cç?™oç”Ýã?™ã,«å?^-èf?1/2æ€§ã?Cæ?„ã,§ã?3/4ã?™ã?€,

ã?“ã?®è,,tå¼±æ€§ã?«å?^-3/4å?|ã?™ã,«ã,½ãf•ãf^ã,|ã,§ã,çã?ffãf—ãftãf%4ãf^ã,’ãf?ãf?ãf?1/2æ€§ã?«å?^-èf?1/2æ€§ã?Cæ?„ã,§ã?3/4ã?™ã?€,

ã?“ã?®ã,çãf‰ãf♦ã,¤ã,¶ãfãf?^-ã€♦æ-|ã?®ãf?ãf?3ã,^-ã,^ã,§ç?™ã?è^a?ã?„ã?ã?3/4ã?™ã?€,  
<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-sxp-68TEVzR>

è©²å¹/²“è£¹/²å“?

è,,tå¼±æ€§ã?®ã?„ã,<è£¹/²å“?

ã?“ã?®è,,tå¼±æ€§ã?^-ã€♦SXPãf?ã,Cæ?Ýç¶šã?Cæ?„å®šã?•ã,Cæ?ÝCisco IOSã?3/4ã?Ýã?^-IOS

XEã,½ãf•ãf^ã,|ã,§ã,çã?®è,,tå¼±æ€§ã?Cæ?„å?œ”ã?™ã,«ãf?ãf?ãf?1/4ã,^ã,’å®Ýè;Cæ?—ã?„ã,«ã,·

ã?“ã?®è,,tå¼±æ€§ã?^-ã€♦SXPãf?ãf?1/4ã,ãf§ãf?4(SXPv4)ã,’ã,µãf?ãf?1/4ãf?ã?™ã,«Cisco NX-

OSã,½ãf•ãf^ã,|ã,§ã,çã,’å®Ýè;Œã—ã?|ã„ã,<æ¬jã?®ã,·ã,¹ã,³ãf‡ãf?ã,¤ã,¹ã?«ã,,å½±éÝ;ã,’ã,žã

- Nexus 7000ã,·ãf^ãf¼ã,ºã,¹ã,¤ãffãf?i¼šãf^ãf¼ã,¹8.0(1)ã?®ã?¿
- VMware vSphere å?‘ã?’ Nexus 1000 Virtual Edge
- Nexus 1000V Switch for VMware vSphere

è,,†å½±æ€§ã?Œå~åœ”ã?™ã,< Cisco

ã,½ãf•ãf^ã,|ã,§ã,çãf^ãf¼ã,¹ã?«ã„ã,¤ã,|ã?—ã€?ã?“ã?®ã,çãf%oãf?ã,¤ã,¶ãf^ã?®ã€Œä

SXPäf”ã,æŽ¥ç¶šã?Œè”å®šã?•ã,Œã?|ã„ã,<ã?<ã?©ã?†ã?<ã,’çç°è^ã?ã?™ã

ãf‡ãf?ã,¤ã,¹ã?«SXPäf”ã,æŽ¥ç¶šã?Œè”å®šã?•ã,Œã?|ã„ã,<ã?<ã?©ã?†ã?<ã,’çç°è^ã?ã?™ã  
running-config | include cts

sxp,³ãfžãf³ãf%oã,’ä½ç”ã?—ã?|ã€?æ¬jã?®ä¾ã?«ç¤°ã?™ã,^ã?†ã?«cts xp  
connection peerã?Œå~åœ”ã?™ã,<ã?<ã?©ã?†ã?<ã,’çç°è^ã?ã?—ã?¾ã?™ã€,

<#root>

Router#

show running-config | include cts xp

cts xp enable  
cts xp connection peer 192.168.0.1 password none mode local listener hold-time 0 0  
Router#

listeneräfçäf¼ãf%oã?¾ã?Ýã?—bothäfçäf¼ãf%oã?SXPäf”ã,çã?Œè”å®šã?•ã,Œã?|ã„ã,<ã?<ã?©ã?†ã?<ã,’çç°è^ã?ã?™ã

è,,†å½±æ€§ã,’ã?«ã,“ã?§ã?„ã?^ã?„ã?“ã?“ã?Œçç°è^ã?ã?•ã,Œã?ÝèF½å”?

ã?“ã?®ã,çãf%oãf?ã,¤ã,¶ãf^ã?®æ½±æ€§ã?®ã,ã,<èF½å”ã?»ã,»ã,—ã,·ãf§ãf³ã?«è”è½%oã?ã

ã,·ã,¹ã,³ã?—ã€?ã?“ã?®è,,†å½±æ€§ã?ŒCisco IOS

XRã,½ãf•ãf^ã,|ã,§ã,çã?«ã?—å½±éÝ;ã,’ã,žã?^ã?^ã?„ã?“ã?“ã?“ã?“ã?—ã?¾ã?—ã?Ýã€,

è@³ç’°

ã?“ã?®è,,†å½±æ€§ã,’ã?æ£å^ç?“ã?™ã,<ã?“ã?—ã€?ãf^ã,çã?«SXPäf”ã,¹ãf^ãf¼ãf%oã?Œè”å®šã?

- è`å®šã?•ã,Œã?Ýãf”ã,çIPã,çãf%oãf—ã,¹ã?<ã,%oãf^ãf©ãf•ã,Fäffã,—ã,’é€?ä?jã?—ã?¾ã?™ã€,
- SXPä?®ãf^ã,¹ãf^ãf³ã,°IPã,çãf%oãf—ã,¹ã?§ãf^ãf©ãf•ã,Fäffã,—ã,’ã,çãf¼ã,²ãffãf^ã?«ã?—ã?¾ã?
- TCP 3ã,|ã,§ã,f?ãf³ãf%oã,·ã,§ã,¤ã,—ã,’å®Œä°†ã?™ã,<



## Security

Advisory  
Cisco Software Checker Impact Rating

Check	
-------	--

[Cisco Software Checker Impact Rating](#)  
 SIR: Impact Rating: Medium  
 Cisco Software Checker has a medium impact rating, indicating it may have a significant impact on network security if exploited. The specific vulnerability described in the advisory is a low-severity issue.

Cisco IOS XE: Impact Rating: Medium  
 Notes: Cisco IOS XE 3S Release Notes, Cisco IOS XE 3SG Release Notes

## Cisco NX-OS

Cisco NX-OS

Cisco NX-OS: Impact Rating: Medium  
 Notes: Cisco NX-OS 1.4(3)F14S10 RELEASE NOTES, Cisco NX-OS 1.4(3)F14S10 Fixed RELEASE NOTES

Cisco Software Checker

Cisco Software Checker: Impact Rating: Medium

- Cisco Software Checker (CSR) - [Cisco Software Checker](#)
- CSR Configuration Examples: [CSR Configuration Examples](#)
- CSR Log File: [CSR Log File](#)
- CSR Show Version: [CSR Show Version](#)

Cisco Software Checker: Impact Rating: Medium  
 Notes: Cisco Software Checker Impact Rating

ã»¤ä»¥ä, Šä ®ç‰¹å®šä ®ã, çäf‰oäf ä,¤ä, ¶äfäã ?Œå «ä ?¾ä,Œä, <ä ?†ä ?«æ¤œç'çä,'ä, «ä, ¹ä, ã ?¾ä ?Ýä€ ?æ-?ä ?®äf•ä, ©äf¼äf ä, 'ä½?ç" "ä ?—ä ? |ä€ ?Cisco NX-OSä, ½äf•äf^ä, |ä, §ä, çä ?Šä, ^ä ?³äf—äf©äffäf^äf•ä, ©äf¼äf ä, 'é ? , æŠžä ?—ä€ ?äf¤äf¤äf¼ä, ¹ä, 'å... ¥åŠ Nexus 3000ä, ·äf¤äf¼ä, °ä, ¹ä,¤äf¤äf ?ä ?®å 'å ?^ä ? 7.0(3)I7(5)ä € ACIäfçäf¼äf‰oä ?®Cisco NX-OSä, ½äf•äf^ä, |ä, §ä, çä ?®å 'å ?^ä ? 14.0(1h)ä€,

Cisco NX-OS ä, ½äf•äf^ä, |ä, §ä, ¢

MDS 9000 ä, ·äf¤äf¼ä, °äfžäf «äf ?äf—ä,¤äf¤ä ¹ä,¤äf¤äf ?

Enter Version

Check

ãf ?äf•ä, ©äf «äf ?äf ?äf ?—ä€ ?Cisco Software Checker ä ?®çµ ?æžœä ?«ä ?—ä€ ?Security Impact Rating?¹?SIR?¹?‰oä ?Œä€ ?Œé ? ?å¤§ä€ ?ä ?¾ä ?Ýä ?—ä€ ?Œé «~ä€ ?ä ?@è,, ?å½±æ€§ä ?ä ?'ä ?Œå ? SIR è,, ?å½±æ€§ä ?®çµ ?æžœä, 'ä ?«ä, ?ä, <ä ?«ä ?—ä€ ?Cisco Software Checker ä, 'ä½?ç" "ä ?—ä ? |ä€ ?æ¤œç'çä, 'ä, «ä, ¹ä, ?äfžä,¤ä, °ä ?™ä, <ä ? "ä ? ?ä ?« [?å½±éÝ?ä ?@è?C?ä¾?j?¹?Impact Rating?¹?‰oä ] äf‰oäf¤äf—äf€ä, !äf³äf¤ä, !äf ?ä ?® [ä, é—?¹?Medium?¹?‰oä ] äf ?ä, §äffä, —äfœäffä, —ä, ¹ä, 'ä, ?äf³ä ?«ä ?—ä ?¾ä ?™ä€,

ä, ?æ£å ?^?ç" "ä ?<ä ?¾ä ? " å...—å½?ç?™o ?é ? "

Cisco Product Security Incident Response

Teami?¹?PSIRTi?¹?‰oä ?—ä€ ?æœ—ä, çäf‰oäf ?ä,¤ä, ¶äfäã ?«è ?? ?é?‰oä ?•ä,Œä ? |ä ? „ä, <ä ?@è,, ?å½±æ€§ä ?

å?°ä... ,

ä, .ä, ¹ä, ³ä ?—ä€ ?ä ?"ä ?@è,, ?å½±æ€§ä, 'å ?å ?Šä ?—ä ? |ä ? „ä ?Ýä ? ä ? „ä ?ÝFSTEC(<https://fstec.ru/en>)

## URL

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-sxp-68TEVzR>

æ”¹è”, å±¥æ’

äf ?äf¼ä, äf§äf³	è¤—æ˜Ž	ä, »ä, —ä, ·äf§äf³	ä, 'äf ?äf¼ä, ;ä, ¹	æ—¥ä»~
1.0	å? ?å ?žå...—é—<äf¤äf¤äf¼ä, ¹	-	Final	2020 å¹? 6 æœ? 3 æ—¥

å? ?ç””è! ?ç’ „

æœ—ä, çäf‰oäf ?ä,¤ä, ¶äfäã ?—ç, „ä ?è ?? ?é?‰oä ?•ä,Œä ? |ä ? ”ä ?“æ ? ?ä ?¾ä ?—ä ? |ä ?Šä, Šä ?

æœ¬ã,¢ãf‰oãf♦ã,¤ã,¶ãfªã♦®æf...å ±ã♦Šã,^ã♦³ãfªãf³ã,¬ã♦®ä½¿ç”“ã♦«é-¢ã♦™ã,«è²¬ä»»ã♦®ä,€  
ã♦¾ã♦Ýã€♦ã,·ã,¹ã,³ã♦æœ¬ãf‰oã,ãf¥ãf;ãf³ãf^ã♦®å†...å®¹ã,’äº^å’Šã♦ªã—ã♦«å¤‰oæ›ã♦—ã♦æœ¬ã,  
¢ãf‰oãf♦ã,¤ã,¶ãfªã♦®è ”~è¿°å†...å®¹ã♦«é-¢ã♦—ã♦!æf...å ±é...♦ä¿jã♦® URL  
ã,’çœ♦ç•¥ã♦—ã€♦å♦~ç¬ã♦®è»¢è¼‰oã,,æ„♦è ”³ã,’æ-½ã♦—ã♦Ýã ’å ♦^ã€♦å½”ç¤¾ã♦Œç®¡ç♦  
ã♦”ã♦®ãf‰oã,ãf¥ãf;ãf³ãf^ã♦®æf...å ±ã♦¬ã€♦ã,·ã,¹ã,³è£½å”♦ã♦®ã,“ãf³ãf‰oãf!ãf¼ã,¶ã,’å”¾è±|ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。