

ESA 및 CRES에 여러 회사 로고를 설정하려면 어떻게 해야 하나요?

목차

[소개](#)

[ESA 및 CRES에 여러 회사 로고를 설정하려면 어떻게 해야 하나요?](#)

[ESA 컨피그레이션](#)

[CRES 컨피그레이션](#)

소개

이 문서에서는 AsyncOS 7.0 및 Cisco CRES(Registered Envelope Service)의 새로운 기능을 사용하여 여러 브랜드를 설정하는 방법에 대해 설명합니다.

ESA 및 CRES에 여러 회사 로고를 설정하려면 어떻게 해야 하나요?

ESA 컨피그레이션

1. ESA에서 새 CRES 암호화 프로파일을 생성합니다.

Edit Encryption Envelope Profile

Encryption Profile Settings	
Profile Name:	Encrypt02
Key Server Settings	
Key Service Type:	Cisco Registered Envelope Service
Proxy:	A proxy server is not currently configured.
Cisco Registered Envelope Service URL:	https://res.cisco.com
Envelope Settings	
Example Envelope	
Envelope Message Security:	<input type="radio"/> High Security Recipient must enter a password to open the encrypted message, even if credentials are cached ("Remember Me" selected).
	<input checked="" type="radio"/> Medium Security No password entry required if recipient credentials are cached ("Remember Me" selected).
Logo Link:	<input checked="" type="radio"/> No link <input type="radio"/> Custom link URL: <input type="text"/>
	By defining a URL, the logo in the upper left corner of the recipient envelope will become a link (example: http://www.mycompany.com/).
Read Receipts:	<input checked="" type="checkbox"/> Enable Read Receipts
Advanced:	Advanced envelope settings.
Message Settings	

2. 이 경우 Encrypt01이라는 프로파일이 이미 있으므로 새 프로파일을 Encrypt02라고 합니다. 이 브랜드에는 Medium Security가 설정되어 있습니다. 또한 다른 알림 텍스트가 사용됩니다. 이를 위해 새 텍스트 리소스를 추가합니다.

Add Text Resource

Text Resource

Name:

Type: Encryption Notification Template (HTML)

Text: *This field accepts HTML, but will not validate it. It is recommended you modify or write HTML in another editor.*

```
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<th style="font-family:Verdana,sans-serif;font-weight:700;
font-size:10pt;text-align:left;color:#333333">
You have received a secure message from my other brand
</th>
</tr>
<tr>
<td style="border-top:1px solid black">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td style="font-family:Verdana,sans-serif;font-size:8pt;
```

Preview Text

3. 암호화 프로필에 추가합니다.

Message Settings Example Message

End-User Controls: Enable Secure Reply All
 Enable Secure Message Forwarding

Notification Settings

Encrypted Message HTML Notification:
Preview Message (see Mail Policies > Text Resources > Encryption Notification Template - HTML)

Encrypted Message Text Notification: System Generated
Preview Message (see Mail Policies > Text Resources > Encryption Notification Template - Text)

Encryption Failure Notification: Message Subject:
 Message Body: System Generated
Preview Message (see Mail Policies > Text Resources > DSN Bounce and Encryption Failure Notification Template)

4. 새 프로필을 프로비저닝합니다.

IronPort Email Encryption Settings

Info — Cisco Registered Envelope Service "Encrypt02" was successfully provisioned.

Email Encryption Global Settings

IronPort Email Encryption: Enabled
 Proxy Server (optional): Not Configured Edit Settings...


Email Encryption Profiles

Profile	Key Service	Provision Status	Delete
Encrypt01	Cisco Registered Envelope Service	Provisioned <input type="button" value="Re-provision"/>	<input type="button" value="Delete"/>
Encrypt02	Cisco Registered Envelope Service	Provisioned <input type="button" value="Re-provision"/>	<input type="button" value="Delete"/>

PXE Engine Updates

Type	Last Update	Current Version
PXE Engine	21 Jan 2010 21:39 (GMT)	6.7.1-003
Domain Mappings File	Never updated	1.0.0

5. 새 암호화 프로필을 사용하려면 발신 콘텐츠 필터를 추가합니다.



6. 변경 사항을 제출하고 커밋합니다.

CRES 컨피그레이션

1. 새 ESA 암호화 프로파일과 연결된 이미지를 추가하려면 CRES 관리자 ID를 사용합니다. 여기서 Envelope Profile(엔벨로프 프로파일) 이름은 ESA의 암호화 프로파일과 같아야 합니다



2. 새 콘텐츠 필터를 통해 메시지를 보내면 수신자는 새 알림 텍스트와 새 로고가 있는 봉투(왼쪽 상단 모서리에 A로 표시됨)를 받습니다.

You have received a secure message from my other brand

Read your secure message by opening the attachment, **securedoc.html**. You will be prompted to open (view) the file or save (download) it to your computer. For best results, save the file first, then open it in a Web browser. To access from a mobile device, forward this message to mobils@res.cisco.com to receive a mobile login URL.

If you have concerns about the validity of this message, contact the sender directly.

First time users - will need to register after opening the attachment. For more information, click the following Help link:

Help - <https://res.cisco.com/websafe/help?topic=Reg@velope>

About Cisco Registered Email Service - <https://res.cisco.com/websafe/about>



From: Dave Miller <Dave@ironport.eu>
To: davmil2@cisco.com
Subject: other brand
Password: No password required.

Personal Security Phrase:
Your personal phrase is not enabled on this computer.
[More info](#)

OPEN

[Select a different address](#)
If you experience problems opening this message, try to [Open Online](#)

Cisco Registered Envelope Service



© 2000-2009 Cisco Systems Inc. All rights reserved.

메시지 보안이 보통으로 설정되어 있고 이미 비밀번호를 입력하고 이전에 remember me 쿠키를 설정했기 때문에 암호는 필요하지 않음을 나타냅니다. 새 로고는 열려 있는 봉투에도 나타나지만 안전한 회신, 전체 회신 또는 전달 화면에는 나타나지 않습니다



Secured Message

[Reply](#) [ReplyAll](#)

From: Dave Miller <Dave@ironport.eu>
To: davmil2@cisco.com
Date: January 28, 2010 3:50:24 PM GMT
Subject: other brand

- 3. 등록 프로세스는 Cisco 브랜드로 유지됩니다. CRES 사용자는 첫 번째 CRES 보안 이메일을 보낸 회사가 아니라 Cisco에 등록합니다. 그것은 기억해야 할 중요한 구별이다.

이 번역에 관하여

Cisco는 전 세계 사용자에게 다양한 언어로 지원 콘텐츠를 제공하기 위해 기계 번역 기술과 수작업 번역을 병행하여 이 문서를 번역했습니다. 아무리 품질이 높은 기계 번역이라도 전문 번역가의 번역 결과물만큼 정확하지는 않습니다. Cisco Systems, Inc.는 이 같은 번역에 대해 어떠한 책임도 지지 않으며 항상 원본 영문 문서(링크 제공됨)를 참조할 것을 권장합니다.