

# 将面向终端的AMP与FMC集成，以实现数据馈送

。

## 目录

[简介](#)

[将面向终端的AMP与FMC集成的过程](#)

[相关信息](#)


## 简介

本文档介绍将面向终端的高级恶意软件防护(AMP)与Firepower管理中心(FMC)集成以用于事件数据馈送的过程。


## 将面向终端的AMP与FMC集成的过程

注意：这是单向数据馈送（面向终端的AMP向FMC馈送其遇到的事件）。配置不会集成。


1.在FMC中，单击“AMP”：




2.单击“AMP管理”




3."添加AMP云连接"




4.选择您用于面向终端的AMP的AMP云：



5.单击“注册”：



6.单击“是”允许重定向到面向终端的AMP控制台：



7.登录面向终端的AMP:



# AMP for Endpoints

you@yourdomain.com

.....

Log In

[Use Single Sign-On](#)

[Can't access your account?](#)

8.单击“允许”以授权AMP到FMC的连接：

## < Authorize [REDACTED]


The [REDACTED] with URL of https://[REDACTED]/ is requesting the following authorizations:

- Streaming event export

If you are going to authorize the request, please select which groups will have their events exported to this application:

### Event Export Groups

All groups selected

A large, empty rectangular box with a vertical scrollbar on the right side, intended for selecting event export groups. The box is currently empty.

Deny

Allow

9.页面重定向回FMC。验证思科AMP解决方案类型，它将显示“面向终端的AMP和面向网络的AMP”，“状态”应为蓝色复选标记：



## 相关信息

- [技术支持和文档 - Cisco Systems](#)
- [面向终端的思科AMP — 技术说明](#)
- [面向终端的思科AMP — 用户指南](#)