

# 200å’Œ300ç³»å^—ç®;ç♦†åž<äº¤æ♦çæœºä,Šçš,,æ%

## ç>®æ :

æœ‰oæ—¶i¼Œç®;ç♦†å~å~†ç ♦å♦~èf½ä¼šä,çå¤±æ^—é♦—å~ä€,åœ~è¿™ç§♦æf...å†µä,i¼Œæ

## é€,ç””è®¾å¤:

- SF/SF 200å’ŒSF/SF 300ç³»å^—æ‰ç®;äº¤æ♦çæœº

## è½~ä»¶ç‰øæœ~

- v1.2.7.76


## å~†ç ♦æ♦çå¤♦ç”åº♦

æ¥é¤1:æŒ‰ä½♦äº¤æ♦çæœºå‰♦é♦ççš,,ResetæŒ‰oé’@15å~20ç§’é’Ýi¼Œç›`å~æ‰€æœ‰oç<~å~

ç~äºŒæ¥i¼šä½ç””ä»¥å¤ç½‘ç”g½†å°†PCç›`æŽ¥è¿æŽ¥å~æ♦çæœºä€,

ç~ä,‰oæ¥i¼šæ‰“å½ŒPCä,Šçš,,ä”»ä½•Webæ♦è§~å™~i¼Œåœ~åœºå♦€æ♦ä,è¾“å...¥äº¤æ♦çæœº

æ³·æ,,♦i¼šä,ºäº†æfç;@è¿æŽ¥i¼Œè·ç;@ä,♦è®;ç®—æœºçš,,IPåœºå♦€ä,Žäº¤æ♦çæœºçš,,IPåœº



ç~å»æ¥i¼šæ^♦åŠ¥è¿æŽ¥å♦Ži¼Œäº¤æ♦çæœºåº†æ♦ç¤ºæ,~è¾“å...¥ç”~æ^·å♦çºå’Œå~†ç

## Change Password

Old Password:

New Password:

Confirm Password:

Password Strength Meter:

The default password should be changed.

Disable Password Complexity Enforcement

**Apply**

ç¬äº”æ¥í¼šäºæ♦ Çæœºåº†æ♦♦ ç¤ºæ, “å»ºæ–ºå–†ç ♦ã€, å–†ç ♦ä, ♦èf½ä, Žç”“ æ·å♦♦ ç, å♦

æ³`æ,,♦í¼šé‰oå, Disable Password Complexity

Enforcement å♦é‰oæ¡†ä»¥ç»•èç‡äºæ♦ Çæœºå–†ç ♦è!♦æ±, ã€,

ç¬äº…æ¥í¼šç, ¹å‡»åº”ç”“åº”ç”“é…♦ç½®ã€,

å¤♦å^¶/ä¿♦å~é...♦ç½®

ä, °å¤‡ä»½ç>®çš, äç♦å~å½“å‰o♦é...♦ç½®æ~–ä, €ç§♦å¥½çš, å♦šæ³•ã€, è‡™æ ·í¼Œå‘, æžœå–†ç ♦

æ¥é¤1:ä½ç”“Webé...♦ç½®å®žç”“ç”“<åº♦å^¶é‰oæ<©ç®;ç♦†>æ–‡ä»¶ç®;ç♦†>å¤♦å^¶/ä¿♦å

## Copy/Save Configuration

All configurations that the switch is currently using are in the running configuration file which is volatile and is not retained between reboots.

To retain the configuration between reboots, make sure you copy the running configuration file to the startup configuration file after you have completed all your changes.

Source File Name:  Running configuration  
 Startup configuration  
 Backup configuration  
 Mirror configuration

Destination File Name:  Running configuration  
 Startup configuration  
 Backup configuration

Sensitive Data:  Exclude  
 Encrypted  
 Plaintext

Available sensitive data options are determined by the current user's SSD rules

Save Icon Blinking: Enabled

**Apply**

**Cancel**

**Disable Save Icon Blinking**

ç¬äºŒæ¥í¼šè!♦ä¿♦å~åŒ...å♦«æ–ºå–†ç ♦çš, è¿♦è¡Œé...♦ç½®í¼Œè–å♦•å‡»Running configurationä½œä, °Source File Nameï¼Œç,, ¶å♦Žå♦•å‡»Startup configurationä½œä, °Destination File Nameã€,

ç—ä, %oæ¥i¼šå?•å‡» **Apply**æ,



Please note: navigation to other screens while copy operation is in progress will abort the process.

OK

[Cancel](#)

ç—å>æ¥!¼šå°†å‡ºçŽ°ä,€ä,æ—ºç—å?£ä€,Click OK.

æ³·æ,,♦ï¼šåœ·äç♦å~è¿‡ç“å®Œæ^♦æ^-è¿‡ç“å°†ä,æçä¹å‰♦ï¼Œè·å<å·¼è^å°GUIçš,„ä»»ä1

## 关于此翻译

思科采用人工翻译与机器翻译相结合的方式将此文档翻译成不同语言，希望全球的用户都能通过各自的语言得到支持性的内容。

请注意：即使是最好的机器翻译，其准确度也不及专业翻译人员的水平。

Cisco Systems, Inc. 对于翻译的准确性不承担任何责任，并建议您总是参考英文原始文档（已提供链接）。