

将Android版Jabber配置为注册为BOT或TAB设备

目录

[简介](#)

[问题](#)

[解决方案](#)

简介

本文档介绍Android客户端版Jabber上可用的不同注册用户代理以及如何手动配置这些代理。

本文档提供了文档标题为“Cisco Access Connect”的部分主题的其他详细信息 [Android版Jabber配置示例](#)。

AndroidCisco Jabber

作者：Neo Jiang，思科TAC工程师。

问题

重现步骤：

1. Call Manager配置了适用于Android(BOT)的思科双模和适用于平板电脑的Cisco Jabber(TAB)设备。
2. 两台设备都分配给了同一个最终用户。
3. 用户在平板电脑上启动Android版Jabber，并注册为BOT设备，而不是TAB设备。

解决方案

默认情况下，Advanced Settings选项Register without mobile phone integration处于关闭状态，因此Jabber SIP User-Agent为Cisco-SOUNDWAVE:

```
REGISTER sip:cucmpub.ciscodomain.local SIP/2.0
Via: SIP/2.0/TCP 192.168.1.170:35936;branch=z9hG4bK18952482
From: 1111@cucmpub.ciscodomain.local
To: 1111@cucmpub.ciscodomain.local
Call-ID: f4f1e1ff-30280002-7ed309e2-10521e5b@192.168.1.170
Max-Forwards: 70
Date: Mon, 16 Jan 2017 00:43:24 GMT
CSeq: 105 REGISTER
User-Agent: Cisco-SOUNDWAVE
```

通过在“高级设置”中切换该选项，Jabber随后将用户代理注册为Cisco-TAB:

```
REGISTER sip:cucmpub.ciscodomain.local SIP/2.0
Via: SIP/2.0/TCP 192.168.1.170:37988;branch=z9hG4bK0a3241dd
From: 7626@cucmpub.ciscodomain.local
```

To: 7626@cucmpub.ciscodomain.local
Call-ID: f4f1e1ff-30280003-29831859-0284bdcf@192.168.1.170
Max-Forwards: 70
Date: Mon, 16 Jan 2017 00:44:32 GMT
CSeq: 107 REGISTER
User-Agent: Cisco-TAB

在“高级设置”(Advanced Settings)页面上，可以看到“注册，不集成手机”(Register without mobile phone integration)选项：

